NAFU-4 FILE

Porm 9–331 Dec. 1973	Form Approved.
UNITED STATES	Budget Bureau No. 42-R142
DEPARTMENT OF THE INTERIOR	5. LEASE
GEOLOGICAL SURVEY	LC 031695 b
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	NMFU =
reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas uell other	MARREN UNIT
	9. WELL NO.
2. NAME OF OPERATOR	\$\frac{1}{3}
CONOCO INC.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	-
P.O. BOX 460, HOBBS, NM 88240	BLINEARY OIL BEAS
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	11. SEC., T., R., M., OR BLK. AND SURVEY O AREA
AT SURFACE: 2100'FSL & 1650'FWL	SEC. 29, T-205, R-38E
AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH:	LEA NN
	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT	DEGETHER
SHOOT OR ACIDIZE	RECEIVED
REPAIR WELL	(NOTE BOARD
PULL OR ALTER CASING	(NOTE: Report results of multiple completion or zone challed Nn Fon (1990)
MULTIPLE COMPLETE CHANGE ZONES	April All Island
ABANDON*	U. S. GEOLOGICAL SURVEY
	HORRE MENT
(other) set production csq.	HOBBS, NEW MEXICO
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (OL	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dir measured and true vertical depths for all markers and zones pertinent	all pertinent details, and give pertinent dates, rectionally drilled, give subsurface locations and
and Londo pertinent	to this work.)+
Reached TD of 6200' on 5-23-80. R	on Densilog, comp. neutron
Calper, DLL-GR logs. Ran 151 jts. 51/2"	15 5# V=55
@ 6200'. DV tool@ 3954. 15 stage - cm	+ V
6 0200: 20 will 3934. 1- 37age - cm	nt. 01 597 5%. Class C cnt.
w/ additives. Circ. 150 sx. to surface.	2 stage - not s/
	J EMI WI
2293 sx. class "C" ent. w/ additive	e Circ is a
	5 5x. emr.
to surface	
Subsurface Safety Valve: Manu. and Type	
18. I hereby certify that the foregoing is true and correct	Set (@ Ft.
A Mark the following is true and correct	
SIGNED Wing. Multi-full TITLE Hamin. Supervis	76-00-
(This space for Federal or State office	use)
PPROVED BY	
ONDITIONS OF APPROVAL, IF ANY:	DATE