

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOCD-Hobbs 1-BELCO, Midland
 1-L.R. Hall-Midland 1-MESA, Midland
 1-Mr. Frnka-Tulsa 1-SOUTHLAND, Midland
 1-PJB/Engr. 1-File

Form C-103
 Supersedes Old
 C-102 and C-103
 Effective 1-1-65

5a. Indicate Type of Lease State ☒ Fee ☐
5. State Oil & Gas Lease No. LG-1207
7. Unit Agreement No.
6. Farm or Lease Name Getty "2" State
9. Well No. 2
10. Field and Pool, or Wellbore East Grama Ridge Morro
12. County Lea

SUNDARY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR NOTICES TO ABANDON OR TO OPEN OR REOPEN A WELL TO A DIFFERENT RESERVOIR.
 USE APPLICATION FOR REPORT ON PRODUCE CHECKS FOR SUCH PURPOSES.)

OIL WELL ☐ GAS WELL ☒ OTHER ☐

1. Name of Operator
GETTY OIL COMPANY

2. Address of Operator
P.O. Box 730, Hobbs, New Mexico 88240

3. Location of Well
UNIT LETTER H 2080 FEET FROM THE North LINE AND 660 FEET FROM
THE East LINE, SECTION 2 TOWNSHIP 22S RANGE 34E N.M.P.M.

13. Elevation (Show whether DF, KT, GR, etc.)
3614 GL

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
 NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
FULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	
		OTHER <u>Run 5" liner</u> ☒	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEC RULE 1193.

8/20/80 Ran and set 61 jts. 5" OD 18# N-80 Hydril Csg. (2600') from 10,750' to 13,350', HOWCO cemented liner w/15 bbls. SAM-4, 100 sxs. 75% cmt. plus 25% Poz Mix and 265 sxs. Class H cement w/.6% Halad 22 + .5% CFR-2 + 3# KCL and .6# gas check. Displaced 115 bbls. Plug down @ 5:15 P.M. WOC 18 hrs. Tested to 1200# for 30 mins. OK.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dale R. Crockett TITLE Area Superintendent DATE 8/21/80

Orig. Signed By Jerry Sexton DATE AUG 26 1980

APPROVED BY Dist. 1, Supv. TITLE

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

AUG 25 1980

OIL CONSERVATION DIV.

NO. OF COPIES RECEIVED	
DISTRIBUTION	
DATE	
FILE	
J.S.G.S.	
AND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOCD-HOBBS
1-MR. FRNKA-TULSA
1-A. B. CARY-MIDLAND
1-PJB, ENGR.

1-FILE
1-BELCO, MIDLAND
1-MESA, MIDLAND
1-SOUTHLAND, MIDLAND

Form C-101
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	State ☒ Fee ☐
5. State Oil & Gas Lease No.	LG-1207

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR NOTICES TO ABANDON OR TO REOPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT TO REOPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.)

Oil Well ☐ Gas Well ☒ OTHER ☐

Name of Operator
Getty Oil Company

Address of Operator
P. O. Box 730, Hobbs, NM 88240

Location of Well

UNIT LETTER H 2080 FEET FROM THE North LINE AND 660 FEET FROM

THE East LINE, SECTION 2 TOWNSHIP 22-S RANGE 34-E NMPL.

15. Elevation (Show whether DF, RT, GR, etc.)
3614 GL

7. Unit Agreement Name

6. Form of Lease Name

Getty "2" State

9. Well No.

2

10. Field and Pool, or Wildcat

East Grama Ridge Morrow

12. County

Lea

6. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	COMMENCE DRILLING OPNS. ☐
PULL OR ALTER CASING ☐	CASING TEST AND CEMENT JOBS ☒
OTHER ☐	OTHER ☐
PLUG AND ABANDON ☐	ALTERING CASING ☐
CHANGE PLANS ☐	PLUG AND ABANDONMENT ☐

7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7/7/80 Ran and set 288 jts. 7" OD S-95 and N-80 26#, 29#, and 23#, 8rd, LT&C, Range 2 and 3, A & B cond. csg. (11,076') and set at 24' KB set at 11,100'. Howco cemented first stage using 300 sxs Howco Lite, 3# gilsonite, 1/4# floclol, .6% Halad 22; tailed in with 300 sxs Class "H", .8% Halad 22, 3# salt. Circulated est. 75 sxs to pit. First plug down at 2:45 a.m. 7-8-80. Opened DV tool at 3:30 a.m. 7-8-80.

7/9/80 Howco cemented second stage with 1200 sxs Howco Lite, 3# gilsonite, 1/4# floclol, .6% Halad 22; tailed in with 200 sxs Class "H", .8% Halad 22, and 3# salt/sx. Did not circulate cement. Worth Well ran Temp Survey and found top of cement at 1915'. WOC 18 hrs. Tested csg. to 1200# for 30 mins. OK.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dale R. Crockett TITLE Area Superintendent DATE 7/10/80

PREPARED BY Jerry Sexton DATE 7/10/80

REMOVED BY Dale R. Crockett DATE 7/10/80

JUL 14 1980

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOC-D-Hobbs 1-BELCO-Midland
 1-R.J. Starrak-Tulsa 1-MESA-Midland
 1-A.B. Cary-Midland 1-SOUTHLAND-Midland
 1-PJB Engr.
 1-File

Form C-103
 Supersedes Old
 C-102 and C-103
 Effective 1-1-65

5a. Indicate Type of Lease	
State ☒	Fee ☐
5. State Oil & Gas Lease No.	
LG-1207	

SUNDARY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR NOTICES TO FILE OR TO REPORT ON WELLS IN A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT TO PRODUCE OIL OR GAS FOR SUCH PURPOSES.)

1. ☐ OIL WELL ☒ GAS WELL ☐ OTHER-		7. Unit Agreement Name
2. Name of Operator Getty Oil Company		8. Form of Lease Name Getty "2" State
3. Address of Operator P.O. Box 730, Hobbs, N.M. 88240		9. Well No. 2
4. Location of Well UNIT LETTER <u>H</u> <u>2080</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>2</u> TOWNSHIP <u>22-S</u> RANGE <u>34-E</u> N.M.P.M. 10. Field and Pool, or Wildcat East Grama Ridge Morrow		12. County Lea
11. Elevation (Show whether DF, KT, GR, etc.) 3614 GL		

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☒	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6/12/80 - Ran and set 125 jts 9 5/8" OD 40# 8rd N-80 and 36# K-55 and set @5377'. Float shoe set at 5375'. Float collar set at 5291'. DV tool at 3727'.

Cemented as follows:

1st Stage - 150 sxs Howco Lite, 6# salt, 3# gilsonite, 1/4# flocel plus 250 sxs Class "C" with 1/4# flocel/sx.

2nd Stage - 2500 sxs Howco Lite, 15# salt/sx, 5# gilsonite, and 1/4# flocel; tailed in with 200 sxs Class "C" with 1/4# flocel. Plug down and holding at 4:25 p.m. 6/12/80, did not circulate. Worth Well ran temp. survey - found top of cement at 940'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dale R. Crockett TITLE Area Superintendent DATE 6/13/80

APPROVED BY Jerry Sexton TITLE DATE JUN 17 1980

NO. OF COPIES RECEIVED	
DISTRIBUTION	
DATE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOCD-HOBBS
 1-R. J. STARRAK-TULSA
 1-A. B. CARY-MIDLAND
 1-PJB, ENGR.

1-BELCO, MIDLAND
 1-MESA, MIDLAND
 1-SOUTHLAND, MIDLAND

Form C-103
 Supersedes Old
 C-102 and C-103
 Effective 1-1-65

5a. Indicate Type of Lease
 State ☒ Fee ☐
 5. State Oil & Gas Lease No.
 LG-1207

SUNDARY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR NOTICES TO ABANDON OR TO RETURN TO A DIFFERENT RESERVOIR.
 USE APPLICATION FOR REPERFILING (NMOCD-103) FOR SUCH PURPOSES.)

OIL WELL ☐ GAS WELL ☒ OTHER ☐
 Name of Operator
 Getty Oil Company
 Address of Operator
 P. O. Box 730, Hobbs, New Mexico 88240
 Location of Well
 UNIT LETTER H 2080 FEET FROM THE North LINE AND 660 FEET FROM
 THE East LINE, SECTION 2 TOWNSHIP 22-S RANGE 34-E N.M.P.M.

7. Unit Agreement Name
 8. Form of Lease Name
 Getty "2" State
 9. Well No.
 2
 10. Field and Pool, or Wildcat
 East Grama Ridge Morrow
 12. County
 Lea

15. Elevation (Show whether DF, RT, GR, etc.)
 3614 GL

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
 NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☒	

7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1193.

TD 17 1/2" hole at 4:30 p.m. 5-29-80. Ran and set 24 jts. 13 3/8" OD H-40 48# 8rd ST&C range 3 "A" condition csg. (948') and set at 976'. 13 3/8" Howco guide shoe set at 976'. 13 3/8" Howco insert float set at 936'. Howco cemented 13 3/8" csg. using 900 sxs Class "C" with 1/4# floccel plus 4% gel plus 2% CaCl. Tailed in with 300 sxs Class "C" with 1/4# floccel plus 2% CaCl. Total cement 1200 sxs. Circulated 250 sxs cement. WOC 18 hrs. Tested to 1200# for 30 mins. OK.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dale R. Crockett TITLE Area Superintendent DATE 5/30/80

REMOVED BY Barry Seck TITLE DATE JUN 2 1980

NO. OF COPIES RECEIVED	
DISTRIBUTION	
AMT. FEE	
FILE	
U.S.G.S.	
AND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOCD-HOBBS 1-BELCO, MIDLAND
 1-R. J. STARRAK-TULSA 1-MESA, MIDLAND
 1-A. B. CARY-MIDLAND 1-SOUTHLAND, MIDLAND
 1-PJB, ENGR.
 1-ETLE

Form C-103
 Supersedes Old
 C-102 and C-103
 Effective 1-1-65

5a. Indicate Type of Lease
 State ☒ Fee ☐
 5. State Oil & Gas Lease No.
 IG-1207

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO RE-ENTER OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT TO DRILL OR RE-ENTER FOR SUCH PROPOSALS.)

OIL WELL ☐ GAS WELL ☒ OTHER ☐
 Name of Operator
 Getty Oil Company
 Address of Operator
 P. O. Box 730, Hobbs, NM 88240
 Location of Well
 UNIT LETTER H 2080 FEET FROM THE North LINE AND 660 FEET FROM
 THE East LINE, SECTION 2 TOWNSHIP 22-S RANGE 34-E N.M.P.M.

7. Unit Agreement Date
 8. Form of Lease Name
 Getty "2" State
 9. Well No.
 2
 10. Field and Pool, or Wildcat
 East Grama Ridge Morrow

11. Elevation (Show whether DF, KT, CR, etc.)
 3614 GL

12. County
 Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
EMERGENCIES ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPS. ☒	PLUG AND ABANDONMENT ☐
WELL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	

7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Sharp Drilling Co. spudded 17 1/2" hole at 3:00 a.m. May 28, 1980. Drilling 17 1/2" hole in Redbed at 153'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.
 SIGNED Dale R. Crockett TITLE Area Superintendent DATE 5-29-80
 ORG. SIGNED Jerry Sexton
 APPROVED BY Dale R. Crockett TITLE Area Superintendent DATE JUN 3 1980
 CONDITIONS OF APPROVAL, IF ANY: