

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐  
 well well  
 2. NAME OF OPERATOR  
Amoco Production Company  
 3. ADDRESS OF OPERATOR  
P. O. Box 68 Hobbs, NM 88240  
 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
1980/ NW 4  
 AT SURFACE: 890' FNL & 2245' FNL, Sec. 10  
 AT TOP PROD. INTERVAL: (Unit C, NE/4, NW/4)  
 AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <u>Drill stem test</u> <input checked="" type="checkbox"/>	<input type="checkbox"/>

5. LEASE  
NM-11970  
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
 7. UNIT AGREEMENT NAME  
 8. FARM OR LEASE NAME  
Federal BG  
 9. WELL NO.  
1  
 10. FIELD OR WILDCAT NAME  
Und. Morrow  
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
35-22-33  
 12. COUNTY OR PARISH  
Lea  
 13. STATE  
NM  
 14. API NO.  
 15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3526.4 GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled to a TD of 5400' and ran drill stem test #1 5018'-5400'.

DST Results Attached

0+4-USGS,H 1-Hou 1-Susp 1-LBG 1-Wayne Stafford, Hou


Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Bob Davis TITLE Admin. Analyst DATE 9-9-80

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
 CONDITIONS OF APPROVAL, IF ANY:



TITLE \_\_\_\_\_ DATE \_\_\_\_\_

**RECEIVED**  
 SEP 10 1980

U. S. GEOLOGICAL SURVEY  
 HOBBS, NEW MEXICO