

Form 9-331
Dec. 19730+5-USGS-Hobbs
1-Adm Unit-Midland1-CLK-Jal
7-WIO's
1-FileForm Approved.
Budget Bureau No. 42-R1424UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or to connect to a different reservoir. Use Form 9-331-C for such proposals.)

JUN 10 1981

1. oil ☐ gas ☒ other ☐U.S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

2. NAME OF OPERATOR

Getty Oil Company

3. ADDRESS OF OPERATOR

P.O. Box 730, Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: Unit Ltr. J, 1980 FSL & 1980 FEL

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐☒FRACTURE TREAT ☐☐SHOOT OR ACIDIZE ☐☐REPAIR WELL ☐☐PULL OR ALTER CASING ☐☐MULTIPLE COMPLETE ☐☐CHANGE ZONES ☐☐ABANDON* ☐☐(other) ☐

5. LEASE

NM-12846

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Getty Federal #5

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 15, T22S, R33E

12. COUNTY OR PARISH

Lea

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3549.7' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5/25/81 Drilled 8½" hole to 5506'. Ran 143 jts. (5476') 9 5/8" 40# S-80 36# K-55 8 rd ST&C R-3 "A" Cond. casing and set @ 5506'. FC @ 5416'. Western cemented with 1600 sxs. Lite with 7# salt.

5/26/81 WOC 18 hrs. Pressured up on casing to 1500# for 30 minutes, OK. Tagged cement @ 5163'.

ACCEPTED FOR RECORD

JUN 12 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

Subsurface Safety Valve: Manu. and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Area Superintendent

5/27/81

Dale R. Crockett

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
2. NAME OF OPERATOR
Getty Oil Company
3. ADDRESS OF OPERATOR
PO Box 730, Hobbs, NM 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: Ltr. J, 1980' FSL & 1980' FEL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
NM-12846
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Getty Federal 15
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Wildcat
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 15, T-22-S, R-33-E
12. COUNTY OR PARISH
Lea
13. STATE
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3549.7' GL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF ☐ ☐
FRACTURE TREAT ☐ ☐
SHOOT OR ACIDIZE ☐ ☐
REPAIR WELL ☐ ☐
PULL OR ALTER CASING ☐ ☐
MULTIPLE COMPLETE ☐ ☐
CHANGE ZONES ☐ ☐
ABANDON* ☐ ☐
(other) Move in Rotary Rig X

RECEIVED

MAY 19 1981

U.S. GEOLOGICAL SURVEY (NOTE: Report results of multiple completion or zone change on Form 9-330.)
HOBBS, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5-7-81 Moved in & rigged up Sharp Rig #64, spudded 17 1/2" hole @ 303'.

5-9-81 Drilled 17 1/2" hole to 1130'. Ran 29 Jts. (1104') 13 3/8, 48# ST&C R3 Cond. "A" Casing and set @ 1130'. Float Collar @ 1094'. Western cemented w/800 sxs. Lite, 1/4# Flocele and tailed in w/300 sxs. Class "C" cement w/1% Cacl. Total cement - 1100sxs. Circulated 160sxs.

5-10-81 Waited on cement 18 hrs. Pressured up on casing to 1200 # for 30 minutes. OK.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Dale R. Crockett TITLE Area Superintendent DATE 5/11/81

APPROVED BY ROGER A. CHAPMAN TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

MAY 21 1981

5-USGS-Hobbs

1-JM-Engr.

1-W.A. Frnka-Tulsa

1-File

Form 9-331
Dec. 1973

1-R.W. Blohm-Midland

Form Approved.
Budget Bureau No. 42-R1424

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐2. NAME OF OPERATOR Getty Oil Company3. ADDRESS OF OPERATOR P.O. Bx 730, Hobbs, NM

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: Ltr. J, 1980' FSL and
 AT TOP PROD. INTERVAL: 1980' FEL
 AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF

TEST WATER SHUT-OFF ☐
 FRACTURE TREAT ☐
 SHOOT OR ACIDIZE ☐
 REPAIR WELL ☐
 PULL OR ALTER CASING ☐
 MULTIPLE COMPLETE ☐
 CHANGE ZONES ☐
 ABANDON* ☐

☐
☐
☐
☐
☐
☐
☐
☐

(other) Commence drilling operations

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12/12/80 Abbott Brothers Drilling Company moved in and rigged
up Cable Tool Rig. Spudded 17 1/2" hole at 8:00 A.M.

5. LEASE
NM-12846

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Getty Federal 15

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Undesignated Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 15, T22S, R33E

12. COUNTY OR PARISH

Lea

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3549 L.

RECEIVED
DEC 12 1980

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Dale R. Crockett TITLE Area Supt. DATE 12/12/80APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD
PETER W. CHESTER

DEC 15 1980

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

See Instructions on Reverse Side