

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.  
30-025-27184  
5. Indicate Type of Lease  
STATE ☒ FEE ☐  
6. State Oil & Gas Lease No.  
L-5317

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☐ Other Disposal

2. Name of Operator  
McCasland Disposal System

3. Address of Operator  
Box 98 Eunice, NM 88231

7. Lease Name or Unit Agreement Name:  
Steve State

8. Well No.  
1

9. Pool name or Wildcat  
Jalmat-Yates

4. Well Location  
Unit Letter F : 1980 feet from the North line and 2310 feet from the West line

Section 1 Township 22S Range 35E NMPM County Lea

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3593 G.L.

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

- 1) MIRU PU; Install BOP
- 2) PU 2 3/8" Tubing; RIH Tag TOC @ 4075'
- 3) Circulate hole w/ gel mud
- 4) POH to 3724' spot 25sk plug
- 5) POH 500' Reverse tubing clean
- 6) WOC 4-6 hrs; RIH Tag top of plug @ 3477'
- 7) POH to 1900'; spot plug 1900'-1800'
- 8) POH to 466' spot plug 466'-366'

- 9) POH WOC 4-6 hrs.
- 10) RIH Tag top cement @ 366'
- 11) POH Set 10sk plug @ surface
- 12) Cut off well head; Install dry hole marker
- 13) RD PU cutoff anchors; clean location

THE COMMISSION MUST BE NOTIFIED 24  
HOURS PRIOR TO THE BEGINNING OF  
PLUGGING OPERATIONS FOR THE CHUB  
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE MGR DATE 9/17/01

Type or print name Telephone No.

(This space for State use)

APPROVED BY [Signature] TITLE [Signature] DATE SEP 18 2001

Conditions of approval, if any:

JC

dm

**(3 STRING CSNG)**

**OPERATOR** McCasland Disposal System  
**LEASENAME** Steve State

WELL #		1	
SECT	1	TWN	22S
FROM	1980	RNG	35E
TD:	4300	NS L	2310
PBTD:	4075	EW L	
		FORMATION @ TD	Yates
		FORMATION @ PBTD	Jalmat

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	8-5/8"	416	surface	circulated	
INTMED 1					
INTMED 2					
PROD	5 1/2"	4300'	surface	circulated	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

**\* REQUIRED PLUGS DISTRICT I**

RUSTLER (ANHYD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTIAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONIAN	

[illegible]

15"  
@ 33"  
TOC surface

8-5/8"  
@416'  
TOC surface

5-1/2"  
@ 4300'  
TOC surface

TD 4300"