

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form Approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐

2. NAME OF OPERATOR
MARTINDALE PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR
P. O. BOX 1955, HOBBS, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: **330' FWL & 990' FWL of Sec. 4**
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

SUBSEQUENT REPORT OF:

(other) Run & cement surface casing

RECEIVED

JUN 1 1981

**U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO**

5. LEASE
NM-19015

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Duncan Federal

9. WELL NO.
1

10. FIELD OR WILDCAT NAME
Sandhills Grayburg San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 4, T-21S, R-9E

12. COUNTY OR PARISH **Lea** 13. STATE **NM**

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3563' KB 3551.40R

(NOTE: Report results of multiple completion or zone completion on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

05/22/81 Well spudded 9:00PM.

05/23/81 Run 11 fts. 3-5/8", 23#/ft., K-55, new surface casing, total 483.73' set @ 430'. Cemented w/ 325# Class "C" cement w/ 2% CaCl, circulated to surface estimated 45% cement. Plug down 3:20PM 05/23/81. Tested casing w/ 1000psi for 30 mins. - no decline in pressure.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *Judy Landusky* TITLE Agent DATE May 28, 1981

ACCEPTED FOR RECORD (This space for Federal or State office use)

ROGER A. CHAPMAN

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

JUN 2 1981

**U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO**

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
JUL 9 1981
2. NAME OF OPERATOR
MARTINDALE PETROLEUM CORPORATION
3. ADDRESS OF OPERATOR
P. O. BOX 1955, HOBBS, NM 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 330' PNL & 990' PNL of Sec. 4
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	☐	☐
FRACTURE TREAT	☐	☐
SHOOT OR ACIDIZE	☐	☐
REPAIR WELL	☐	☐
PULL OR ALTER CASING	☐	☐
MULTIPLE COMPLETE	☐	☐
CHANGE ZONES	☐	☐
ABANDON*	☐	☐
(other)	Run & cement production casing	

5. LEASE
NM-19015
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Duncan Federal
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Sandhills Grayburg San Andres
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 4, T-21S, R-38E
12. COUNTY OR PARISH
Lea
13. STATE
NM
14. API NO.
15. ELEVATIONS (SHOW DE, KDB, AND WD)
3503' KB 3551' LAR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

06/02/81 Ran 110jts. 5 1/2" 14#/ft., ST&C new casing, total 4600.32' set @ 4499'. Cemented w/ 350sx Class "C" cement containing .5% CFR-2, 5#/sk sand, 3#/sk salt & .3 Hylad 4 plus 575sx Halc0 lite cement containing 15#/sk salt, 5#/sk gilsonite, 1#/sk floccle & .5% CFR-2. Plug down 10:08AM 06/02/81. Circulated to surface estimated 200sx.
07/01/81 Tested casing & cement w/ 1000psi for 30 mins. - no decline in pressure.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Judy Induskey TITLE Agent DATE July 7, 1981

ACCEPTED FOR RECORD
ROGER A. CHAPMAN
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

JUL 13 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1976 O - 214-149

RECEIVED

JUL 21 1981

OIL CONSERVATION DIV.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-19015

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

MARTINDALE PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX 1955, HOBBS, NEW MEXICO 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

**330' from the North line & 990' from the West line
of Section 4**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3551.4GR

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Duncan Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT
Sandhills Grayburg

San Andres

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 4, T-21S, R-38E

12. COUNTY OR PARISH 13. STATE

Lea

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

PULL OR ALTER CASING ☐

FRACTURE TREAT ☐

MULTIPLE COMPLETE ☐

SHOOT OR ACIDIZE ☐

ABANDON* ☐

REPAIR WELL ☐

CHANGE PLANS ☐

(Other) ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

REPAIRING WELL ☐

FRACTURE TREATMENT ☐

ALTERING CASING ☒

SHOOTING OR ACIDIZING ☐

ABANDONMENT* ☐

(Other) ☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

ALTERED PROPOSED CASING AND CEMENTING PROGRAM:

SIZE OF HOLE	SIZE OF CASING	WEIGHT/FT.	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	3-5/8"	28 1/2	*400'	*250sx Circulated
7-7/8"	5 1/2"	15 1/2	4500'	900sx Circulated

*Changed

Verbal approval by George Stewart of the U. S. Geological Survey in Roswell,
New Mexico on May 18, 1981.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE **Agent**

DATE **May 18, 1981**

(This space for Federal or State office use)

APPROVED BY **GEORGE H. STEWART** TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

FOR
JAMES A. CHILHAM
DISTRICT SUPERVISOR

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

JUN 22 1991

RECEIVED