

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-D25-27415
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Hesket
8. Well No. 1
9. Pool name or Wildcat W. Nadine Blinbry
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3582' Gr.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER

2. Name of Operator
Tamarack Petroleum Company, Inc.

3. Address of Operator
500 W. Texas, Suite 1485, Midland, TX 79701

4. Well Location
Unit Letter M : 660 Feet From The South Line and 660 Feet From The West Line
Section 4 Township 20S Range 38E NMPM Lea County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: Opened additional Blinbry pay <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Drilled out cmt & CIBP @ 6235'. Cleaned well out to 6600'.
2. Set 4½" CIBP @ 6600' on wireline, dumped 20' cmt on same.
3. Perforated 6215-6280' (11 holes), 6320-6420' (19 holes).
4. Acidized 6215-6420' w/10,500 gals 15% NEFE acid.
5. Perforated 5859-5938' (15 holes), 6089-6152' (14 holes).
6. Acidized 5859-6152' w/7500 gals 15% NEFE acid.
7. Swabbed back load, put well back on production.

Work complete 5/29/96.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Hal Gill TITLE District Engineer DATE 6/5/96
TYPE OR PRINT NAME Hal Gill TELEPHONE NO. 915/683-5474

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE JUN 1 1996

CONDITIONS OF APPROVAL, IF ANY:

4
Received
Hobbs
8/