ີ້	UNITED STATES	Form Approved.
14	UNITED STATES	Budget Bureau No. 42-R1424
-HEN	DEPARTMENT OF THE INTERIOR	5. LEASE NM-14332
07 1980	GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	7. UNIT AGREEMENT NAME
		8. FARM OR LEASE NAME Federal CK Com.
	well Li weil LA other	9. WELL NO.
	2. NAME OF OPERATOR Amoco Production Company	10. FIELD OR WILDCAT NAME Wildcat Morrow
	3. ADDRESS OF OPERATOR P. O. Box 68, Hobbs, NM 88240	11. SEC., T., R., M., OR BLK. AND SURVEY OF
	4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA 6-22-32
	AT SURFACE: 1980' FNL 660' FEL, Sec. 6	12. COUNTY OR PARISH 13. STATE
	AT TOP PROD. INTERVAL: (Unit H, SE/4, NE/4) AT TOTAL DEPTH:	Lea NM 14. API NO.
	16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
	REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD 3629.8' GL
	REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
	TEST WATER SHUT-OFF U U DDEG	
	SHOOT OR ACIDIZE	(NOTE) Offepora results of multiple completion or zon
		Form 9-330.)
		LOGICAL SURVEY L, NEW MEXICO
	17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinen	irectionally drilled, give subsurface locations and
	<b>On</b> 7-26-81 MGF (Rig #25) spudded a 20" hole a	t 9:00 p.m. Drilled to 500'
	and ran 16" 65# H-40 surface casing. Cemente	ed with 600 sack Class C with
	1% CACL. Plugged down at 7:15 a.m. 7-28-81. tested casing to 600# psi for 30 min. Tested	
	and resumed drilling.	
	and resumed drilling. 	1-W. Stafford, Hou
	and resumed drilling.	
	and resumed drilling. 	l-W. Stafford, Hou
	and resumed drilling. 0+6-USGS, H 1-Hou 1-Susp 1-MDR 1-Aminoil, Midland Subsurface Safety Valve: Manu. and Type 18. Thereby certify that the foregoing is true and correct	1-W. Stafford, Hou Set @F
	and resumed drilling. 0+6-USGS, H 1-Hou 1-Susp 1-MDR 1-Aminoil, Midland Subsurface Safety Valve: Manu. and Type 18. Thereby certify that the foregoing is true and correct	1-W. Stafford, Hou Set @F
	and resumed drilling. 0+6-USGS, H 1-Hou 1-Susp 1-MDR 1-Aminoil, Midland Subsurface Safety Valve: Manu. and Type 18. Thereby certify that the foregoing is true and correct SIGNED	l-W. Stafford, Hou 
	and resumed drilling. 0+6-USGS, H 1-Hou 1-Susp 1-MDR 1-Aminoil, Midland Subsurface Safety Valve: Manu. and Type 18. Thereby certify that the foregoing is true and correct SIGNED Mark Randow TITLE Ast. Adm. An ACCEPTED FOR RECORD ROGER A. CHAPMAN (This space for Federal or State off APPROVED BY	1-W. Stafford, Hou 
	and resumed drilling. 0+6-USGS, H 1-Hou 1-Susp 1-MDR 1-Aminoil, Midland Subsurface Safety Valve: Manu. and Type 18. Thereby certify that the foregoing is true and correct SIGNED Mark Randow TITLE Ast. Adm. An ACCEPTED FOR RECORD ROGER A. CHAPMAN (This space for Federal or State off	l-W. Stafford, Hou 
	and resumed drilling. 0+6-USGS, H 1-Hou 1-Susp 1-MDR 1-Aminoil, Midland Subsurface Safety Valve: Manu. and Type 18. Thereby certify that the foregoing is true and correct SIGNED Mark Randow TITLE Ast. Adm. An ACCEPTED FOR RECORD ROGER A. CHAPMAN (This space for Federal or State off APPROVED BY	1-W. Stafford, Hou 