

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Tamarack Petroleum Co., Inc.		8. Farm or Lease Name Raley "B"
3. Address of Operator P. O. Box 2046, Midland, TX 79702		9. Well No. 1
4. Location of Well UNIT LETTER <u>A</u> <u>330</u> FEET FROM THE <u>north</u> LINE AND <u>330</u> FEET FROM THE <u>east</u> LINE, SECTION <u>17</u> TOWNSHIP <u>20S</u> RANGE <u>38E</u> NMPM.		10. Field and Pool, or Wildcat W. Nadine
15. Elevation (Show whether DF, RT, GR, etc.) 3566 GR		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK	<input type="checkbox"/>
TEMPORARILY ABANDON	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>

PLUG AND ABANDON	<input checked="" type="checkbox"/>
CHANGE PLANS	<input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK	<input type="checkbox"/>
COMMENCE DRILLING CPNS.	<input type="checkbox"/>
CASING TEST AND CEMENT JOBS	<input type="checkbox"/>

ALTERING CASING	<input type="checkbox"/>
PLUG AND ABANDONMENT	<input type="checkbox"/>

OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Move in and rig up plugging unit on or about Nov. 20th 1985.
2. Pull out of hole with tubing
3. Set C.I. plug @ 4100' about top perf @ 4153'. Spot 5 sks cement plug on top. Fill hole w/9.5# mud.
4. Cut 4 1/2 casing off @ 2400' (B-salt sec.)
5. Pump 200' cement plug 2500' to 2300'
6. Pump 200' cement plug 1687-1487 (Bottom surface csg @ 1587)
7. Pump 10 sksk surface plug and set marker
8. Clean location.

THIS DOCUMENT IS THE PROPERTY OF THE NEW MEXICO OIL CONSERVATION COMMISSION. IT IS LOANED TO YOU FOR YOUR USE ONLY. IT IS NOT TO BE REPRODUCED OR DISTRIBUTED OUTSIDE YOUR AGENCY WITHOUT THE WRITTEN PERMISSION OF THE COMMISSION.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Hank Fitzhugh</u>	TITLE <u>Production Superintendent</u>	DATE <u>10-15-85</u>
ORIGINAL SIGNED BY JERRY SEXTON INSTR. OF CONSERVATION		
APPROVED BY _____	TITLE _____	DATE <u>OCT 17 1985</u>
CONDITIONS OF APPROVAL, IF ANY:		