

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-7

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Sun Exploration & Production Co.	8. Farm or Lease Name State "A" A/C 2
3. Address of Operator P. O. Box 1861 Midland, TX 79702	9. Well No. 66
4. Location of Well UNIT LETTER <u>F</u> <u>1345</u> FEET FROM THE <u>North</u> LINE AND <u>1345</u> FEET FROM THE <u>West</u> LINE, SECTION <u>9</u> TOWNSHIP <u>22-S</u> RANGE <u>36-E</u> NMPM.	10. Field and Pool or Wildcat Edinice Seven Rivers Queen South
11. Elevation (Show whether DF, RT, GR, etc.) 3565.4' GR	12. County LEA

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <u>Convert to WIW</u> <input checked="" type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) MIRU. POH w/rods & pump. Install BOP. Lower tbg to PBTD 3890 to check for fill over perfs. POH w/2-3/8 tbg. If fill over perfs, CO to PBTD by circ w/notched collar or hydrostatic bailer on 2-3/8 tbg.
- 2) RIH w/Otis Perma-Lach pkr w/OSTSD and 1.50" "N" profile landing nipple on 2-3/8 cmt lined tbg. Circ and load hole w/pkr fluid. (1 gal Tretolite KW-79 per 100 gals wtr). Set pkr at 3700. Establish inj rate at 1 BPM. RR.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Eddie W. Seay</u>	TITLE <u>Associate Accountant</u>	DATE <u>9-4-84</u>
APPROVED BY <u>Oil &amp; Gas Inspector</u>	TITLE <u></u>	DATE <u>OCT 10 1984</u>
CONDITIONS OF APPROVAL, IF ANY:		