(Form 3160-4)
(Dec. 1983)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

5. LEASE DESIGNATION AND SERIAL NO.: LC-031670(B)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

1a. TYPE OF WELL: X

1b. TYPE OF COMPLETION: X

7. UNIT AGREEMENT NAME: NMFU

2. NAME OF OPERATOR: CONOCO INC.

8. FARM OR LEASE NAME: SEMU Burger B

3. ADDRESS OF OPERATOR: P.O. Box 460 Hobbs, N.M. 88240

9. WELL NO.: 121

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
At surface: Unit N, 660' FSL & 2310' FWL

10. FIELD AND POOL, OR WILDCAT: Skaggs Drinkard

At top prod. interval reported below ✓

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: Sec. 18-T20S-R38E

At total depth ✓

14. PERMIT NO.: 30-025-29087

12. COUNTY OR PARISH: Lea

13. STATE: NM

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (Ready to prod.)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
5/29/85	7/28/85	9/7/85	3553.3 GL	

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
7923'	7720'	2	→	All	None

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
6633'-6884' - Drinkard

25. WAS DIRECTIONAL SURVEY MADE: Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN
GR-DLL-MSFL-CAL & GR-CNL-FDC-CAL

27. WAS WELL CORED: Yes

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
No Change					

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
None				

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 3/8"	6881'	

31. PERFORATION RECORD (Interval, size and number)
Upper Drinkard - 6638, 46, 47, 50, 59, 68, 79, 83, 87, 91, 95, 99, 6705, 07, 11, 15, 21, 25 (1 shot)
Middle Drinkard - 6750, 71, 75, 92, 96, 89, 98, 6801, 05, 08, 15, 19, 23, 27, 30, 37 (1 shot)
Lower Drinkard - 6960, 70, 74, 77, 81, 84 (1 shot)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
Upper Drinkard	24 bbls 15% HCL/NESE
Middle Drinkard	48 bbls 15% HCL/NESE
Lower Drinkard	20 bbls 15% HCL/NESE

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut in)
9/7/85	Flowing	Shut-in

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10/23/85	24	18/64		29	1300	73	44.83

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
500	0					approx. 40°

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Shut-in pending battery connect

ACCEPTED FOR RECORD
DEC 2 1985
BLM
CARLSBAD, NEW MEXICO

TEST WITNESSED BY: Steve Watkins

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED: [signature] TITLE: Administrative Supervisor DATE: 11-22-85

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: *"Sacks Cement":* Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP MEAS. DEPTH	TOP TRUE VERT. DEPTH
			No Change			

RECEIVED
DEC 4 - 1985
HOBBS OFFICE

U.S. GOVERNMENT PRINTING OFFICE : 1963—O-683636