

# WRS COMPLETION REPORT

COMPLETIONS SEC 31 TWP 20S RGE 37E  
PI# 30-T-0014 06/16/86 30-025-29395-0000 PAGE 1

NMEX LEA \* 690FSL 760FEL SEC SE SE  
STATE COUNTY FOOTAGE SPOT  
CHEVRON USA D DO  
OPERATOR WELL CLASS INIT FIN

173 EUNICE-MONUMENT SOUTH UNIT  
WELL NO. LEASE NAME  
3552KB 3539GR EUNICE-MONUMENT  
OPER ELEV FIELD/POOL/AREA

API 30-025-29395-0000  
LEASE TYPE/NO. PERMIT OR WELL I.D. NO.  
10/01/1985 04/21/1986 ROTARY OIL  
SPUD DATE COMP. DATE TYPE TOOL STATUS

4025 GRAYBURG SIERRA DRLG 5 RIG SUB 12  
PROJ. DEPTH PROJ. FORM CONTRACTOR  
DTD 3965 PB 3940 FM/TD GRAYBURG  
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

## LOCATION DESCRIPTION

2 MI NW OIL CENTER, NM

## CASING/LINER DATA

|                     |           |    |
|---------------------|-----------|----|
| CSG 11 3/4 @ 362 W/ | 300 SACKS | 01 |
| CSG 8 5/8 @ 2900 W/ | 800 SACKS | 02 |
| CSG 5 1/2 @ 3964 W/ | 350 SACKS | 07 |

## TUBING DATA

TBG 2 3/8 AT 3865

## INITIAL POTENTIAL

IPP 10BOPD 4.0MCFD 149BW 24HRS  
GRAYBURG PERF W/ 44/IT 3732- 3925 GROSS 019  
GTY 32.3 GOR 400

| TYPE | FORMATION | LTH  | TOP DEPTH/SUB | BSE DEPTH/SUB |
|------|-----------|------|---------------|---------------|
| LOG  | RUSTLER   | 1095 | 2457          |               |
| LOG  | SALT      | 1230 | 2322          | 2524 1028     |
| LOG  | YATES     | 2685 | 867           |               |
| LOG  | SVN RVRS  | 2898 | 654           |               |
| LOG  | QUEEN     | 3307 | 245           |               |
| LOG  | GRAYBURG  | 3620 | -68           |               |

CONTINUED IC# 300257043985

Copyrighted  
Reproduction  
Prohibited



Petroleum Information

CORPORATION

PI-WRS-G  
Form No 11

COMPLETIONS SEC 31 TWP 20S RGE 37E  
 PI# 30-T-0014 06/16/86 30-025-29395-0000 PAGE 2

CHEVRON USA D DO  
 173 EUNICE MONUMENT SOUTH UNIT

CORES

|                          |       |          |         |               |      |
|--------------------------|-------|----------|---------|---------------|------|
| CORE 1                   | 3700- | 3710 REC | 10.00FT | GRAYBURG CONV | D003 |
| NO DESCRIPTION AVAILABLE |       |          |         |               |      |
| CORE 2                   | 3710- | 3770 REC | 60.00FT | GRAYBURG CONV | D004 |
| NO DESCRIPTION AVAILABLE |       |          |         |               |      |
| CORE 3                   | 3770- | 3830 REC | 60.00FT | GRAYBURG CONV | D005 |
| NO DESCRIPTION AVAILABLE |       |          |         |               |      |
| CORE 4                   | 3830- | 3881 REC | 51.00FT | GRAYBURG CONV | D006 |
| NO DESCRIPTION AVAILABLE |       |          |         |               |      |

PRODUCTION TEST DATA

|                 |            |                      |
|-----------------|------------|----------------------|
| PTS 5BO         | 36BW       | 6HRS                 |
| GRAYBURG PERF   | W/ 8/IT    | 3909- 3925 GROSS 008 |
| PERF 3909- 3911 | 3923- 3925 |                      |
| ACID 3909- 3925 | 2300GALS   |                      |
| 15% NEFE HCL    |            |                      |
| PTP 18BO        | 278BW      | 48HRS                |
| GRAYBURG PERF   |            | 3909- 3925 GROSS 009 |
| PTP 8BOPD       | 70BW       | 24HRS                |
| GRAYBURG PERF   |            | 3909- 3925 GROSS 010 |
| PTP 3BOPD       | 50BW       | 24HRS                |
| GRAYBURG PERF   |            | 3909- 3925 GROSS 011 |
| PTP 4BOPD       | 43BW       | 24HRS                |
| GRAYBURG PERF   |            | 3909- 3925 GROSS 012 |
| PTP 3BOPD       | 43BW       | 24HRS                |
| GRAYBURG PERF   |            | 3909- 3925 GROSS 013 |
| PTP 5BOPD       | 35BW       | 24HRS                |
| GRAYBURG PERF   |            | 3909- 3925 GROSS 014 |
| PTP 3BOPD       | 29BW       | 24HRS                |
| GRAYBURG PERF   |            | 3909- 3925 GROSS 015 |
| PTS 11BO        | 66BW       | 8HRS                 |

CONTINUED

COMPLETIONS SEC 31 TWP 20S RGE 37E  
PI# 30-T-0014 06/16/86 30-025-29395-0000 PAGE 3

CHEVRON USA D DO  
173 EUNICE-MONUMENT SOUTH UNIT

PRODUCTION TEST DATA

GRAYBURG PERF W/ 36/IT 3732- 3880 GROSS 016  
PERF 3732- 3734 3744- 3746 3759- 3761 3778- 3780  
PERF 3801- 3803 3813- 3815 3826- 3827 3854- 3856  
PERF 3878- 3880  
ACID 3732- 3880 4000GALS  
15% NEFE

PTP 22BOPD 155BW 24HRS  
GRAYBURG PERF 3732- 3925 GROSS 017  
PERF 3732- 3925

PTP 34BO 468BW 72HRS  
GRAYBURG PERF 3732- 3925 GROSS 018

LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS 0- 3963 DLL 0- 3963 MSFL 2892- 3962 CNL  
LOGS 2892- 3962 CDL 2892- 3962 GR 2892- 3945 EPT  
LOGS 2892- 3950 BHCS 1900- 3940 CCL 1900- 3940 CBL  
LOGS 2892- 3962 LDT

DRILLING PROGRESS DETAILS

CHEVRON USA  
08/29 LOC/1985/  
10/01 MIRT  
10/08 CRG 3700  
10/15 3965 TD, WOCT  
11/05 3965 TD, PB 3940, WOPE  
11/11 3965 TD, PB 3940, TOP  
11/18 3965 TD, PB 3940, TOP  
11/25 3965 TD, PB 3940, TOP  
12/10 3965 TD, PB 3940, TOP  
01/03 3965 TD, PB 3940, TOP  
01/21 3965 TD, PB 3940, TOP  
04/01 3965 TD, PB 3940, TOP  
04/09 3965 TD, PB 3940, TOP  
04/14 3965 TD, PB 3940, TOP  
04/21 3965 TD, PB 3940, TOP  
04/23 3965 TD, PB 3940, TOP  
06/09 TD REACHED 10/11/85 RIG REL 10/11/85  
3965 TD, PB 3940

CONTINUED

## COMPLETIONS

S.L.C. 31 TWP

20S RGE

37E

PAGE 4

173

D DO

### DRILLING PROGRESS DETAILS

COMP 4/21/86. IPP 10 BO, 4 MCFG, 149 BWPD,

GTY 32.3, GOR 400

PROD ZONE GRAYBURG 3732-3925

FOUR CORES, NO DSTS RPTD