




Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-025-29910
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: EUNICE MONUMENT SOUTH UNIT
8. Well No. 135
9. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG-SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	2. Name of Operator Chevron U.S.A. Inc.
3. Address of Operator P.O. Box 1150 Midland, TX 79702	4. Well Location Unit Letter B : 865 feet from the NORTH line and 1980 feet from the EAST line Section 31 Township 20S Range 37E NMPM County LEA
10. Elevation (Show whether DR, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒	CHANGE PLANS ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPLETION ☐
OTHER: ☐	

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐	ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐	
OTHER: ☐	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

CHEVRON PROPOSES TO TA PER ATTACHED PROCEDURE

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. K. Ripley TITLE REGULATORY O.A. DATE 2/19/01

Type or print name J. K. RIPLEY Telephone No. (915) 687-7148

(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____
Conditions of approval, if any: _____

EMSU # 135 ²⁹⁹¹⁰
API # 30-025-~~29819~~
865' FNL & 1980' FEL
S31, T20S, R37E, & Unit B
Eunice Monument South Unit
Lea County, New Mexico

February 19, 2001

PROCEDURE TO TEMPORARILY ABANDON WELL:

Notify OCD/BLM 24 hrs prior to work commencing.

1. Verify anchors have been set & tested.
2. MIRU PU. ND WH. NU BOP.
3. TOH w/ tbg. TIH w/ 4-3/4" bit, csg scraper, & WS. Make bit trip to 3650'. POH.
4. Set CIBP @ 3620'. Dump 3 sx Class 'C' cmt on CIBP.
5. TIH w/WS to TOC. Circulate csg w/corrosion inhibited pkr fluid. TOH.
6. Perform MIT (500 PSI for 30 min.).
7. ND BOP. NU WH. RD PU.
8. Clean and clear location.

T. Love 687-7645

WELL DATA SHEET

LEASE: EMSU WELL: 135

LOC: 865' F N L & 1980' F E L SEC: 31

TOWNSHIP: 21S CNTY: Lea

RANGE: 37E UNIT: B ST: N.M.

FORM: Grayburg / San Andres DATE: _____

GL: 3529.8' STATUS: Producer

KB: 3550' API NO: 30-025-29819

DF: _____ CHEVNO: IH 41280:01

Date Completed: 8/10/87
Initial Production: _____
Initial Formation: Grayburg 1-4
FROM: 3653' to 3876'

Completion Data

8-87 Perf 3876-56, 3846-3828, 3818-3790' (1 JHPF). Acdz w/ 5000 gals 15% HCl. Sqzd w/ 85 SX. Reperf 3790.5 - 3809.5'. Acdz w/ 900 gals 20%. Swb, rec'd 48 BBL/ 1 BO. Perf 3653-68, 3686-91, 3716-20, 3752-54. Acdz w/ 2000 gals 15% NeFe. Swb, rec'd 25 BW/ 0 oil. Chem sqzd. TOTP. Test: 6 BO/ 131 BW/ 14 mcf.

Subsequent Workover or Reconditioning:

8/88 Chemical sqzd.

Additional Data:

T/Queen Formation @ 3304'
T/Penrose Formation @ 3458'
T/Grayburg Zone 1 @ 3628'
T/Grayburg Zone 2 @ 3669'
T/Grayburg Zone 2A @ 3699'
T/Grayburg Zone 3 @ 3725'
T/Grayburg Zone 4 @ 3769'
T/Grayburg Zone 5 @ 3821'
T/Grayburg Zone 6 @ 3845'
T/San Andres Formation @ 3883'
KB @ 3547'

8-5/8" OD
24# CSG 8rd K-55
Set @ 1077' W/ 700 SX
Cmt circ.? Yes
TOC @ by
(12-1/4" hole)

Tubing Detail: 8/10/87

KBTH:	17.60'
120 Jts. 2-7/8" J-55 6.5# EUE 8rd	
tbg:	3758.79'
2-7/8" EUE 8rd API Seat Nipple:	1.10'
2-7/8" 6.5# J-55 EUE Perf Sub:	3.95'
2-7/8" J-55 6.5# EUE 8rd tbg BPAJ:	31.50'

Landed @ 3812.94'

Rod Detail: 8/10/87

1-1/4" X 22' Polished Rod w/ 1-1/2" X
12' liner
51 - 7/8" X 25' *K* rods w/ FHSM
boxes
98 - 3/4" X 25' *C* rods w/ FHSM
boxes
2' X 3/4" Rod Sub FHSM
2-1/2" X 1-1/4" X 16.5' RHB-C pump
1-1/4" X 12' Gas Anchor

5-1/2" OD
15.5# CSG 8rd K-55 LT&C
 Set @ 3950' W/ 650 SX
 Cmt circ.? Yes
 TOC @ 483' by calc.
 (7-7/8" hole)

