

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER- <input type="checkbox"/>
Name of Operator Chevron U.S.A. Inc.		
Address of Operator P.O. Box 670 Hobbs, NM 88240		
Location of Well UNIT LETTER <u>B</u> . <u>1725</u> FEET FROM THE <u>East</u> LINE AND <u>850</u> FEET FROM THE <u>North</u> LINE, SECTION <u>31</u> TOWNSHIP <u>21S</u> RANGE <u>37E</u> NMPM.		
15. Elevation (Show whether DF, RT, GR, etc.) 3485		

7. Unit Agreement Name
8. Farm or Lease Name H.T. Mattern (NCT) B
9. Well No. 24
10. Field and Pool, or Wildcat Drinkard
12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

ORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
PERMANENTLY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
OTHER <input type="checkbox"/>	

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is proposed to re-frac the Drinkard (6574'-6635') w/1000 gallons 15% NEFE HCL, 19,000 gallons 40# HPG gelled 8.6# BW, and 25,500# 20/40 sand in two stages at 20bpm and 6000psi. Swab back & test, clean out fill, return to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

L. K. Elmore TITLE Drilling Technical Assistant DATE 11-2-88
ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR
DATE NOV 04 1988

RECEIVED

NOV 3 1988

OCD

HOUS. COMM. #