

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

O CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-30418

5. Indicate Type of Lease

STATE ☒FEE ☐

6. State Oil / Gas Lease

7. Lease Name or Unit Agreement Name

CENTRAL DRINKARD UNIT

8. Well No.

433

9. Pool Name or Wildcat

DRINKARD

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

b. Type of Completion:

NEW WELL ☐ WORKOVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RES. ☐ OTHER HORIZONTAL ☐

2. Name of Operator

CHEVRON USA INC

3. Address of Operator

15 SMITH ROAD, MIDLAND, TX 79705

4. Well Location

BHL: G, 29, 21-S, 37-E, 1858' FNL, 2408' FEL OKR

Unit Letter L : 1600' Feet From The SOUTH Line and 1100' Feet From The WEST Line

Section 29 Township 21-S Range 37-E NMPM LEA COUNTY

10. Date Spudded

8/19/2002

11. Date T.D. Reached

8/27/2002

12. Date Compl. (Ready to Prod.)

9/23/2002

13. Elevations (DF & RKB, RT, GR, etc.)

3484'

14. Elev. Csghead

15. Total Depth

9002'

16. Plug Back T.D.

17. If Mult. Compl. How Many Zones?

18. Intervals

Rotary Tools

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

6488-6494' DRINKARD

20. Was Directional Survey Made

YES

21. Type Electric and Other Logs Run

N/A

22. Was Well Cored

NO

23. CASING RECORD (Report all Strings set in well)

CASING SIZE

WEIGHT LB./FT.

DEPTH SET

HOLE SIZE

CEMENT RECORD

AMOUNT PULLED

NO CHANGE

24. LINER RECORD

25. TUBING RECORD

SIZE

TOP

BOTTOM

SACKS CEMENT

SCREEN

SIZE

DEPTH SET

PACKER SET

2 7/8"

6658'

26. Perforation record (interval, size, and number)

6488-6494'

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

6488-6494'

STIMULATE W/50,000 GALS 20% HCL

20,000 GALS WF100

PUMP 660 GALS SCALE INHIB

28. PRODUCTION

Date First Production

9/6/2002

Production Method (Flowing, gas lift, pumping - size and type pump)

FLOWING

Well Status (Prod. or Shut-in)

PROD

Date of Test

9-26-02

Hours tested

24 HRS

Choke Size

Prod'n For

Test Period

Oil - Bbl.

17

Gas - MCF

9

Water - Bbl.

658

Gas - Oil Ratio

Flow Tubing Press.

Casing Pressure

Calculated 24-

Hour Rate

Oil - Bbl.

Gas - MCF

Water - Bbl.

Oil Gravity - API -(Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Test Witnessed By

30. List Attachments

NOTARIZED DEVIATIONS

31. I hereby certify that the information on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNATURE

Denise Leake

TITLE

Regulatory Specialist

DATE


10/7/2002

TYPE OR PRINT NAME

Denise Leake

Telephone No.

915-687-7375



Scientific Drilling

CHEVRONTEXACO


Field: Drinkard
Site: Lea County, NM
Well: Central Drinkard #433
Wellpath: HH - Job #32D0802283
Survey: 8/20/02-8/27/02

This survey is correct to the best of my knowledge
and is supported by actual field data.

Don Mady.....Company Representative

Notorized this date 16th of September, 2002.

Deborah Sue Bynum
Notary Signature
County of Midland
State of Texas



Scientific Drilling International

Conoco Survey Report

Company: CHEVRONTEXACO
 Field: Drinkard
 Site: Lea County, NM
 Well: Central Drinkard #433
 Wellpath: VH - Job #32K0802295

Date: 9/15/2002 Time: 16:25:34 Page: 1
 Co-ordinate(NE) Reference: Site: Lea County, NM, Grid North
 Vertical (TVD) Reference: SITE 0.0 above Mean Sea Level
 Section (VS) Reference: Well (0.0E,0.0N,43.2Azi)
 Survey Calculation Method: Minimum Curvature

Survey: 8/20/02
 KSRG 0'-6482'

Start Date: 9/15/2002

Company: Scientific Drilling Internatio
 Tool: Keeper

Engineer: Jeff Cossey

Survey

MD ft	Incl deg	Azim deg	VS ft	DLS deg/100ft	TVD ft	ClsD ft	ClsA deg	N/S ft	E/W ft
0.0	0.00	0.61	0.0	0.00	0.0	0.0	0.00	0.0	0.0
200.4	0.55	95.79	0.6	0.27	200.4	1.0	95.79	-0.1	1.0
300.9	0.46	97.96	1.1	0.09	300.9	1.8	96.24	-0.2	1.8
400.2	0.43	121.66	1.4	0.19	400.2	2.6	100.03	-0.5	2.5
501.0	0.47	124.24	1.6	0.04	501.0	3.3	105.36	-0.9	3.2
600.3	0.25	136.09	1.6	0.23	600.3	3.9	108.91	-1.3	3.7
700.2	0.33	144.77	1.5	0.09	700.2	4.3	112.45	-1.7	4.0
800.1	0.38	106.37	1.6	0.24	800.1	4.9	113.83	-2.0	4.5
901.0	0.34	113.22	1.9	0.06	901.0	5.6	113.35	-2.2	5.1
1001.0	0.38	102.30	2.2	0.08	1001.0	6.2	112.75	-2.4	5.7
1100.7	0.42	94.29	2.6	0.07	1100.7	6.8	111.28	-2.5	6.4
1201.0	0.38	91.38	3.0	0.04	1201.0	7.5	109.60	-2.5	7.1
1301.3	0.84	105.39	3.6	0.48	1301.3	8.6	109.54	-2.7	8.1
1400.3	1.08	108.80	4.3	0.25	1400.3	10.2	108.34	-3.2	9.7
1500.5	1.12	112.77	5.0	0.09	1500.4	12.1	108.74	-3.9	11.5
1601.1	1.18	109.01	5.8	0.10	1601.0	14.2	109.04	-4.6	13.4
1700.5	1.16	111.79	6.6	0.06	1700.4	16.2	109.20	-5.3	15.3
1800.2	1.26	103.84	7.5	0.20	1800.1	18.3	109.03	-6.0	17.3
1901.0	1.50	96.72	8.8	0.29	1900.8	20.7	107.97	-6.4	19.7
2001.0	1.78	89.03	10.7	0.36	2000.8	23.5	106.11	-6.5	22.5
2100.3	1.93	85.79	13.0	0.18	2100.0	26.5	103.88	-6.4	25.7
2200.7	2.02	86.05	15.5	0.09	2200.4	29.8	101.83	-6.1	29.2
2301.0	1.91	82.85	18.1	0.15	2300.6	33.1	100.06	-5.8	32.6
2400.0	1.93	81.39	20.7	0.05	2399.6	36.3	98.44	-5.3	35.9
2501.2	1.56	82.03	23.1	0.37	2500.7	39.3	97.15	-4.9	38.9
2600.4	1.20	88.31	24.9	0.39	2599.9	41.6	96.44	-4.7	41.3
2701.4	1.26	90.11	26.4	0.07	2700.9	43.7	96.08	-4.6	43.5
2800.6	1.08	86.20	27.8	0.20	2800.1	45.7	95.74	-4.6	45.5
2901.2	1.12	91.87	29.2	0.12	2900.6	47.7	95.47	-4.5	47.4
3000.6	0.97	94.18	30.4	0.16	3000.0	49.5	95.38	-4.6	49.3
3100.8	0.88	93.73	31.4	0.09	3100.2	51.1	95.34	-4.8	50.9
3200.6	0.85	97.61	32.3	0.07	3200.0	52.6	95.34	-4.9	52.4
3301.2	0.91	99.52	33.2	0.07	3300.6	54.1	95.44	-5.1	53.9
3400.2	0.85	97.20	34.1	0.07	3399.6	55.7	95.52	-5.4	55.4
3500.1	0.72	89.49	34.9	0.17	3499.5	57.0	95.47	-5.4	56.8
3600.9	0.65	64.90	35.9	0.30	3600.3	58.1	95.12	-5.2	57.9
3700.7	0.67	66.93	37.0	0.03	3700.0	59.1	94.58	-4.7	59.0
3800.1	0.59	68.07	37.9	0.08	3799.4	60.1	94.10	-4.3	60.0
3900.5	0.52	66.45	38.8	0.07	3899.8	61.0	93.69	-3.9	60.9
4001.0	0.43	59.87	39.6	0.10	4000.3	61.7	93.30	-3.6	61.6
4100.7	0.27	102.79	40.1	0.30	4100.0	62.3	93.15	-3.4	62.2
4200.4	0.32	93.84	40.4	0.07	4199.7	62.8	93.19	-3.5	62.7
4300.2	0.98	73.54	41.3	0.69	4299.5	63.8	92.93	-3.3	63.8
4400.9	1.42	70.09	43.2	0.44	4400.2	65.8	92.26	-2.6	65.8
4500.2	1.49	64.99	45.5	0.15	4499.5	68.1	91.37	-1.6	68.1
4601.0	1.38	58.43	47.8	0.20	4600.2	70.3	90.36	-0.4	70.3
4700.5	1.26	54.42	50.1	0.15	4699.7	72.2	89.35	0.8	72.2
4800.6	1.17	64.82	52.1	0.24	4799.8	74.1	88.53	1.9	74.0

Scientific Drilling International

Conoco Survey Report

Company: CHEVRONTEXACO
Field: Drinkard
Site: Lea County, NM
Well: Central Drinkard #433
Wellpath: VH - Job #32K0802285

Date: 9/15/2002 **Time:** 16:25:34 **Page:** 2
Co-ordinate(NE) Reference: Site: Lea County, NM, Grid North
Vertical (TVD) Reference: SITE 0.0 above Mean Sea Level
Section (VS) Reference: Well (0.0E,0.0N,43.2Azi)
Survey Calculation Method: Minimum Curvature

Survey

MD ft	Incl deg	Azim deg	VS ft	DLS deg/100ft	TVD ft	ClsD ft	ClsA deg	N/S ft	E/W ft
4900.0	1.15	56.32	54.0	0.17	4899.2	75.8	87.82	2.9	75.8
5001.2	1.01	72.11	55.8	0.32	5000.4	77.6	87.25	3.7	77.5
5100.3	0.88	74.43	57.2	0.14	5099.4	79.2	86.97	4.2	79.1
5200.8	0.79	84.29	58.4	0.17	5199.9	80.6	86.82	4.5	80.5
5300.1	0.70	94.51	59.3	0.16	5299.2	81.9	86.86	4.5	81.8
5400.4	0.47	106.86	59.9	0.26	5399.5	82.9	87.01	4.3	82.8
5500.7	0.46	111.59	60.2	0.04	5499.6	83.6	87.22	4.1	83.5
5600.8	0.40	116.09	60.4	0.07	5599.9	84.3	87.45	3.7	84.2
5701.0	0.46	103.52	60.7	0.11	5700.1	85.0	87.64	3.5	84.9
5801.1	0.54	102.56	61.2	0.08	5800.2	85.8	87.79	3.3	85.8
5900.4	0.38	112.42	61.5	0.18	5899.5	86.6	87.96	3.1	86.5
6000.4	0.49	64.44	62.0	0.37	5999.5	87.3	87.94	3.1	87.2
6100.5	0.50	41.41	62.9	0.20	6099.6	88.0	87.62	3.6	87.9
6200.5	0.65	41.41	63.9	0.15	6199.6	88.7	87.16	4.4	88.6
6300.4	0.77	42.37	65.1	0.12	6299.5	89.6	86.59	5.3	89.4
6400.0	0.83	42.47	66.5	0.06	6399.1	90.6	85.98	6.3	90.3
6482.0	0.89	33.22	67.7	0.13	6481.1	91.4	85.41	7.3	91.1

Scientific Drilling International

Conoco Survey Report

Company: CHEVRONTEXACO Field: Drinkard Site: Lea County, NM Well: Central Drinkard #433 Wellpath: HH - Job #32D0802283	Date: 9/15/2002 Co-ordinate(NE) Reference: Site: Lea County, NM, Grid North Vertical (TVD) Reference: SITE 0.0 above Mean Sea Level Section (VS) Reference: Well (0.0E,0.0N,43.2Azi) Survey Calculation Method: Minimum Curvature
---	--

Survey: 8/20/02-8/27/02 MWD 6540'-9002'	Start Date: 9/15/2002
---	------------------------------

Company: SDI w/MWD Services Tool: MWD	Engineer: Lamb/Hendrix
--	-------------------------------

Survey

MD ft	Incl deg	Azim deg	VS ft	DLS deg/100ft	TVD ft	ClsD ft	ClsA deg	N/S ft	E/W ft
6482.0	0.39	33.22	67.7	0.00	6481.1	91.4	85.41	7.3	91.1
6540.0	23.10	46.30	79.7	38.33	6537.4	100.9	81.07	15.7	99.7
6550.0	27.80	45.30	84.0	47.19	6546.5	104.4	79.71	18.7	102.8
6570.0	35.90	42.20	94.7	46.24	6563.3	113.2	76.52	26.4	110.1
6580.0	41.20	39.40	101.0	46.47	6571.1	118.4	74.73	31.2	114.2
6590.0	45.40	36.40	107.8	46.76	6578.4	124.0	72.83	36.6	118.4
6600.0	50.10	34.80	115.1	48.47	6585.1	129.9	70.86	42.6	122.7
6610.0	54.90	33.70	123.0	48.79	6591.2	136.4	68.87	49.2	127.2
6648.0	72.20	37.10	156.5	46.22	6608.1	165.7	62.41	76.7	146.9
6679.0	78.30	38.40	186.4	20.09	6615.9	193.4	58.71	100.4	165.2
6712.0	84.00	39.50	218.9	17.58	6621.0	224.3	55.89	125.8	185.7
6743.0	89.00	41.10	249.8	16.93	6622.9	254.2	54.02	149.4	205.7
6774.0	93.40	42.30	280.7	14.71	6622.3	284.6	52.69	172.5	226.3
6806.0	93.10	43.10	312.7	2.67	6620.5	316.1	51.68	196.0	248.0
6837.0	95.20	42.10	343.6	7.50	6618.2	346.7	50.88	218.7	268.9
6868.0	94.10	43.10	374.5	4.79	6615.7	377.3	50.20	241.5	289.9
6900.0	93.60	40.60	406.4	7.95	6613.5	408.9	49.55	265.3	311.2
6931.0	95.40	40.10	437.3	6.02	6611.1	439.4	48.91	288.8	331.2
6962.0	96.70	40.20	468.0	4.21	6607.8	469.9	48.34	312.4	351.0
6993.0	96.90	40.20	498.8	0.65	6604.2	500.4	47.84	335.9	370.9
7024.0	97.00	40.20	529.5	0.32	6600.4	530.9	47.40	359.4	390.8
7056.0	97.50	40.50	561.2	1.82	6596.4	562.4	47.00	383.6	411.3
7087.0	97.10	40.70	591.9	1.44	6592.4	593.0	46.67	406.9	431.3
7118.0	95.20	39.50	622.7	7.24	6589.1	623.6	46.34	430.5	451.2
7150.0	95.30	39.00	654.5	1.59	6586.2	655.3	46.00	455.2	471.3
7181.0	96.00	39.80	685.3	3.42	6583.1	685.9	45.70	479.0	490.9
7212.0	95.20	39.90	716.1	2.60	6580.1	716.6	45.45	502.7	510.7
7244.0	95.30	40.00	747.9	0.44	6577.2	748.3	45.22	527.1	531.2
7275.0	95.10	38.80	778.7	3.91	6574.4	779.0	44.99	551.0	550.8
7307.0	95.10	37.90	810.4	2.80	6571.5	810.7	44.73	576.0	570.5
7338.0	96.00	39.00	841.2	4.57	6568.5	841.4	44.50	600.1	589.7
7369.0	97.70	40.20	871.9	6.70	6564.8	872.1	44.32	623.9	609.3
7400.0	97.70	40.00	902.6	0.64	6560.7	902.7	44.18	647.4	629.1
7432.0	97.70	40.20	934.2	0.62	6556.4	934.3	44.04	671.6	649.5
7463.0	95.10	40.20	965.0	8.39	6552.9	965.1	43.92	695.1	669.4
7494.0	94.70	39.50	995.8	2.59	6550.3	995.9	43.79	718.9	689.2
7525.0	95.30	38.90	1026.6	3.48	6547.6	1026.7	43.65	742.8	708.7
7557.0	95.50	38.00	1058.4	1.97	6544.6	1058.4	43.49	767.8	728.4
7588.0	92.00	41.00	1089.2	14.86	6542.6	1089.2	43.38	791.7	748.1
7620.0	91.80	41.30	1121.2	1.13	6541.5	1121.2	43.31	815.8	769.1
7651.0	91.10	43.70	1152.2	8.06	6540.7	1152.2	43.29	838.6	790.1
7682.0	90.80	43.40	1183.2	1.37	6540.2	1183.2	43.30	861.1	811.4
7713.0	90.00	43.10	1214.2	2.75	6540.0	1214.2	43.30	883.7	832.7
7744.0	90.00	43.70	1245.2	1.94	6540.0	1245.2	43.30	906.2	854.0
7776.0	87.60	43.80	1277.2	7.51	6540.7	1277.2	43.31	929.3	875.1
7808.0	87.30	43.80	1309.1	0.94	6542.1	1309.1	43.32	952.4	898.2
7839.0	87.00	44.00	1340.1	1.16	6543.6	1340.1	43.34	974.7	919.7
7870.0	87.80	43.60	1371.1	2.88	6545.0	1371.1	43.35	997.0	941.1

Scientific Drilling International

Conoco Survey Report

Company: CHEVRONTEXACO
 Field: Drinkard
 Site: Lea County, NM
 Well: Central Drinkard #433
 Wellpath: HH - Job #32D0802283

Date: 9/15/2002 Time: 16:31:19 Page: 2
 Co-ordinate(NE) Reference: Site: Lea County, NM, Grid North
 Vertical (TVD) Reference: SITE 0.0 above Mean Sea Level
 Section (VS) Reference: Well (0.0E,0.0N,43.2Azi)
 Survey Calculation Method: Minimum Curvature

Survey

MD ft	Incl deg	Azim deg	VS ft	DLS deg/100ft	TVD ft	ClsD ft	ClsA deg	N/S ft	E/W ft
7901.0	86.10	41.30	1402.0	9.22	6546.7	1402.0	43.33	1019.9	962.0
7933.0	86.30	41.20	1433.9	0.70	6548.8	1433.9	43.28	1043.9	983.1
7964.0	85.90	40.90	1464.8	1.61	6550.9	1464.8	43.23	1067.2	1003.4
7996.0	84.70	42.90	1496.7	7.27	6553.5	1496.7	43.21	1090.9	1024.7
8027.0	84.80	42.60	1527.6	1.02	6556.4	1527.6	43.20	1113.6	1045.6
8058.0	85.60	43.10	1558.5	3.04	6559.0	1558.5	43.19	1136.3	1066.6
8089.0	85.40	43.00	1589.4	0.72	6561.4	1589.4	43.19	1158.8	1087.7
8121.0	86.50	43.50	1621.3	3.77	6563.6	1621.3	43.19	1182.1	1109.6
8152.0	88.10	43.50	1652.2	5.16	6565.1	1652.2	43.19	1204.6	1130.9
8183.0	87.50	43.40	1683.2	1.96	6566.3	1683.2	43.20	1227.0	1152.2
8215.0	84.30	43.30	1715.1	10.00	6568.6	1715.1	43.20	1250.3	1174.1
8245.0	83.70	42.70	1745.0	2.82	6571.7	1745.0	43.20	1272.1	1194.5
8277.0	86.60	43.90	1776.9	9.80	6574.4	1776.9	43.20	1295.3	1216.3
8308.0	86.50	44.10	1807.8	0.72	6576.3	1807.8	43.21	1317.5	1237.8
8339.0	86.70	44.30	1838.7	0.91	6578.1	1838.7	43.23	1339.7	1259.4
8370.0	86.50	44.60	1869.7	1.16	6580.0	1869.7	43.25	1361.8	1281.1
8402.0	86.30	45.10	1901.6	1.68	6582.0	1901.6	43.28	1384.5	1303.6
8433.0	85.40	43.80	1932.5	5.09	6584.2	1932.5	43.30	1406.5	1325.3
8465.0	85.40	43.90	1964.4	0.31	6586.8	1964.4	43.30	1429.5	1347.4
8496.0	85.80	44.20	1995.3	1.61	6589.2	1995.3	43.32	1451.7	1368.8
8527.0	86.90	43.30	2026.2	4.58	6591.1	2026.2	43.32	1474.1	1390.2
8558.0	88.90	44.30	2057.2	7.21	6592.3	2057.2	43.33	1496.4	1411.7
8590.0	89.70	43.80	2089.2	2.95	6592.7	2089.2	43.34	1519.4	1433.9
8621.0	88.20	42.30	2120.2	6.84	6593.2	2120.2	43.34	1542.1	1455.1
8652.0	87.80	42.30	2151.2	1.29	6594.3	2151.2	43.32	1565.0	1475.9
8684.0	85.10	41.90	2183.1	8.53	6596.3	2183.1	43.30	1588.7	1497.3
8716.0	85.80	41.80	2215.0	2.21	6598.8	2215.0	43.28	1612.5	1518.6
8747.0	86.40	42.20	2245.9	2.32	6600.9	2245.9	43.27	1635.4	1539.3
8778.0	85.90	41.70	2276.8	2.28	6603.0	2276.8	43.25	1658.5	1560.0
8809.0	85.80	41.50	2307.8	0.72	6605.3	2307.8	43.23	1681.6	1580.5
8841.0	85.50	43.60	2339.7	6.61	6607.7	2339.7	43.22	1705.1	1602.1
8871.0	85.40	43.50	2369.6	0.47	6610.1	2369.6	43.22	1726.8	1622.7
8903.0	84.30	43.20	2401.4	3.56	6613.0	2401.4	43.22	1749.9	1644.6
8934.0	84.80	43.10	2432.3	1.64	6615.9	2432.3	43.22	1772.4	1665.7
8966.0	86.10	43.50	2464.2	4.25	6618.4	2464.2	43.22	1795.7	1687.6
9002.0	86.10	43.50	2500.1	0.00	6620.9	2500.1	43.23	1821.7	1712.3




Scientific
Drilling

SITE: Lea County, NM
Well: Central Drinkard #43
Wellpath: HH - Job #32D08022x3
Survey: 8/20/02-8/27/02



Grid North: 0.00
True North: 0.00
Magnetic North: 0.00



OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

Instructions on back
Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-025-30418	2 Pool Code 19190	3 Pool Name DRINKARD
4 Property Code	5 Property Name CENTRAL DRINKARD UNIT	6 Well No. 433
7 CGRID Number 4323	8 Operator Name CHEVRON USA INC	9 Elevation 3464'

10 Surface Location


UI or lot no	Section	Township	Range	Lot/ln	Feet From The	North/South Line	Feet From The	East/West Line	County
L	29	21-S	37-E		1600'	SOUTH	1100'	WEST	LEA

Bottom Hole Location If Different From Surface

UI or lot no	Section	Township	Range	Lot/ln	Feet From The	North/South Line	Feet From The	East/West Line	County
G	29	21-S	37-E		1858'	NORTH	2468'	EAST	LEA

12 Dedicated Acre .160	13 Joint or Infill No	14 Consolidation Code	15 Order No.
---------------------------	--------------------------	-----------------------	--------------

NO ALLOWABLE WELL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information
contained herein is true and complete to the
best of my knowledge and belief

Signature

Printed Name

Denise Leake

Position

Regulatory Specialist

Date

7/15/2002

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown
on this plat was plotted from field notes of
actual surveys made by me or under my
supervision, and that the same is true and
correct to the best of my knowledge and
belief.

Date Surveyed

Signature & Seal of

Professional Surveyor

Certificate No.