

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

WELL API NO. 30-025-30863
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER _____		7. Lease Name or Unit Agreement Name L.R. KERSHAW	
b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER _____			
2. Name of Operator TEXACO INC		8. Well No. 14	
3. Address of Operator P. O. Box 3109, Midland, Texas 79702		9. Pool name or Wildcat SKAGGS DRINKARD	
4. Well Location Unit Letter <u>A</u> : <u>820</u> Feet From The <u>NORTH</u> Line and <u>410</u> Feet From The <u>EAST</u> Line Section <u>14</u> Township <u>20-S</u> Range <u>37-E</u> NMPM LEA County			
10. Date Spudded 04-27-90	11. Date T.D. Reached 05-14-90	12. Date Compl. (Ready to Prod.) 06-09-90	13. Elevations (DF & RKB, RT, GR, etc.) GL-3550, KB-3563
14. Elev. Casinghead 3550'			
15. Total Depth 7200'	16. Plug Back T.D. 7195'	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By Rotary Tools 0-7200'
19. Producing Interval(s), of this completion - Top, Bottom, Name 6770'-6910'; DRINKARD			20. Was Directional Survey Made YES
21. Type Electric and Other Logs Run GR-DIL, GR-CNL-FDC			22. Was Well Cored NO

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
11 3/4	42#	1420'	14 3/4	CL H 950 SX CIR. 75 SXS.	
8 5/8	32#	4000'	11	CL H 1000 SX, T.S. @ 510'	
5 1/2	15.5#, 17#	7200	7 7/8	CL H 1300 SX, CIR. 75 SXS.	

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8	6685'	

26. Perforation record (interval, size, and number) 6770-72, 6776-78, 6782-6814, 6834-36, 6840-42, 6846-49, 6867-70, 6893-96, 6900-10, 2 JSPF, 136 HOLES.	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
	6770'- 6910'	ACID-5200 GALS, 15% NEFE;FRAC-
		68000 GALS XLG, 2% KCL, 132000
		#20/40 SD, & 36000 #12/20 SD.

28. PRODUCTION							
Date First Production 05-29-90		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMP - 2 1/2 X 2 X 24				Well Status (Prod. or Shut-in) PRODUCING	
Date of Test 06-13-90	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl. 38	Gas - MCF 125	Water - Bbl. 144	Gas - Oil Ratio 3289.5
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 35.4	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD	Test Witnessed By DOYLE PARKS
--	----------------------------------

30. List Attachments
DEVIATION SURVEY

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature C.P. Basham Printed Name C.P. BASHAM Title DRLG. SUPT. Date 06-20-90

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____
 T. Salt _____
 B. Salt _____
 T. Yates _____
 T. 7 Rivers _____
 T. Queen _____
 T. Grayburg _____
 T. San Andres _____
 T. Glorieta 5248'
 T. Paddock 5377'
 T. Blinbry 5560'
 T. Tubb 6388'
 T. Drinkard 6636'
 T. Abo 6951'
 T. Wolfcamp _____
 T. Penn _____
 T. Cisco (Bough C) _____

T. Canyon _____
 T. Strawn _____
 T. Atoka _____
 T. Miss _____
 T. Devonian _____
 T. Silurian _____
 T. Montoya _____
 T. Simpson _____
 T. McKee _____
 T. Ellenburger _____
 T. Gr. Wash _____
 T. Delaware Sand _____
 T. Bone Springs _____
 T. _____
 T. _____
 T. _____
 T. _____

Northwestern New Mexico

T. Ojo Alamo _____
 T. Kirtland-Fruitland _____
 T. Pictured Cliffs _____
 T. Cliff House _____
 T. Menefee _____
 T. Point Lookout _____
 T. Mancos _____
 T. Gallup _____
 Base Greenhorn _____
 T. Dakota _____
 T. Morrison _____
 T. Todilto _____
 T. Entrada _____
 T. Wingate _____
 T. Chinle _____
 T. Permian _____
 T. Penn "A" _____

T. Penn. "B" _____
 T. Penn. "C" _____
 T. Penn. "D" _____
 T. Leadville _____
 T. Madison _____
 T. Elbert _____
 T. McCracken _____
 T. Ignacio Otzte _____
 T. Granite _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 6770' to 6910' No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____


IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	5248'	5248	DOLOMITE AND SAND				
5248	5377'	129	DOLOMITE				
5377	5560'	183	DOLOMITE				
5560	6388'	828	DOLOMITE AND SAND				
6388	6636'	248	DOLOMITE AND LIMESTONE				
6636	7200'	564	DOLOMITE AND LIMESTONE				



BASIN DRILLING CORP.

650 LAKE POINTE TOWERS WEST • 4013 NORTHWEST EXPRESSWAY • OKLAHOMA CITY, OKLA. 73116 (405) 840-2911

DEVIATION SURVEY

TEXACO INC. - L.R. KERSHAW NO. 14 *824N + 410/E*

SECTION 14, T-20S, R-37E - LEA COUNTY, NEW MEXICO

<u>DATE</u>	<u>DEPTH</u>	<u>DEGREE</u>
04/27/90	475'	3/4
04/27/90	900'	2 1/2
04/27/90	995'	2 1/4
04/27/90	1175'	2
04/28/90	1410'	1 3/4
04/30/90	1865'	1 1/2
04/30/90	2310'	1 3/4
05/01/90	2635'	1 1/2
05/02/90	2810'	1 1/4
05/04/90	3320'	1 1/4
05/05/90	3785'	1
05/06/90	4000'	1
05/09/90	4470'	1
05/10/90	4967'	3/4
05/10/90	5437'	3/4
05/11/90	5939'	1
05/12/90	6380'	3/4
05/13/90	6851'	3/4
05/15/90	7155'	1 1/2

R.K. Pete Martin
R.K. "PETE" MARTIN, DRLG. COST ANALYST

CORPORATION ACKNOWLEDGMENT

STATE OF OKLAHOMA)
) SS:
COUNTY OF CANADIAN)

On this 20TH day of JUNE 1990, before me, the undersigned, a Notary Public, in and for the County and State aforesaid, personally appeared R.K. "PETE" MARTIN to me known to be the identical person who signed the name of the maker thereof to the within and foregoing instrument as its DRLG. COST ANALYST and acknowledge to me that he executed and same as his free and voluntary act and deed of said corporation, for the uses and purposes therein set forth.

Given under my hand and seal the day and year last above written.


Beverly J. Thompson

My Commission Expires:

11/18/90