

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department  
**OIL CONSERVATION DIVISION**

Form C-103  
Revised 1-1-89

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Drawer Dd, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, Nm 87410

API NO. (assigned by OCD on New Wells) <b>30-025-31710</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. <b>N/A</b>
7. Lease Name or Unit Agreement Name <b>ARROWHEAD GRAYBURG UNIT</b>
8. Well No. <b>239</b>
9. Pool name or Wildcat <b>ARROWHEAD/GB</b>
10. Elevation(Show whether DF, RKB, RT, GR, etc.) <b>3450 GE</b>

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator <b>CHEVRON U.S.A. INC.</b>
3. Address of Operator <b>P.O. BOX 1150 MIDLAND, TX 79702 ATTN: P.R. MATTHEWS</b>
4. Well Location Unit Letter <b>P</b> : <b>660</b> Feet From The <b>SOUTH</b> Line and <b>660</b> Feet From The <b>EAST</b> Line Section <b>13</b> Township <b>22S</b> Range <b>36E</b> NMPM <b>LEA</b> County
10. Elevation(Show whether DF, RKB, RT, GR, etc.) <b>3450 GE</b>

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTER CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABAN. ☐  
CASING TEST AND CMT JOB ☐  
OTHER: **DRILLING SUMMARY** ☒

12. Describe Proposed or Completed Operations(Clearly state all pertinent details, and give pertinent dates, including  
estimated date of starting any proposed work) SEE RULE 1103.

MIRU ROD-RIC DRILLING ON 9-9-92.  
SPUD 12.25" HOLE, DRILL AND SURVEY FROM 0'-1245'.  
RUN 8 5/8" CASING TO 1245', PUMP 750 SXS. CMT AND CIRC 99 SX. TO SURFACE.  
WAIT ON CEMENT FOR 12 HOURS.  
TEST CASING TO 1000 PSI-OK.  
DRILL OUT FLOAT, SHOE AND NEW FORMATION. DRILL AND SURVET TO TD AT 3938'.  
RUN 5 1/2" CASING TO 3938'. PUMP 900 SXS. OF CEMENT AND CIRC 170 SXS. TO SURFACE.  
INSTALL WELL AND TEST.  
RELEASE RIG AT 18:00 HRS. ON 9-15-92.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE P.R. Matthews TITLE **TECH. ASSISTANT** DATE: **9-16-92**

TYPE OR PRINT NAME **P.R. MATTHEWS** TELEPHONE NO. **(915)687-7812**

**ORIGINAL SIGNED BY JERRY SEXTON**

APPROVED BY DISTRICT I SUPERVISOR TITLE DATE **SEP 21 '92**

CONDITIONS OF APPROVAL, IF ANY: