

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-324627
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG 893
7. Lease Name or Unit Agreement Name New Mexico DW State
8. Well No. 2
9. Pool name or Wildcat Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	
2. Name of Operator STEVENS & TULL, INC.	
3. Address of Operator P.O. BOX 11005, MIDLAND, TEXAS 79702	
4. Well Location Unit Letter E : 1980 Feet From The NORTH Line and 660 Feet From The WEST Line Section 6 Township 22 - S Range 35 - E NMPM County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: SET SURFACE CASING <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4/9/94 - Spud well at 10:00 p.m.

4/10/94 - TD surface hole at 318' - RIH w/318' of 8 5/8" 24# J55 casing. Cement w/200 sx class "C" +2% CaCl₂ - Circulate 71 sx.

4/11/94 - WOC 12 hours, install BOP's and test to 3000 PSIG.

min WOC 18 hrs

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Michael G. Mooney

TITLE

Engineer

DATE

4/15/94

TYPE OR PRINT NAME

Michael G. Mooney

TELEPHONE NO.

915/699-141

(This space for State Use)

APPROVED BY

TITLE

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

DATE

APR 20 1994

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

APR 19 1994

OFFICE