

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025- 32898 32903
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil / Gas Lease	

WELL COMPLETION OR RECOMPLETION REPORT AND LOG							
1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER _____				7. Lease Name or Unit Agreement Name V. M. HENDERSON			
b. Type of Completion: NEW WELL <input checked="" type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF RES. <input type="checkbox"/> OTHER _____							
2. Name of Operator TEXACO EXPLORATION & PRODUCTION INC.				8. Well No. 13			
3. Address of Operator P.O. BOX 730, HOBBS, NM 88240				9. Pool Name or Wildcat EUMONT YATES SEVEN RIVERS QUEEN			
4. Well Location Unit Letter <u>E</u> : <u>1890</u> Feet From The <u>NORTH</u> Line and <u>660</u> Feet From The <u>WEST</u> Line Section <u>30</u> Township <u>21-S</u> Range <u>37-E</u> NMPM <u>LEA</u> COUNTY							
10. Date Spudded 6/19/95		11. Date T.D. Reached 6/24/95		12. Date Compl. (Ready to Prod.) 7/20/95		13. Elevations (DF & RKB, RT, GR, etc.) 3503'	
15. Total Depth 6900'		16. Plug Back T.D. 3670'		17. If Mult. Compl. How Many Zones?		18. Intervals Drilled By Rotary Tools 0'-6900'	
19. Producing Interval(s), of this completion - Top, Bottom, Name 3390-3638						20. Was Directional Survey Made NO	
21. Type Electric and Other Logs Run DLT-MSFL;SDL-DSNL						22. Was Well Cored NO	
23. CASING RECORD (Report all Strings set in well)							
CASING SIZE		WEIGHT LB/FT.		DEPTH SET		HOLE SIZE	
8 5/8"		24#		425'		12-1/4"	
5 1/2"		17#		3700'		7 7/8"	
24. LINER RECORD				25. TUBING RECORD			
SIZE		TOP		BOTTOM		SACKS CEMENT	
NONE							
26. Perforation record (interval, size, and number) 3390-3638', 196 HOLES				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
				DEPTH INTERVAL			
				AMOUNT AND KIND MATERIAL USED			
				3390-3638 A/4000G15%F/71500G 50q,271000#12/20			
28. PRODUCTION							
Date First Production 7/24/95		Production Method (Flowing, gas lift, pumping - size and type pump) PUMPING					Well Status (Prod. or Shut-in) PRODUCING
Date of Test 7/30/95		Hours tested 24		Choke Size		Prod'n For Test Period	
Flow Tubing Press.		Casing Pressure		Calculated 24-Hour Rate		Oil - Bbl.	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD		Test Witnessed By ANZALDUA					
30. List Attachments DEVIATION SURVEY							
31. I hereby certify that the information on both sides of this form is true and complete to the best of my knowledge and belief.							
SIGNATURE		M. Angie Davila				TITLE Clerk	
						DATE 9/7/95	
TYPE OR PRINT NAME		M. Angie Davila				Telephone No. 397-0443	

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true verticle depths shall be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	1206'	T. Canyon
T. Salt	1420'	T. Strawn
B. Salt	2460'	T. Atoka
T. Yates	2686'	T. Miss
T. 7 Rivers	2886'	T. Devonian
T. Queen	3388'	T. Silurian
T. Grayburg	3652'	T. Montoya
T. San Andres		T. Simpson
T. Glorieta		T. McKee
T. Paddock		T. Ellenburger
T. Blinberry		T. Gr. Wash
T. Tubb		T. Delaware Sand
T. Drinkard		T. Bone Springs
T. Abo		T.
T. Wolfcamp		T.
T. Penn		T.
T. Cisco (Bough C)		T.

Northwestern New Mexico

T. Ojo Alamo	T. Penn "B"
T. Kirtland-Fruitland	T. Penn "C"
T. Pictured Cliffs	T. Penn "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
T. Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from 3390' to 3638'

No. 2, from to

No. 3, from to

No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in the hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0'	1206'	1206'	ANHYDRITE				
1206'	1420'	214'	SALT				
1420'	2460'	1040'	SALT				
2460'	2686'	226'	SANDSTONE, DOLOMITE				
2686'	2886'	200'	DOLOMITE, SANDSTONE				
2886'	3388'	502'	SANDSTONE, DOLOMITE				
3388'	3498'	110'	DOLOMITE				
3498'	3652'	154'	DOLOMITE				