Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

N.M. Oil ns. Division P.O. Box 1900 Hobbs, NM 8824

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993
5. Lease Designation and Senal No.

LC	03 8	693	56

		LC 031695B
SUNDRY NOTICE	S AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
not use this form for proposals to drill or to dee Use "APPLICATION FOR PERMIT" for		
		7. If Unit or CA, Agreement Designation
SUBMIT	IN TRIPLICATE	
pe of Well		
Oil Gas INJECTION Well Well Other		8. V
ime of Operator	Warren Unit	
CONOCO INC.		Well #138 9. API Well No.
Idress and Telephone No.		
D DESTA DR. STE 100W, MIDLAND, TX. 79705	5 (015) 686 - 5424 915 684.6381	30 025 33857 10. Field and Pool, or Exploratory Area
cation of Well (Footage, Sec., T., R., M., or Survey Description	on)	Morron Crayburg SA
Surface: 1980 FSL & 660 FWL, Sec 27, T20S, R38E	Warren Grayburg-SA 11. County or Parish, State	
D: Same	L	
		Lea County, NM
CHECK APPROPRIATE BOX(s) TO INI	DICATE NATURE OF NOTICE, REPORT, O	R OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Attoring Cooling	
	Attering Casing	Conversion to Injection
	X Other: TD, Casing & Release rig	Dispose Water
	X Other: TD, Casing & Release rig	Orspose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Describe Processed or Completed Operations (Clearly state all		Obspose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is
Describe Proposed or Completed Operations (Clearly state all directionally drilled, give subsurface locations and measure 3-30-97; Ran 4750', 5 1/2", 15.5#, K-55 cage! + 3% SAIT .37% CD-32, .3%	pertinent details, and give pertinent dates, including estimated ded and true vertical depths for all markers and zones pertinent to asing, cemented with lead slurry of 460 sx Cl 6 SMS, tailed with 500 sx Cl C + 1.1% FL-62, 3 coulated to surface. Rig released. WOC.	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is this work.)*
Describe Proposed or Completed Operations (Clearly state all directionally drilled, give subsurface locations and measure 3-30-97: Ran 4750', 5 1/2", 15.5#, K-55 cage! + 3% SAIT .37% CD-32, .3%	Determinent details, and give pertinent dates, including estimated dated and true vertical depths for all markers and zones pertinent to asing, cemented with lead slurry of 460 sx CI 6 SMS, tailed with 500 sx CI C + 1.1% FL-62, 3	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is this work.)* C + 16% 3% SAIT
Describe Proposed or Completed Operations (Clearly state all directionally drilled, give subsurface locations and measure 3-30-97: Ran 4750', 5 l/2", l5.5#, K-55 ca gel + 3% SAIT .37% CD-32, .3% CD-32, .2% SMS. l40 sx cir	pertinent details, and give pertinent dates, including estimated dead and true vertical depths for all markers and zones pertinent to asing, cemented with lead slurry of 460 sx Cl 6 SMS, tailed with 500 sx Cl C + I.I% FL-62, 3 culated to surface. Rig released. WOC. ACCEPTED FOR RECORD CARGES SCD.) DAVID R. G.A.	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is this work.)* C + 16% 3% SAIT
Describe Proposed or Completed Operations (Clearly state all directionally drilled, give subsurface locations and measure 3-30-97: Ran 4750', 5 l/2", l5.5#, K-55 ca gel + 3% SAIT .37% CD-32, .3% CD-32, .2% SMS. l40 sx cir	pertinent details, and give pertinent dates, including estimated ded and true vertical depths for all markers and zones pertinent to asing, cemented with lead slurry of 460 sx Cl 6 SMS, tailed with 500 sx Cl C + 1.1% FL-62, 3 coulated to surface. Rig released. WOC. ACCEPTED FOR RECORD ONIG: SGD.) DAVID R G.A. MAY 0 2 1997	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is this work.)* C + 16% 3% SAIT
Describe Proposed or Completed Operations (Clearly state all directionally drilled, give subsurface locations and measure 3-30-97: Ran 4750', 5 I/2", I5.5#, K-55 ca gel + 3% SAIT .37% CD-32, .3% .3% CD-32, .2% SMS. I40 sx cir	pertinent details, and give pertinent dates, including estimated ded and true vertical depths for all markers and zones pertinent to asing, cemented with lead slurry of 460 sx Cl 6 SMS, tailed with 500 sx Cl C + 1.1% FL-62, 3 coulated to surface. Rig released. WOC. ACCEPTED FOR RECORD ONIG: SGD.) DAVID R G.A. MAY 0 2 1997	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is this work.)* C + 16% 3% SAIT
Describe Proposed or Completed Operations (Clearly state all directionally drilled, give subsurface locations and measure 3-30-97: Ran 4750', 5 l/2", 15.5#, K-55 ca gel + 3% SAIT .37% CD-32, .3% CD-32, .2% SMS. I40 sx cir	pertinent details, and give pertinent dates, including estimated ded and true vertical depths for all markers and zones pertinent to assing, cemented with lead slurry of 460 sx CI & SMS, tailed with 500 sx CI C + 1.1% FL-62, 3 culated to surface. Rig released. WOC. ACCEPTED FOR RECORD MAY 0 2 1997 ANN E. Ritchie	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is this work.)* C + 16% 3% SAIT
Describe Proposed or Completed Operations (Clearly state all directionally drilled, give subsurface locations and measure 3-30-97; Ran 4750', 5 l/2", l5.5#, K-55 ca gel + 3% SAIT .37% CD-32, .3% .3% CD-32, .2% SMS. l40 sx cir line of the state of the state of the space for Federal or State office use)	pertinent details, and give pertinent dates, including estimated ded and true vertical depths for all markers and zones pertinent to assing, cemented with lead slurry of 460 sx CI & SMS, tailed with 500 sx CI C + 1.1% FL-62, 3 culated to surface. Rig released. WOC. ACCEPTED FOR RECORD MAY 0 2 1997 ANN E. Ritchie	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) late of starting any proposed work. If well is this work.)* C + 16% 3% SAIT

*See Instruction on Reverse Side

DIST: BLM(5) NMOCD(1)