

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240  
DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210  
DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.	30 025 34999
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	B2366
7. Lease Name or Unit Agreement Name	State "KL" 36
8. Well No.	29
9. Pool name or Wildcat	North Hardy Strawn

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> OTHER <input type="checkbox"/> Injection	
2. Name of Operator Conoco Inc.	
3. Address of Operator 10 Desta Dr. Ste 100W, Midland, Tx., 79705-4500	
4. Well Location Unit Letter C 330 Feet From The North Line and 2310 Feet From The West Line Section 36 Township 20S Range 37E NMPM Lea County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3504'	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER P & A - dry hole ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7-24-00: Reached TD of 7921'. Logged. Circulated hole for setting cement plugs. Mixed 300 sx.  
1st plug: 30 sx Cl C cement from 7643 - 7543'. 2nd plug: 30 sx Cl C cement from 5306-5206'. 3rd plug: 30 sx Cl C from 3681-3581'.  
4th plug: 30 sx Cl C cement from 2743-2643'. 5th plug: 50 sx Cl C + 3% CaCl2 from 1585-1475'.  
7-25-00: WOC - RIH to 1475' & tagged up on cement plug. 6th plug: 30 sx Cl C from 1350-1232'. 7th plug: from 60' to surface.  
Cap leaking on plate welded to cap off 8 5/8" surface casing - repaired & ready to be monitored.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Agent DATE 9-11-00

TYPE OR PRINT NAME Ann E. Ritchie TELEPHONE NO. 915 684-6381

(this space for State Use)

APPROVED BY  TITLE F. L. Lopez DATE 4-18-02

CONDITIONS OF APPROVAL, IF ANY:

GWW 

8

