

Submit To Appropriate District Office
 State Lease - 6 copies
 Fee Lease - 5 copies
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 811 South First, Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
 2040 South Pacheco
 Santa Fe, NM 87505

Form C-105
 Revised March 25, 1999

WELL API NO.
30-025-35920

5. Indicate Type of Lease
 STATE FEE

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
 OIL WELL GAS WELL DRY OTHER _____

b. Type of Completion:
 NEW WELL WORK OVER DEEPEN PLUG BACK DIFF. RESVR. OTHER _____

7. Lease Name or Unit Agreement Name
Fred Turner Jr. "B"

2. Name of Operator
Amerada Hess Corporation

8. Well No.
2

3. Address of Operator
P. O. Box 840, Seminole, Texas 79360

9. Pool name or Wildcat
Skaggs Drinkard

4. Well Location
 Unit Letter **K** : **2110** Feet From The **South** Line and **2090** Feet From The **West** Line
 Section **17** Township **20S** Range **38E** NMPM **Lea** County

10. Date Spudded 06/08/2002	11. Date T.D. Reached 07/02/2002	12. Date Compl. (Ready to Prod.) 07/26/2002	13. Elevations (DF& RKB, RT, GR, etc.) 3560' GR	14. Elev. Casinghead
15. Total Depth 7250'	16. Plug Back T.D. RBP AT 6950' 7239' DOD	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By Rotary Tools X	Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name
6829'-6916' Drinkard Zone - Producing & 7004'-7232' Abo Zone - Closed-In

20. Was Directional Survey Made
Yes

21. Type Electric and Other Logs Run
Platform Express, USIT/CCL

22. Was Well Cored
No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	1506'	11"	650 Sx. Cl. C+Add.	
5-1/2"	17#	7250'	7-7/8"	930 Sx. Cl. C Poz & 750 Sx. Cl. H+Add.	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	6793'	6793'

26. Perforation record (interval, size, and number)
 Perf. w/4" csg. Gun w/2 SPF as follows: Drinkard Zone fr. 6829'-6834', 6836'-6842', 6854'-6857', 6859'-6875', 6879'-6883', 6891'-6897', 6899'-6903', 6905'-6911', & 6914'-6916'; & Abo Zone fr. 7004'-7008', 7038'-7045', 7066'-7069', 7072'-7078', 7091'-7098', 7100'-7102', 7159'-7164', 7170'-7173', 7190'-7194', 7198'-7200', 7206'-7209' & fr. 7225'-7232'.

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
 DEPTH INTERVAL | AMOUNT AND KIND MATERIAL USED
6829' - 7232' | Acidized w/6000 gal. 15% HCL acid.

28. PRODUCTION

Date First Production 7/26/2002	Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing	Well Status (Prod. or Shut-in) Producing					
Date of Test 8/01/2002	Hours Tested 24 Hours	Choke Size 2" FO	Prod'n For Test Period	Oil - Bbl 3	Gas - MCF 588	Water - Bbl. 112	Gas - Oil Ratio 196,000
Flow Tubing Press. 45	Casing Pressure 0	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Sold

Test Witnessed By

30. List Attachments
C-102, C-103, C-104, Deviation Survey, Logs

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature *Roy L. Wheeler, Jr.* Printed Name **Roy L. Wheeler, Jr.** Title **Bus. Svc. Spec. II** Date **08/08/2002**

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or reopened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Any	<u>1480'</u>
Salt	<u>1580'</u>
Salt	<u>2580'</u>
Yates	<u>2728'</u>
7 Rivers	
Queen	
Grayburg	<u>3710'</u>
San Andres	<u>4042'</u>
Glorieta	<u>5390'</u>
Paddock	<u>5537'</u>
Blinebry	<u>5888'</u>
Tubb	<u>6394'</u>
Drinkard	<u>6698'</u>
Abo	<u>6987'</u>
Wolfcamp	
Penn	
Cisco (Bough C)	

T. Canyon	_____
T. Strawn	_____
T. Atoka	_____
T. Miss	_____
T. Devonian	_____
T. Silurian	_____
T. Montoya	_____
T. Simpson	_____
T. McKee	_____
T. Ellenburger	_____
T. Gr. Wash	_____
T. Delaware Sand	_____
T. Bone Springs	_____
T.	_____
T.	_____
T.	_____
T.	_____

Northwestern New Mexico

T. Ojo Alamo	_____	T. Penn. "B"	_____
T. Kirtland-Fruitland	_____	T. Penn. "C"	_____
T. Pictured Cliffs	_____	T. Penn. "D"	_____
T. Cliff House	_____	T. Leadville	_____
T. Menefee	_____	T. Madison	_____
T. Point Lookout	_____	T. Elbert	_____
T. Mancos	_____	T. McCracken	_____
T. Gallup	_____	T. Ignacio Otzte	_____
Base Greenhorn	_____	T. Granite	_____
T. Dakota	_____	T.	_____
T. Morrison	_____	T.	_____
T. Todilto	_____	T.	_____
T. Entrada	_____	T.	_____
T. Wingate	_____	T.	_____
T. Chinle	_____	T.	_____
T. Permian	_____	T.	_____
T. Penn "A"	_____	T.	_____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....

No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
Surf.	1480'	1480'	Sand, Red Beds
480'	2580'	1100'	Anhydrite, Salt
580'	3710'	1130'	Sand, LS, Dol.
710'	7250'	3540'	LS, Dol.

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 South First, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87504

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 15, 2000

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe. NM 87504

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-35920		¹ Pool Code 57000		¹ Pool Name Skaggs Drinkard	
⁴ Property Code 25890		³ Property Name Fred Turner Jr. "B"			⁴ Well Number 2
⁷ OGRID No. 000495		⁶ Operator Name Amerada Hess Corporation			⁸ Elevation 3560'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	17	20S	38E		2110	South	2090	West	Lea

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 40	¹³ Joint or Infill I	¹⁴ Consolidation Code	¹⁵ Order No.
-------------------------------------	------------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	<p>¹⁷ OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</i></p> <p style="text-align: right;"><i>Roy L. Wheeler, Jr.</i> Signature</p> <p>Roy L. Wheeler, Jr. Printed Name</p> <p>Bus. Svc. Spec. II Title</p> <p style="text-align: right;">08/08/02 Date</p>
	<p>¹⁸ SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p>
	<p>Certificate Number</p>