

NEW MEXICO OIL CONSERVATION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper representative ten days after the work specified is completed. It should be signed and sworn to before a notary public on beginning drilling operations, results of shooting well, results of test of casing shut-offs, results of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Report of Plugging	X

Fort Worth, Texas

August 14, 1950

Place

Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the.....

Hudson & Hudson

Amerada-State

Well No. 1

in the

Company or Operator

Lease

C-SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 35, T. 21S, R. 33E, N. M. P. M.,

Wildest

Field,

Lea

County

The dates of this work were as follows:.....

Notice of intention to do the work was ~~XXXXXX~~ submitted on Form C-102 on July 21, 1950, and approval of the proposed plan was ~~XXXXXX~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well was plugged by spotting 15 Sx. cement in the bottom of the hole. After this cement had set, we pulled 3589.7' of 7" casing. We then pumped in 400 Sx. of mud and spotted 10 Sx. of cement at 1582' inside of the 8-1/4" casing. After this cement had set, we pulled 772.2' of 8-1/4" casing. We filled the hole with heavy mud and set a cement plug on the top of the surface string with a regulation marker cemented in it and extending 6 feet above the surface of the ground.

The location site was then cleared off and left as near as possible to its original condition.

Witnessed by Edward R. Hudson, Hudson & Hudson, Partner

Name

Company

Title

Subscribed and sworn to before me this

18 day of September, 1950.

Eloyse H. Brown
ELOYSE H. BROWN, Notary Public Notary Public

My Commission Expires June 1, 1951
My Commission expires June 1, 1951.

I hereby swear or affirm that the information given above is true and correct.

Name

Position

Partner

Representing Hudson & Hudson

1810 Electric Building
Fort Worth, Texas

Address

Remarks:

APPROVED

SEP 22 1950

Date

Ray J. J. J.
Ray J. J. J.
Name
Title

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

1944

UNRECORDED

Hudson & Hudson
Electric Building

William A. Hudson

Edward R. Hudson

Fort Worth, Texas

September 18, 1950

New Mexico Oil Conservation Commission
Santa Fe, New Mexico

Attention of Mr. Roy O. Yarbrough,
Oil and Gas Inspector

Gentlemen: In re: Amerada-State No. 1

In reply to your letter of September 15, 1950,
we are handing you herewith report of plugging on our well
located in the Center of the SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35-21S-
33E, Lea County, New Mexico.

This report was previously filed on Form C-102,
and now is being filed on Form C-103 in line with your request.

Very truly yours,

WILLIAM A. & EDWARD R. HUDSON

By: *George H. Brown*

EHB/
Encls.

CC: Amerada Petroleum Corp.
Tulsa, Oklahoma.

APPROVED
SEP 22 1950
DATE