

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

HOBBS OFFICE O. C. C.
 NEW MEXICO OIL CONSERVATION COMMISSION
 FEB 15 11 51 AM '67

Form C-103
 Supersedes Old
 C-102 and C-103
 Effective 1-1-65

5a. Indicate <input checked="" type="checkbox"/> Type of Lease
State <input type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil or Gas Lease No. B-6717

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
 USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. Unit Agreement Name
2. Name of Operator Wilson Oil Company	8. Farm or Lease Name Amerada State
3. Address of Operator P. O. Box 457, Artesia, New Mexico	9. Well No. 1
4. Location of Well B 990 North 1650 UNIT LETTER East FEET FROM THE 13 LINE AND 21-S FEET FROM 34-E THE 13 LINE, SECTION 21-S TOWNSHIP 34-E RANGE 13 NMPM.	10. Field and Pool, or Wildcat Wilson
15. Elevation (Show whether DF, RT, GR, etc.) 3672' IF	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/> CHANGE PLANS <input type="checkbox"/> OTHER <input type="checkbox"/>
REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER <input type="checkbox"/>	
ALTERING CASING <input checked="" type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

The subject well has been plugged as follows:

25 sx cement plug 3660-3780'.
 25 sx cement plug at top 7" @ 508'.
 25 sx cement plug at base 16" @ 110'.
 10 sx cement plug at surface with regulation marker.
 8 1/2"-9" native mud between cement plugs.

Work performed and supervised by Mr. C. O. Fulton.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *M. L. Law* TITLE Petroleum Engineer DATE February 14, 1967

APPROVED BY *Leslie J. Clements* TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY: