## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional

			Artesis	, New Mex	100 1	-20-50
			Place	·····		Date
CONSERV	ATION COL	MMISSION,				
ta Fe, New	Mexico,					
itlemen:		otified that it is our	intention to comm	ence the drillin	g of a well to be kno	own as
You at	re hereby no	tified that it is our	michigan de Comm	9084 w	ll No. <b>59</b>	in NA NA
AJTE		or Operator		Teasa		
. 15	" 21	_ 34	N. M., P. M.,	. Wilson	Field, Lea	Count
Sec. 15		en: 11 '-	330 foot <b>3</b> 0	(S.) of the	HOF bei line and	
	<del></del>	The wen is	the West 1	ine of sest	ion 15- 21-	34
		(E.) (#.) 01	etion from section	n or other lega	l subdivision lines.	Cross out wro
		if state land t	the oil and gas les	se is No.	Assignment 1	
		If natented is	ind the owner is			
		Address				
	_	If governmen	t land the permi	ttee is		
_		Address				
			### <b>4</b>	011 Compa	RBY	
		The lessee is	e Bex 627	Senta Fe	, New Mexico	
	0 ACRES		. Juill well with A	rilling equipmen	t as follows:	
OCATE WEL	L CORRECTL	Y We propose t	o drin wen with d	Innig equipment  Tenth	0 00 2 000	
mmission is e propose to	use the foll	lowing strings of casi	ng and to land or	cement them a	s indicated:	
e propose to	use the foll	lowing strings of casi	ng and to land or	Uepth	Landed or Cemented	Sacks Cement
Size of Hole	Size of Casing	lowing strings of casi Weight Per Foot	ng and to land or New or Second Hand	Uepth	Landed or Cemented	Sacks
Size of Hole	Size of Casing	lowing strings of casi  Weight Per Foot	ng and to land or  New or Second Hand	Depth 175	Landed or	Sacks Cement
Size of Hole	Size of Casing	Weight Per Foot  48 38	New or Second Hand	Uepth	Landed or Cemented	Sacks Cement
Size of Hole  15 12 10	Size of Casing	Weight Per Foot  48 38 28	ng and to land or  New or Second Hand	175 850	Landed or Cemented Cement ed landed	Sacks Cement
Size of Hole  15 12 10 8	Size of Casing 13	Weight Per Foot  48 38 28	New or Second Hand  S. H.  S. H.  S. H.  New	175 850 1450 3850	Landed or Cemented  Cemented  Landed  Landed  Landed  Cemented	8acks Cement 125
Size of Hole  15 12 10 8	Size of Casing 13	Weight Per Foot  48 38 28	New or Second Hand  S. H.  S. H.  S. H.  New	175 850 1450 3850	Landed or Cemented  Cemented  Landed  Landed  Landed  Landed  Cemented	8acks Cement 125
Size of Hole  15 12 10 8	Size of Casing 13 10 8 7	Weight Per Foot  48 38 28 20	New or Second Hand  S. H. S. H. S. H. Www.	Depth 175 850 1450 3850 1 before cement	Landed or Cemented  Cemented  Landed  Landed  Landed  Landed  Cemented	8acks Cement 125
Size of Hole  15 12 10 8 f changes in the first process.	Size of Casing  13 10 8 7 the above pluctive oil o	Weight Per Foot  48 38 28	New or Second Hand  S. H. S. H. S. H. Www.	Depth 175 850 1450 3850 1 before cement	Landed or Cemented  Cemented  Cemented  Landed  Landed  Landed  Cemented	8acks Cement 125
Size of Hole  15 12 10 8 f changes in the first process.	Size of Casing  13 10 8 7 the above pluctive oil o	Weight Per Foot  48 38 28 20	New or Second Hand  S. H. S. H. S. H. Www.	Depth 175 850 1450 3850 1 before cement	Landed or Cemented  Cemented  Cemented  Landed  Landed  Landed  Cemented	Sacks Cement 125
Size of Hole  15 12 10 8 f changes in the first process.	Size of Casing  13 10 8 7 the above pluctive oil o	Weight Per Foot  48 38 28 20	New or Second Hand  S. H. S. H. S. H. Www.	Depth 175 850 1450 3850 1 before cement	Landed or Cemented  Cemented  Cemented  Landed  Landed  Landed  Cemented	8acks Cement 125
Size of Hole  15 12 10 8 Changes in the first process.	Size of Casing  13 10 8 7 the above pluctive oil o	Weight Per Foot  48 38 28 20	New or Second Hand  S. H. S. H. S. H. New  we will notify you car at a depth of	Depth 175 850 1450 3850 1 before cement of about 3900	Landed or Cemented  Cemented  Cemented  Landed  Landed  Landed  Cemented	8noks Cement 125
Size of Hole  15 12 10 8 Changes in the first proceeded in the first proceeded.	Size of Casing  13 10 8 7 the above pluctive oil oformation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S. H. S. H. S. H. We will notify you car at a depth of	Depth 175 850 1450 3850 1 before cements about 3900	Landed or Cemented  Cemented  Landed  Landed  Landed  Landed  Cemented  Landed  Landed  Cemented  Cemented  Landed  Cemented  Cemented	8acks Cement 125
Size of Hole  15 12 10 8 f changes in the first proceeded.	Size of Casing  13 10 8 7 the above pluctive oil oformation:	Weight Per Foot  48 38 28 20	New or Second Hand  S. H. S. H. S. H. We will notify you car at a depth of	Depth 175 850 1450 3850 1 before cements about 3900	Landed or Cemented  Cemented  Landed  Landed  Landed  Landed  Cement ed  Landed  Cement ed  Cement ed  Company	8acks Cement 125
Size of Hole  15 12 10 8 f changes in the first proceeded.	Size of Casing  13 10 8 7 the above pluctive oil oformation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S. H. S. H. S. H. We will notify you car at a depth of	Depth 175 850 1450 3850 1 before cements about 3900	Landed or Cemented  Cemented  Landed  Landed  Landed  Landed  Cemented  Landed  Landed  Cemented  Cemented  Landed  Cemented  Cemented	8acks Cement 125
Size of Hole  15 12 10 8 f changes in the first proceeded.	Size of Casing  13 10 8 7 the above pluctive oil oformation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S. H. S. H. S. H. We will notify you car at a depth of	Depth 175 850 1450 3850 1 before cements about 3900	Landed or Cemented  Cemented  Landed  Landed  Landed  Landed  Cement ed  Landed  Cement ed  Cement ed  Company	8acks Cement 125
Size of Hole  15 12 10 8 f changes in he first proceeded.	Size of Casing  13 10 8 7 the above pluctive oil oformation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S. H. S. H. S. H.  We will notify you can at a depth of the second Hand  By Many Since Many Many Many Many Many Many Many Many	Depth 175 850 1450 3850 1 before cement of about 3900 erely yours, 11sen 011	Landed or Cemented  Cemented  Cemented  landed landed cemented  ing or landing casing.  feet.  Company  Company or Operator	Sacks Cement 125 300 We estimate
Size of Hole  15 12 10 8 f changes in the first productional in except a control of the control	the above pluctive oil of formation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S.H. S.H. S.H. New  we will notify you can at a depth of By  By Post	Depth 175 850 1450 3850 1 before cement of about 3900 erely yours, 11sen 011	Landed or Cemented  Cemented  Cemented  landed landed cemented  ing or landing casing.  feet.  Company  Company or Operator  ant to the Pi	Sacks Cement 125 300 We estimate
Size of Hole  15 12 10 8 f changes in the first productional in except a control of the control	the above pluctive oil of formation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S.H. S.H. S.H. New  we will notify you can at a depth of By  By Post	Depth 175 850 1450 3850 1 before cement of about 3900 erely yours, 11sen 011  Assist d communication	Landed or Cemented  Cemented  Cemented  landed landed ownerted  ing or landing casing.  feet.  Company  Company or Operator  ant to the Pi  ms regarding well to	8acks Cement 125 300 We estimate
Size of Hole  15 12 10 8 Changes in the first proceed diditional in the except at the CULLE	the above pluctive oil of formation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S.H. S.H. S.H. New  we will notify you can at a depth of By  By Post	Depth 175 850 1450 3850 1 before cements of about 3900 erely yours, 11sen 011  **Communication** Wilson 0	Landed or Cemented  Cemented  Cemented  landed landed cemented  ing or landing casing.  feet.  Company  Company or Operator  ant to the Pi	Sacks Cement 125 300 We estimate
Size of Hole  15 12 10 8  f changes in he first proceed additional in the first proceed accept a few	the above pluctive oil of formation:	Weight Per Foot  48 38 28 20  lan become advisable r gas sand should oc	New or Second Hand  S. H. S. H. S. H.  We will notify you can at a depth of By  By  Posi	before cement of about 3900  erely yours,  lition Assist d communication willson O	Landed or Cemented  Cemented  Cemented  landed landed ownerted  ing or landing casing.  feet.  Company  Company or Operator  ant to the Pi  ms regarding well to	8acks Cement 125 300