Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approvat. See additional instructions in Rules and Regulations of the Commission.

Hobbs, her				Mexico Place		12-19-49	
OIL CONSEI Santa Fe, Ne	RVATION CO	MMISSION,	Ple	ce		Date	
Gentlemen:							
You	are hereby r	notified that it is ou	r intention to con	nmence the dril	lling of a well to be	known as	
	Shell 0il	Company	State "	3" 1	Well No. 3	_ in_ N=/4	
	•				_		
of Sec21	, Т_21-	•			Field, Lea	_	
	N				e north line an		
					ion 21.		
		(Give 1 directions.)	ocation from sect	ion or other le	gal subdivision lines.	Cross out wrong	
		•	the oil and gas !	ease is No. B-	9446 Assignment	No	
	╁┼┤		land the owner i		and the second s		
		_					
	 						
;		The lessee is	Shell	Oil Company	<u>'</u>		
4554	640 ACRES	Address	3ox 1457	Hobbs. No	ew Mexico		
	LL CORRECTL				ent as follows:		
			Cable tool				
	•	lowing strings of cas		r cement them	as indicated:		
We propose t	to use the foll	owing strings of cas	sing and to land o		as indicated:	Snoks	
We propose	to use the foll	:	sin g and to la nd o	Depth	as indicated:	Sacks Coment	
Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth 220	Landed or Comented Cemented		
Size of Hole	Size of Casing 13 3/8H 10 3/4H	Weight Per Foot 32.4# 40.5#	New or Second Hand New SH	220 800	Landed or Comented Cemented Landed)	to surface	
Size of Hole 17 [†] 12 [†] 9 7/8 [†]	Bize of Casing 13 3/8 ^H 10 3/4 ^H 8 5/8 ^H	Weight Per Foot 32.4# 40.5# 32#	New or Second Hand New SH SH	220 800 1400	Landed or Comented Cemented Landed) Landed)	to surface to be pulled	
We propose to Size of Hole 17 ^H 12 ^H 9 7/8 ^H	Size of Casing 13 3/8H 10 3/4H	Weight Per Foot 32.4# 40.5#	New or Second Hand New SH	220 800	Landed or Comented Cemented Landed) Landed)	to surface	
## Propose 1 Size of Hole	Bize of Casing 13 3/8# 10 3/4# 8 5/8# 5 1/2# the above plaductive oil or	Weight Per Foot 32.4# 40.5# 32# 15.5#	New or Second Hand New SH SH Hew we will notify you	220 800 1400 3850	Landed or Comented Cemented Landed) Landed) Cemented tanded tanded tanded	to surface to be pulled to top of sali	
We propose to Size of Hole 17 n 12 n 9 7/8 n 7 7/8 n If changes in the first pro-	Bize of Casing 13 3/8H 10 3/4H 8 5/8H 5 1/2H the above plaductive oil or aformation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you can at a depth of	220 800 1400 3850 1 before cement	Landed or Comented Cemented Landed) Landed) Cemented tanded tanded tanded	to surface to be pulled to top of sali	
We propose to Size of Hole 17th 12th 9 7/8th 7 7/8th The changes in the first proposed.	Bize of Casing 13 3/8H 10 3/4H 8 5/8H 5 1/2H the above plaductive oil or aformation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you car at a depth	220 800 1400 3850	Landed or Comented Cemented Landed) Landed) Cemented tanded tanded tanded	to surface to be pulled to top of sali	
We propose to Size of Hole 17th 12th 9 7/8th 7 7/8th If changes in the first proposed.	Bize of Casing 13 3/8H 10 3/4H 8 5/8H 5 1/2H the above plaductive oil or aformation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you can at a depth of	220 800 1400 3850 1 before cement	Landed or Comented Cemented Landed) Landed) Cemented to the company of the	to surface to be pulled to top of sali	
We propose to Size of Hole 17th 12th 9 7/8th 7 7/8th The changes in the first proposed.	Bize of Casing 13 3/8H 10 3/4H 8 5/8H 5 1/2H the above plaductive oil or aformation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you can at a depth of	Depth 220 800 1400 3850 before cement of about 387 erely yours,	Landed or Comented Cemented Landed) Landed) Cemented tanded tanded tanded	to surface to be pulled to top of salt	
We propose to Size of Hole 17th 12th 9 7/8th 7 7/8th The changes in the first proposed.	Bize of Casing 13 3/8H 10 3/4H 8 5/8H 5 1/2H the above plaductive oil or aformation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you can at a depth of	Depth 220 800 1400 3850 before cement of about 387 erely yours,	Landed or Comented Cemented Landed) Landed) Cemented to the company of the	to surface to be pulled to top of salt	
We propose to Size of Hole 17th 12th 9 7/8th 7 7/8th The changes in the first proposed.	Bize of Casing 13 3/8H 10 3/4H 8 5/8H 5 1/2H the above plaductive oil or aformation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you cur at a depth of By_	Depth 220 800 1400 3850 before cement about 387 erely yours, Shell 0	Landed or Comented Cemented Landed Landed Landed Cemented Landed Cemented ting or landing casing. Company Com	to surface to be pulled to top of salt . We estimate that	
We propose to Size of Hole 17 th 12 th 9 7/8 th 7 7/8 th 12	Bize of Casing 13 3/8# 10 3/4# 8 5/8# 5 1/2# a the above plaductive oil or a formation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you car at a depth of By_ Position	Depth 220 800 1400 3850 before cement of about 387 erely yours, Shell 0	Landed or Comented Cemented Landed Landed Landed Landed Cemented to comented Company	to surface to be pulled to top of salt . We estimate that	
We propose to Size of Hole 17 th 12 th 9 7/8 th 7 7/8 th 12	Bize of Casing 13 3/8# 10 3/4# 8 5/8# 5 1/2# a the above plaductive oil or a formation:	Weight Per Foot 32.4# 40.5# 32# 15.5# an become advisable gas sand should oc	New or Second Hand New SH SH Hew we will notify you car at a depth of By_ Position	Depth 220 800 1400 3850 before cement of about 387 erely yours, Shell 0 rank 5.	Landed or Comented Cemented Landed Landed Landed Cemented Landed Cemented ting or landing casing. Company Com	to surface to be pulled to top of salt . We estimate that	