

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	X
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico April 13, 1950

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Stanolind Oil and Gas Company State "P" Well No. **1** in **NE/4**
Company or Operator Lease
of Sec. **24**, T. **21-S**, R. **34-E**, N. M. P. M., **Wilson** Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Originally completed in Reef lime on January 8, 1945.

The present water production has gradually increased until, at present, the well produces 100% water. In June, 1949, a casing pump was installed in an effort to pump off the water; however, during a two-month test period, the well produced 800 to 900 barrels of water per day with no oil.

The following casing strings are in the hole at the present time:

16" csg. 70#/ft. @ 133' cemented with 150 sacks.
13" csg. 50#/ft. @ 689' (quantity of cement unknown).
7" csg. 20#/ft. @ 3742' cemented with 350 sx. in 8-5/8" hole. (over)

Approved _____, 19____
except as follows: _____

Stanolind Oil and Gas Company

Company or Operator

By Ralph L. HendricksonPosition **Field Superintendent**

Send Communications regarding well to

Name **Ralph L. Hendrickson**Address **P. O. Box "F"****Hobbs, New Mexico**

OIL CONSERVATION COMMISSION,

By Ray. Parkhurst

Title _____

An attempt will be made to recover the uncemented portion of the 13" and 7" casing strings, and cement plugs will be placed as follows in order to isolate all fluid-bearing zones.

20 sacks cement plug	3642-3742'
20 sacks cement plug in 7" stub (estimated)	1400-1500'
20 sacks cement plug	At Surface

A heavy mud laden fluid will be mixed and placed between all cement plugs. The location will be cleared and a 4" marker will be erected to extend 5 feet above the ground level in accordance with existing New Mexico Oil Conservation Commission regulations.