EXICO OIL CONSERVATION CC

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be

AREA 610 AGEES AREA 150 AGEES AREA 150 AGEES Locate Well and for this well in conformance with Rule 39 of the General Rules and Regulations of the Status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Sourface 133 3/4 10 3/4 40 # SH 22# New 3550 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about . 3715 feet.			Artesi			January	6, 1948
AREA 640 ACRES Address The lessee is Ohio Oll Company AREA 640 ACRES The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Irilling Eond We propose to use the following strings of casing and to land or cement them as indicated: Size of Bize of Rules We propose to use the following strings of casing and to land or cement them as indicated: Size of Rules Size of Rules Size of Rules Size of Rules We propose to dealy access and should occur at a depth of about 3715 feet. We estimate that that the first productive oil or gas sand should occur at a depth of about 3715 feet. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.	IL CONSER	VATION CO	MMISSION,	Plac	te.		Date
You are hereby notified that it is our intention to commence the drilling of a well to be known as Barney Cockburn Ohio-State Well No. 1 in NW/4 SW/4 Leave Company or Operator I Leave 1 Sec. 25 T 218 R 34F N. M., P. M., Wilson Field, Lea County. N	anta Fe, New	Mexico,	•				
Barney Cockburn Company or Operator Lease	entlemen:						
f Sec. 25 , T 21S			otified that it is our	intention to com	mence the drillin	g of a well to be	known as
f Sec. 25 , T 218 R 34E , M.M., P. M., Filson Field, Lea County. The well is 1550 feet (X) (S.) of the N line and 330 feet (E.) (W.) of the W line of Sec. 25-218-34E (Give location from section or other legal subdivision lines. Cross out wrong directions.) If state land the oil and gas lease is No. B-7905 Assignment No. If patented land the owner is. Address If government land the permittee is. Address The lessee is Ohio 311 Company AREA 640 ACRES Address The lessee is Ohio 311 Company AREA 640 ACRES Address The lessee is Ohio 311 Company AREA 640 ACRES The lessee is Ohio 311 Company AREA 640 ACRES Address The lessee is Ohio 311 Company AREA 640 ACRES Address The lessee is Ohio 311 Company AREA 640 ACRES Address The lessee is No. B-7905 Assignment No. If patented land the owner is. Address The lessee is No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Assignment No. B-7905 Ass	Barney			Ohi	o <u>-State</u> We	ll No	in NW/4 3W/4
(E.) (W.) of the W. line of Sec. 25-213-34E (Give location from section or other legal subdivision lines. Cross out wrong directions.) If state land the oil and gas lease is No. B-7905 Assignment No. If petented land the owner is. Address If government land the permittee is. Address The lessee is Ohio Oil Company Address LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Frill with Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Weight Per Foot Second Hand Depth Cemented Cement 15 3/4" 10 3/4 40# SH 200' Circulated to Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.	05			D		E:ala 1	County
(E.) (W.) of the W. line of Sec. 25-21S-34E (Give location from section or other legal subdivision lines. Cross out wrong directions.) If state land the oil and gas lease is No. B-7905 Assignment No. If patented land the owner is. Address If government land the permittee is. Address The lessee is Ohio Oil Company AREA 640 ACRES Address LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Drill with Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Weight Fer Foot Second Mand Depth Landed or Cement Comment Blanket 7 New 3550 Circulated to Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.	f Sec. 25	, T 21	Should be	, N. M., P. M.,	SITSOU	rieid,	320 fort
(Give location from section or other legal subdivision lines. Cross out wrong directions.) If state land the oil and gas lease is No. B-7905 Assignment No. If patented land the owner is. Address If government land the permittee is. Address The lessee is Ohio Oil Company AREA 6:0 ACRES Address LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Trill with Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Weight Fer Foot New or Second Hand Depth Landed or Cement 13 3/4" 10 3/4 40# SH 200' Circulated to Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.		N	The well is	#OOU feet (I	K) (S.) of the .	OF OT C. ZAI	ing Debo Teer
directions.) If state land the oil and gas lease is No. B-7905 Assignment No. If patented land the owner is. Address If government land the permittee is. Address The lessee is Ohio Oil Company AREA 640 ACRES Address LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Frill with Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Irilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Casing Weight Per Foot Second Hand Depth Landed or Cement 13 3/4" 10 3/4 40# SH 200' Circulated to Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.							
If state land the oil and gas lease is No. B-7905 Assignment No. If patented land the owner is. Address If government land the permittee is. Address The lessee is Ohio Oll Company AREA 640 ACRES LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Frill With Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot Second Hand Depth Landed or Cement Hole Commission is as follows: Blanket Drilling Bond Weight Per Foot Second Hand Depth Cemented Cement 13 3/4" 10 3/4 40# SH 200' Circulated to Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.				cation from section	on or other legal	subdivision lines	. Cross out wrong
If patented land the owner is. Address If government land the permittee is. Address The lessee is Ohio Oll Company AREA 640 ACRES LOCATE WELL CORRECTLY Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Casing Weight Per Foot Second Hand Depth Landed or Cement 13 3/4" 10 3/4 40# SH 200' Circulated t Surface 100 16 Changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.	X		If state land	the oil and cas le	ase is No. B-7	905 Assignmen	t No
Address If government land the permittee is. Address The lessee is Ohio Oil Company AREA 646 ACRES Address LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Frill with Rotar Tools to approximately 3550! - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the commission is as follows: Blanket Irilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Size of Weight Per Foot New or Second Hand Depth Landed or Cement							
If government land the permittee is. Address The lessee is Ohio Oil Company AREA 640 ACRES LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Frill with Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Size of Weight Per Foot New or Second Hand Depth Landed or Cement							
Address The lessee is Ohio 011 Company AREA 640 ACRES Address LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Frill with Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Weight Per Foot New or Second Hand Depth Landed or Cement							
The lessee is Ohio Oil Company AREA 640 ACRES Address LOCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Prill with Rotar Tools to approximately 3550' - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Casing Weight Per Foot New or Second Hand The lessee is Ohio Oil Company Address Address Address Trill with Rotar The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Casing Weight Per Foot Second Hand Depth Landed or Cement Cemented Comment Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.							
AREA 640 ACRES Address We propose to drill well with drilling equipment as follows: Prill with Rotar Tools to approximately 3550! - complete with Cable Tools The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Prilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cement			Address	Ohio Oi	1 Gomoany		
The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cement							
Tools to approximately 3550? - complete with Cable Tools the status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cement	AREA 6	40 ACRES					
The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond We propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot New or Second Hand Depth Landed or Cement	LOCATE WEL	L COBRECTL	We propose t	o drill well with d	rilling equipment	as follows:	TIT MIRI VORS
Hole Casing Weight Per Poot Second Hand Depth Cemented Cement 13 3/4" 10 3/4 40# SH 200' Circulated to Surface 100 f changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.		.1 4 11					
8 3/4 7" 22# New 3550 Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.	We propose to	-					Sacks
8 3/4 7" 22# New 3550 Surface 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.	We propose to	Size of		New or		Landed or	
8 3/4 7" 22# New 3550 100 If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3715 feet.	Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or	Cernent
the first productive oil or gas sand should occur at a depth of about 3715 feet.	Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or	Circulated
the first productive oil or gas sand should occur at a depth of about 3715 feet.	Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	200°	Landed or	Circulated Surface
the first productive oil or gas sand should occur at a depth of about 3715 feet.	Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	200°	Landed or	Circulated Surface
	Size of Hole 13 3/4* 8 3/4	Size of Casing 10 3/4	Weight Per Foot 40# 22#	New or Second Hand SH New	200† 3550	Landed or Cemented	Circulated Surface 100
Additional information:	Size of Hole 13 3/4 ¹¹ 8 3/4 If changes in	Size of Casing 10 3/4 7** the above pla	Weight Per Foot 40# 22# In become advisable	New or Second Hand SH New we will notify you	200 ° 3550	Landed or Cemented	Circulated Surface 100
	Size of Hole 13 3/4 8 3/4 If changes in the first production	Size of Casing 10 3/4 7* the above plaductive oil or	Weight Per Foot 40# 22# In become advisable	New or Second Hand SH New we will notify you	200 ° 3550	Landed or Cemented	Circulated Surface 100
	Size of Hole 13 3/4 8 3/4 If changes in the first production	Size of Casing 10 3/4 7* the above plaductive oil or	Weight Per Foot 40# 22# In become advisable	New or Second Hand SH New we will notify you	200 ° 3550	Landed or Cemented	Circulated Surface 100
	Size of Hole 13 3/4 8 3/4 If changes in the first products	Size of Casing 10 3/4 7* the above plaductive oil or	Weight Per Foot 40# 22# In become advisable	New or Second Hand SH New we will notify you	200 ° 3550	Landed or Cemented	Circulated Surface 100
Approved Sincerely yours,	Size of Hole 13 3/4 to 8 3/4 If changes in the first productional interpretation	Size of Casing 10 3/4 7** the above platuctive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should oc	New or Second Hand SH New we will notify you cur at a depth of	Depth 200 3550 before cementing about 37	Landed or Cemented	Circulated Surface 100
Approved Sincerely yours, Approved Sincerely yours, Ronney Cookburn	Size of Hole 13 3/4 to 8 3/4 If changes in the first productional into	Size of Casing 10 3/4 7** the above platuctive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should oc	New or Second Hand SH New we will notify you cur at a depth of	Depth 200 3550 a before cementing about 37	Landed or Cemented g or landing casin feet.	Circulated Surface 100 g. We estimate that
Approved 19 Sincerely yours, (**Lexcept as follows: **Emery Type Cockburn Company or Operator** **Company or Operator**	Size of Hole 13 3/4 to 8 3/4 If changes in the first productional into	Size of Casing 10 3/4 7** the above platuctive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should oc	New or Second Hand SH New we will notify you cur at a depth of	Depth 200 3550 a before cementing about 37 brely yours,	Landed or Cemented g or landing casin 15 feet.	Circulated Surface 100 g. We estimate that
Lexcept as follows: 2 Ment mysterial Ato top of well motion and company or Operator Company or Operator	Size of Hole 13 3/4 to 8 3/4 If changes in the first productional interpretation	Size of Casing 10 3/4 7** the above platuctive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should oc	New or Second Hand SH New we will notify you cur at a depth of	Depth 200 3550 a before cementing about 37 brely yours,	Landed or Cemented g or landing casin 15 feet.	Circulated Surface 100 g. We estimate that
Lexcept as follows: Ement must echil	Size of Hole 13 3/4 8 3/4 If changes in the first productional interpretation	Size of Casing 10 3/4 7** the above platuctive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should oc	New or Second Hand SH New we will notify you cur at a depth of	Depth 200 3550 a before cementing about 37 brely yours,	Landed or Cemented g or landing casin 15 feet.	Circulated Surface 100 g. We estimate that
Lexcept as follows: 2 Ment mysterial Ato top of well motion and company or Operator Company or Operator	Size of Hole 13 3/4 to 8 3/4 If changes in the first productional interpretation	Size of Casing 10 3/4 7** the above platuctive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should oc	New or Second Hand SH New we will notify you cur at a depth of the second Hand	Depth 200 3550 before cementing about 37 erely yours,	Landed or Cemented g or landing casin feet. arney Cock ompany or Operator	Circulated Surface 100 g. We estimate that
Lexcept as follows: Ement myself ecould Ato top of sold section and the Company or Operator Entry of 1991 story and the section of the Company or Operator Lexing of Toront and Product Section of the Company of Operator Against Agent	Size of Hole 13 3/4 ¹⁴ 8 3/4 If changes in the first productional into	Size of Casing 10 3/4 7" the above plaductive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should occurrent with the control of the	New or Second Hand SH New we will notify you cur at a depth of the second Hand Posit	Depth 200 3550 before cementing about 37 erely yours, Become	Landed or Cemented g or landing casin 15 feet. arney Cocklompany or Operator Exists gent	Circulated Surface 100 g. We estimate that
Lexcept as follows: Ement myst cond Barney Cockburn Company or Operator Litting of 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Size of Hole 13 3/4 ¹⁴ 8 3/4 If changes in the first proceased Additional into	Size of Casing 10 3/4 7" the above plaductive oil or formation:	Weight Per Foot 40# 22# In become advisable gas sand should occurrent with the control of the	New or Second Hand SH New we will notify you cur at a depth of the second Hand Position of the second Hand	Depth 200 3550 a before cementing about 37 brely yours, B communications	Landed or Cemented g or landing casin 15 feet. arney Cocki ompany or Operator gent regarding well to	Circulated Surface 100 g. We estimate that

Address Box 115, Artesia. New Mexico

The top of the second s

1. 1 Hongard Call