NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of n	notice by checking below:		
NOTICE OF INTENTION TO TEST CASING SHUT-OFF	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL		
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING		
NOTICE OF INTENCION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL		
NOTICE OF INTENTION TO DEEPEN WELL			
Midland, Texas	Place Place Date	<u> </u>	
OIL CONSERVATION COMMISSION, Santa Fe, New Mexico. Gentlemen: Following is a notice of intention to do certain work as	described below at the		
The Texas Co pany's State of Ne	W Poxico "AL" Well No. 2 in N	W = NE	
Company or Operator Lease of Sec. 26 , T. 21-S , R. 34-E	N. M. P. M. Sest Eunice	Field.	
Lea County.	,		
	ROPOSED PLAN OF WORK S AND REGULATIONS OF THE COMMISSION		
D: 385	50 - Lime		
16% BS&W in 24 hours. Continued productive capacity to 4 bals cile tember 1949. In view of the failu e of this well we desire to abandon, salvage & pl	and 45 bols exter per day in Se	ep - ossis	
All measurements are from derrick	floor or 3' above ground.		
16" Casing cemented at 2021	ith 174 sacks. Gement circulat	ied.	
(3)	See Back)		
Approved 19			
Approved, 19, 29	Company or Operator		
	By Harry		
	Position Di trict superintend	lent	
	Send Communications regarding well	to	
OIL CONSERVATION COMMISSION,	Name The Texas Company		
By Ilol yearburgelle	Address box 1270	Address box 1270	
Title	Midland, Texas		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			

- 7" Casing cemented at 3730' with 300 gacks.
 3850' to 50' up into bottom 7" casing.
- itrt 7" pipe et approximately 962' and pull.
- get 15 sacks cement plug 25' down in to! 7" araing to 25' above.
- of 10 secks cement plug 8851-9101.
- stot 50 sacks cement plug 2.7' to 25' ut into bottom of lo" casing.
- so cks for cementing in ψ^n X 10' pipe marker.
- Fill in cellar and clean up location.