

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

AUG 30 1945

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instruction in Rules and Regulations of the Commission.

Hobbs, New Mexico

Place

August 25, 1945

Date

OIL CONSERVATION COMMISSION.
Santa Fe, New Mexico.

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____

Stanolind Oil and Gas Company Mascho Unit Well No. 1 in SE₄ of SE₄

Company or Operator

Lease

of Sec. 31, T. 21S, R. 34E, N. M. P. M., Wildcat Field, Lea County
N.

The well is 660 feet (N.) ~~(S)~~ of the South line and 660 feet

~~(E)~~ (W.) of the East line of Section 31, T-21-S, R-34-E

(Give location from section or other legal subdivision lines. Cross out wrong directions)

If state land the oil and gas lease is No. B-10626 Assignment No. _____

If patented land the owner is _____

Address _____

If government land the permittee is _____

Address _____

The lessee is _____

Address _____

AREA 640 ACRES
LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Cable Tools to

total depth of 4300'.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: _____

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
20"	16"	70# LW	SH	150'	Cemented	160
15 1/2"	13"	50# LW	SH	500'	Landed	0
12"	10-3/4"	40# LW	SH	800'	"	0
10"	8-5/8"	32# H-40	SH	1500'	"	0
8"	7"	20# H-40 J-55	New	3500'	Cemented	200

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil and gas sand should occur at a depth of about 4300 feet.

Additional information: We propose to drill with Cable tools to an approximate total depth of 4300' to test the reef line and the casing program followed as outlined above; All work in connection with drilling and completion to conform to the rules and regulations of the New Mexico Oil Conservation Commission.

Approved AUG 30 1945, 19____

except as follows:

"RETURNED TO LOCATION UPON
COMPLETION OF THE REQUIREMENTS
OF OPC-WPB."

OIL CONSERVATION COMMISSION

By Roy Yarbrough

Title Oil & Gas Inspector

Sincerely yours,

Stanolind Oil and Gas Company
Company or Operator

By Ralph L. Hendrickson

Position Field Superintendent

Send communications regarding well to

Name Ralph L. Hendrickson

Address Box 7, Hobbs, New Mexico