



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **LOS ANGELES**
Lease No. **064552-4**
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 23, 1958

Well No. 1 is located 3370 ft. from N line and 272 ft. from E line of sec. 6
Center of lot 11 T-21-S R-12-E N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
"WILCAT" LEA COUNTY NEW MEXICO
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3620 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved in; Rig up; Run Junk basket to 2710'. Set 18000 C.I. Permanent Bridge Plug at 2700'. Dump 10' Hydramite Plug on top of bridge plug. Perforate at 2550'. Break circulation at 1200'. Start cement pump 800 and anchor plug 25' Gel mixed with 10% brine water. Circulated cement to the surface between 7" O.D. Salt String and 10-3/4" surface. We then stopped the plug at 925' inside 7" O.D. and set permanent plug at top. Erected 4" post 4' above the ground for marker. Put metal sign on post stating Operator, Lot, Section, Township and Range. Filled collar and pits & cleaned location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company FIELD TOWER, JR.

Address Box 110 - Midland, Texas

By Wilton W. Ray
Wilton W. Ray
Title Production Superintendent

**INTERNATIONAL
MINERALS & CHEMICAL CORPORATION**



GENERAL OFFICES • 20 NORTH WACKER DRIVE • CHICAGO 6

P. O. BOX 71
CARLSBAD, NEW MEXICO

January 16, 1958

ILLEGIBLE

Fred Turner, Jr.
P. O. Box 910
Midland, Texas

Gentlemen:

We have received your registered letter of January 8 describing the proposed plan to plug and abandon Turner well number 1 located in the center of lot 11, section 6, T. 21 S., R. 32 E. The well is within the limits of the Potash-Oil area as described in New Mexico Oil Conservation Commission Order R-111 A and also lies within one mile of International Minerals and Chemical Corporation's federal potash lease NM 013299 covering portions of section 1, T. 21 S., R. 31 E. and adjoining lands.

We believe your plan for plugging the well will afford adequate protection to the potash horizons. International therefore agrees to the program, provided that it meets also with the approval of the U. S. Geological Survey and the Oil Conservation Commission.

When you are ready to begin plugging operations please call R. W. Hougland, Geologist. He will be International's representative and will be present during the plugging operation. Our mine telephone is Carlsbad - Tuxedo 5-4171.

Yours very truly,

E. C. Skinner
Manager

ECS:AVM:ecm

cc: R. W. Hougland

4 Copies to Mr. S. S. 1958.

UNITED STATES POTASH COMPANY

DIVISION OF UNITED STATES BORAX & CHEMICAL CORPORATION

CARLSBAD, NEW MEXICO



GENERAL OFFICES
20 ROCKEFELLER PLAZA
NEW YORK 20, N. Y.

January 10, 1958

ILLEGIBLE

Mr. Fred Turner, Jr.
603 Midland Tower
Box 910
Midland, Texas

Dear Sir:

We have examined the plugging program as outlined on form 9-331a for Well #1, located in the center of lot 11, section 6, Township 21 South, Range 32 East. The plugging program as outlined on this form meets with our approval.

We would appreciate it if you would contact the Geology Department, phone Tuxedo 5-3151, extension 70, at the time you intend to start plugging operations.

Very truly yours,

F. L. Pierson,
Senior Geologist

FLP/sh