

NEW MEXICO OIL CONSERVATION COMMISSION
~~NEW MEXICO OIL CONSERVATION COMMISSION~~
 Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Hobbs, N. M.

2-1-37

Place

Date

~~OIL CONSERVATION COMMISSION~~
~~Santa Fe, New Mexico.~~ **HOBBS, N. M.**

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Shell Petroleum Corp. **State Endura M** Well No. **1** in the
 _____ Company or Operator
NE 1/4 of Sec. **1** T. **21 S** R. **35 E**, N. M. P. M.,
Eunice Field, **Lea** County.

The dates of this work were as follows: **2-1-37**

Notice of intention to do the work was ~~[was not]~~ submitted on Form C-102 on **1-28** 19 **37**
 and approval of the proposed plan was ~~[was not]~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED
Tested 9 5/8" casing well head connection, and water shut off
with 900# pressure. Retained pressure for 30 minutes. Test approved.

Witnessed by _____ Name _____ Company _____ Title _____

Subscribed and sworn to before me this **8**

day of **March**, 19 **37**

Theresa Mahoney
 Notary Public

My Commission expires **10-24-39**

I hereby swear or affirm that the information given above is true and correct.

Name **[Signature]**

Position **District Engineer**

Representing **Shell Petroleum Corp.**

Address **Dr. 1457 Hobbs, N. M.**

Remarks:

[Signature]
 Name _____
 Title _____

The above information is being furnished to you for your information only. It is not intended to be used for any purpose other than that for which it was originally prepared. It is not to be distributed outside your organization. It is not to be used for any purpose other than that for which it was originally prepared. It is not to be distributed outside your organization. It is not to be used for any purpose other than that for which it was originally prepared. It is not to be distributed outside your organization.

2004年12月25日 星期四 晴 12月25日 星期四 晴

ALL INFORMATION CONTAINED

SECRET

01277 02070 (P) 01 03.0000

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 250 million to 450 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

Journal of Management Education, Vol. 29 No. 6, December 2005
DOI: 10.1177/0095687405278206
© The Author(s) 2005

1. *Journal of the American Medical Association*, 1997; 277: 1033-1036.

[illegible]

100-443887-1000

1. *Journal of the American Medical Association*, 1997; 277: 1001-1005.

1. The following is a list of the names of the persons who have been appointed to the various committees of the Board of Directors of the American Telephone and Telegraph Company, for the year ending December 31, 1910:

CONFIDENTIAL

1. The first of these is the fact that the majority of the population of the United States is of European descent. This is a fact which has been recognized by the government and the people of the United States for many years. It is a fact which has been recognized by the government and the people of the United States for many years.

Obtained account of work done and results obtained

$\mathcal{V} = \{v_1, \dots, v_n\}$ is a set of vertices, $\mathcal{E} = \{e_1, \dots, e_m\}$ is a set of edges, and $\mathcal{V} \cap \mathcal{E} = \emptyset$. The vertices v_i and v_j are adjacent if there is an edge e_k such that $v_i, v_j \in e_k$. The degree of a vertex v_i is the number of edges incident to v_i . The degree of a graph G is the maximum degree of its vertices. The chromatic number of a graph G is the minimum number of colors needed to color the vertices of G such that no two adjacent vertices have the same color. The chromatic number of a graph G is denoted by $\chi(G)$. The chromatic number of a graph G is at least the maximum degree of G plus one. The chromatic number of a graph G is at most the maximum degree of G plus one. The chromatic number of a graph G is at least the maximum degree of G plus one. The chromatic number of a graph G is at most the maximum degree of G plus one.

Figure 1. The effect of the concentration of the *Agaricus bisporus* spores on the growth of *Agaricus bisporus* and *Agaricus bisporus* spores. The concentration of the spores was 10⁶ spores/ml (A), 10⁷ spores/ml (B), 10⁸ spores/ml (C), 10⁹ spores/ml (D), 10¹⁰ spores/ml (E), 10¹¹ spores/ml (F), 10¹² spores/ml (G), 10¹³ spores/ml (H), 10¹⁴ spores/ml (I), 10¹⁵ spores/ml (J), 10¹⁶ spores/ml (K), 10¹⁷ spores/ml (L), 10¹⁸ spores/ml (M), 10¹⁹ spores/ml (N), 10²⁰ spores/ml (O), 10²¹ spores/ml (P), 10²² spores/ml (Q), 10²³ spores/ml (R), 10²⁴ spores/ml (S), 10²⁵ spores/ml (T), 10²⁶ spores/ml (U), 10²⁷ spores/ml (V), 10²⁸ spores/ml (W), 10²⁹ spores/ml (X), 10³⁰ spores/ml (Y), 10³¹ spores/ml (Z), 10³² spores/ml (AA), 10³³ spores/ml (AB), 10³⁴ spores/ml (AC), 10³⁵ spores/ml (AD), 10³⁶ spores/ml (AE), 10³⁷ spores/ml (AF), 10³⁸ spores/ml (AG), 10³⁹ spores/ml (AH), 10⁴⁰ spores/ml (AI), 10⁴¹ spores/ml (AJ), 10⁴² spores/ml (AK), 10⁴³ spores/ml (AL), 10⁴⁴ spores/ml (AM), 10⁴⁵ spores/ml (AN), 10⁴⁶ spores/ml (AO), 10⁴⁷ spores/ml (AP), 10⁴⁸ spores/ml (AQ), 10⁴⁹ spores/ml (AR), 10⁵⁰ spores/ml (AS), 10⁵¹ spores/ml (AT), 10⁵² spores/ml (AU), 10⁵³ spores/ml (AV), 10⁵⁴ spores/ml (AW), 10⁵⁵ spores/ml (AX), 10⁵⁶ spores/ml (AY), 10⁵⁷ spores/ml (AZ), 10⁵⁸ spores/ml (BA), 10⁵⁹ spores/ml (BB), 10⁶⁰ spores/ml (BC), 10⁶¹ spores/ml (BD), 10⁶² spores/ml (BE), 10⁶³ spores/ml (BF), 10⁶⁴ spores/ml (BG), 10⁶⁵ spores/ml (BH), 10⁶⁶ spores/ml (BI), 10⁶⁷ spores/ml (BJ), 10⁶⁸ spores/ml (BK), 10⁶⁹ spores/ml (BL), 10⁷⁰ spores/ml (BM), 10⁷¹ spores/ml (BN), 10⁷² spores/ml (BO), 10⁷³ spores/ml (BP), 10⁷⁴ spores/ml (BQ), 10⁷⁵ spores/ml (BR), 10⁷⁶ spores/ml (BS), 10⁷⁷ spores/ml (BT), 10⁷⁸ spores/ml (BU), 10⁷⁹ spores/ml (BV), 10⁸⁰ spores/ml (BW), 10⁸¹ spores/ml (BX), 10⁸² spores/ml (BY), 10⁸³ spores/ml (BZ), 10⁸⁴ spores/ml (CA), 10⁸⁵ spores/ml (CB), 10⁸⁶ spores/ml (CC), 10⁸⁷ spores/ml (CD), 10⁸⁸ spores/ml (CE), 10⁸⁹ spores/ml (CF), 10⁹⁰ spores/ml (CG), 10⁹¹ spores/ml (CH), 10⁹² spores/ml (CI), 10⁹³ spores/ml (CJ), 10⁹⁴ spores/ml (CK), 10⁹⁵ spores/ml (CL), 10⁹⁶ spores/ml (CM), 10⁹⁷ spores/ml (CN), 10⁹⁸ spores/ml (CO), 10⁹⁹ spores/ml (CP), 10¹⁰⁰ spores/ml (CQ), 10¹⁰¹ spores/ml (CR), 10¹⁰² spores/ml (CS), 10¹⁰³ spores/ml (CT), 10¹⁰⁴ spores/ml (CU), 10¹⁰⁵ spores/ml (CV), 10¹⁰⁶ spores/ml (CW), 10¹⁰⁷ spores/ml (CX), 10¹⁰⁸ spores/ml (CY), 10¹⁰⁹ spores/ml (CZ), 10¹¹⁰ spores/ml (DA), 10¹¹¹ spores/ml (DB), 10¹¹² spores/ml (DC), 10¹¹³ spores/ml (DD), 10¹¹⁴ spores/ml (DE), 10¹¹⁵ spores/ml (DF), 10¹¹⁶ spores/ml (DG), 10¹¹⁷ spores/ml (DH), 10¹¹⁸ spores/ml (DI), 10¹¹⁹ spores/ml (DJ), 10¹²⁰ spores/ml (DK), 10¹²¹ spores/ml (DL), 10¹²² spores/ml (DM), 10¹²³ spores/ml (DN), 10¹²⁴ spores/ml (DO), 10¹²⁵ spores/ml (DP), 10¹²⁶ spores/ml (DQ), 10¹²⁷ spores/ml (DR), 10¹²⁸ spores/ml (DS), 10¹²⁹ spores/ml (DT), 10¹³⁰ spores/ml (DU), 10¹³¹ spores/ml (DV), 10¹³² spores/ml (DW), 10¹³³ spores/ml (DX), 10¹³⁴ spores/ml (DY), 10¹³⁵ spores/ml (DZ), 10¹³⁶ spores/ml (EA), 10¹³⁷ spores/ml (EB), 10¹³⁸ spores/ml (EC), 10¹³⁹ spores/ml (ED), 10¹⁴⁰ spores/ml (EE), 10¹⁴¹ spores/ml (EF), 10¹⁴² spores/ml (EG), 10¹⁴³ spores/ml (EH), 10¹⁴⁴ spores/ml (EI), 10¹⁴⁵ spores/ml (EJ), 10¹⁴⁶ spores/ml (EK), 10¹⁴⁷ spores/ml (EL), 10¹⁴⁸ spores/ml (EM), 10¹⁴⁹ spores/ml (EN), 10¹⁵⁰ spores/ml (EO), 10¹⁵¹ spores/ml (EP), 10¹⁵² spores/ml (EQ), 10¹⁵³ spores/ml (ER), 10¹⁵⁴ spores/ml (ES), 10¹⁵⁵ spores/ml (ET), 10¹⁵⁶ spores/ml (EU), 10¹⁵⁷ spores/ml (EV), 10¹⁵⁸ spores/ml (EW), 10¹⁵⁹ spores/ml (EX), 10¹⁶⁰ spores/ml (EY), 10¹⁶¹ spores/ml (EZ), 10¹⁶² spores/ml (FA), 10¹⁶³ spores/ml (FB), 10¹⁶⁴ spores/ml (FC), 10¹⁶⁵ spores/ml (FD), 10¹⁶⁶ spores/ml (FE), 10¹⁶⁷ spores/ml (FF), 10¹⁶⁸ spores/ml (FG), 10¹⁶⁹ spores/ml (FH), 10¹⁷⁰ spores/ml (FI), 10¹⁷¹ spores/ml (FJ), 10¹⁷² spores/ml (FK), 10¹⁷³ spores/ml (FL), 10¹⁷⁴ spores/ml (FM), 10¹⁷⁵ spores/ml (FN), 10¹⁷⁶ spores/ml (FO), 10¹⁷⁷ spores/ml (FP), 10¹⁷⁸ spores/ml (FQ), 10¹⁷⁹ spores/ml (FR), 10¹⁸⁰ spores/ml (FS), 10¹⁸¹ spores/ml (FT), 10¹⁸² spores/ml (FU), 10¹⁸³ spores/ml (FV), 10¹⁸⁴ spores/ml (FW), 10¹⁸⁵ spores/ml (FX), 10¹⁸⁶ spores/ml (FY), 10¹⁸⁷ spores/ml (FZ), 10¹⁸⁸ spores/ml (GA), 10¹⁸⁹ spores/ml (GB), 10¹⁹⁰ spores/ml (GC), 10¹⁹¹ spores/ml (GD), 10¹⁹² spores/ml (GE), 10¹⁹³ spores/ml (GF), 10¹⁹⁴ spores/ml (GG), 10¹⁹⁵ spores/ml (GH), 10¹⁹⁶ spores/ml (GI), 10¹⁹⁷ spores/ml (GJ), 10¹⁹⁸ spores/ml (GK), 10¹⁹⁹ spores/ml (GL), 10²⁰⁰ spores/ml (GM), 10²⁰¹ spores/ml (GN), 10²⁰² spores/ml (GO), 10²⁰³ spores/ml (GP), 10²⁰⁴ spores/ml (GQ), 10²⁰⁵ spores/ml (GR), 10²⁰⁶ spores/ml (GS), 10²⁰⁷ spores/ml (GT), 10²⁰⁸ spores/ml (GU), 10²⁰⁹ spores/ml (GV), 10²¹⁰ spores/ml (GW), 10²¹¹ spores/ml (GX), 10²¹² spores/ml (GY), 10²¹³ spores/ml (GZ), 10²¹⁴ spores/ml (HA), 10²¹⁵ spores/ml (HB), 10²¹⁶ spores/ml (HC), 10²¹⁷ spores/ml (HD), 10²¹⁸ spores/ml (HE), 10²¹⁹ spores/ml (HF), 10²²⁰ spores/ml (HG), 10²²¹ spores/ml (HH), 10²²² spores/ml (HI), 10²²³ spores/ml (HJ), 10²²⁴ spores/ml (HK), 10²²⁵ spores/ml (HL), 10²²⁶ spores/ml (HM), 10²²⁷ spores/ml (HN), 10²²⁸ spores/ml (HO), 10²²⁹ spores/ml (HP), 10²³⁰ spores/ml (HQ), 10²³¹ spores/ml (HR), 10²³² spores/ml (HS), 10²³³ spores/ml (HT), 10

[illegible]