


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

REISLER & SHELTON

(Company or Operator)

WILSON STATE "B"

(Lease)

Well No. 1, in Lot 3, of Sec. 3, T. 21 South, R. 35 East, NMPM.

Undesignated

Pool,

Lea

County.

Well is 330 feet from North line and 2310 feet from West line

of Section 3. If State Land the Oil and Gas Lease No. is C-1639

Drilling Commenced June 30, 1958. Drilling was Completed July 8, 1958.

Name of Drilling Contractor Carter Drilling Company

Address Artesia, New Mexico

Elevation above sea level at Top of Tubing Head. The information given is to be kept confidential until

, 19.

OIL SANDS OR ZONES

No. 1, from 3867 to 3873. No. 4, from to

No. 2, from to. No. 5, from to

No. 3, from to. No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24	New	263				
5 1/2	14	New	3892				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11	8 5/8	263	200	Halliburton		
7 7/8	5 1/2	3892	200	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Part. 3867-73 w/ 2 bullets per foot and from 3814-44. Sand oiled w/40,000 lbs. oil and 25,000 gallons lease crude.

Result of Production Stimulation.

Depth Cleaned Out.

CORD OF DRILL-STEM AND SPECIAL T

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3892 feet, and from feet to feet  
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to Producing July 14, 1958

OIL WELL: The production during the first 24 hours was 40 barrels of liquid of which 100% was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 37

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt 3352	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates 3552	T. Simpson	T. Pictured Cliffs
T. 7 River	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn.
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1787		Red bed				
1787	1808		Anhy				
1808	3297		Anhy & salt				
3297	3552		Anhy				
3552	3814		Anhy & sand				
3814	3892		Sand & lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

July 15, 1958

(Date)

Company or Operator REISLER & SHELTON

Address 302 Carper Bldg., Artesia, New Mexico

Name Walter T. Shelton

Position or Title Partner