



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



TRIPPLICATE

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Montecito Oil Company  
Company or Operator  
Box 353-Midland Texas  
Address  
Montecito Well No. 1 in Lot 15 of Sec. 6 T. 21-S  
R. 36-E N. M. P. M. West Unice Field, Lea County.  
Well is 330 feet south of the North line and 330 feet west of the East line of Lot 15  
If State land the oil and gas lease is No. B-11101 Assignment No.  
If patented land the owner is Address  
If Government land the permittee is Address  
The Lessee is Address  
Drilling commenced 10/16/45 19 Drilling was completed 1/2/46 19  
Name of drilling contractor W-G Construction Co Address Hobbs, New Mexico  
Elevation above sea level at top of casing 3640 feet.  
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from to No. 4, from to  
No. 2, from Dry Hole to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.  
No. 1, from 3856 to 3856 feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | THREADS PER INCH | MAKE     | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | PERFORATED |    | PURPOSE |
|------|-----------------|------------------|----------|--------|--------------|-------------------|------------|----|---------|
|      |                 |                  |          |        |              |                   | FROM       | TO |         |
|      |                 |                  | Dry Hole |        |              |                   |            |    |         |
|      |                 |                  |          |        |              |                   |            |    |         |
|      |                 |                  |          |        |              |                   |            |    |         |
|      |                 |                  |          |        |              |                   |            |    |         |
|      |                 |                  |          |        |              |                   |            |    |         |
|      |                 |                  |          |        |              |                   |            |    |         |
|      |                 |                  |          |        |              |                   |            |    |         |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
|              |                |           |                     |             |             |                    |
|              |                |           |                     |             |             |                    |
|              |                |           |                     |             |             |                    |
|              |                |           |                     |             |             |                    |

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|----------|------|-----------------------|-------------------|
|      |            |                            |          |      |                       |                   |
|      |            |                            |          |      |                       |                   |
|      |            |                            |          |      |                       |                   |

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet  
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing 19  
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be.  
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in.

EMPLOYEES

Lee Coleman Driller Root Belman Driller  
Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 5th day of January 1946  
Name Watson LaForce Date

## FORMATION RECORD

| FROM | TO | THICKNESS<br>IN FEET | FORMATION   |
|------|----|----------------------|---|
| 0-30 |    | 0-30                 | Caliche   |
|      |    | 150                  | Red beds  |
|      |    | 205                  | Red beds  |
|      |    | 60                   | Water sand  |
|      |    | 300                  | Red beds  |
|      |    | 410                  | Red beds  |
|      |    | 850                  | Red beds and shells                                     |
|      |    | 152                  | Red beds and shells                                     |
|      |    | 1740                 | Red beds  |
|      |    | 1860                 | Anhydrite and red rock                                  |
|      |    | 2405                 | Salt and Anhydrite                                      |
|      |    | 2820                 | Salt and Potash   |
|      |    | 3240                 | Salt  |
|      |    | 3355                 | Anhydrite   |
|      |    | 3430                 | Anhydrite and lime                                      |
|      |    | 3520                 | Sand, lime and Anhydrite                                |
|      |    | 3775                 | Lime and sand   |
|      |    | 3858                 | Lime-one bailer of sulphur water per hour<br>at 3856-58 |
|      |    | Top Anhydrite        | 1740  |
|      |    | Base Salt            | 3240  |
|      |    | Top Brown lime       | 3355  |
|      |    | Top Yates Sand       | 3430  |