·	X .		- [*				(Revised 7/1/83) (Form C-105)
				NRW MDAT		ERVATION CON	. Interne
		╆╌┽╴┽─				New Mexico	
	X	+-+	NUPL	r.A.r	Santa re,	NCW MICKICO	
			-11PL	مار سنا	1		
			510-		WELL 1	RECORD	
						1 10 10	istilit a le
	-+-+-	+ - + +	Mail to D	istrict Office Oil	Communities Or		-685-
	-+	╉┈╂═╉╾	later than	twenty days after	completion of we	II. Follow instruction	For C-101 was sent not in Rules and Regulations
	AREA 640 A	CRES	of the Corr	unission. Submit i	n QUINTUPLIC	ATE.	°
LOCA	ATE WELL C	ORRECTLY					
	llson_0	(Company or Ope	DY. erator)			(Lease)	
Well No	1-4	, in		¹ /4, of Sec7	, Т	21, R.	, NМРМ.
	W	ilson		Pool,		Lea	County.
Vell is	3860	feet from.	South	line and	2540	feet from	East
							8 -10- , 19.53
lame of Dr	illing Contra	actor	Compan	y Tools			
ddress							
							be kept confidential until
		•	, 19			Source in the state of the stat	be kept confidential until
			0	IL SANDS OR 2	ZONES		
o. 1, from	3 8	30	3834	No.	4. from	to to	
lo. 3, from		t	0	No.	6, from	to	
			тмрс	RTANT WATE	PSANDS		
nclude data	on rate of v	water inflow and	l elevation to which				
			to				
			to				
			to				
lo. 4, from			to			feet	
				CASING RECO)RD		
SIZE	WEIG PER F			KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
16*		Ne		Halibur	ton	•	Surface
10 3	//						Water Shut-of
3 =		Ne					
							0il String
SIZE OF	SIZE OF	WHERE	MUDDIN(AND CEMENT	TING RECORD	·	
HOLE	CASING	SET	OF CEMENT	METHOD USED	G	MUD Ravity	AMOUNT OF MUD USED
22	16	90					Set
151	13						Set-Pulled
12	$10_{51}3/1$	1247					Set-Pulled
<u> </u>	<u>>ġ</u>	3822	100	Haliburt	on '	<u> </u>	
			BECORD OF	PRODUCTION	AND STIMULAT	ION	
		(Record +	he Process used N	o of Ote or Ca	le mead intermed		
		(o, or Que, or Ga.	is. used, interval i	ircated or shot.)	
·····							
			he Process used, N	o. of Qts. or Ga	ls. used, interval (

.....

Result of Production Stimulation.....

B ORD OF DRILL-STEM AND SPECIAL TEST

	If drill-stem or other special test	s or deviation surveys were	made, submit report on several	ate sheet and attach hereto
		TOOLS	USED	
Pote	ary tools were used from	feet to	feet, and from	feet tofeet.
Cab	ie tools were used fromQ	feet to	feet, and from	feet tofeet.
040		PRODUC		
	8_10	, 19. 53		
Put	to HousenBuildenBuilden	-		100
OIL	WELL: The production during the fi	rst 24 hours was	barrels of lig	uid of which
				% was sediment. A.P.I.
	Gravity			
GAS	S WELL: The production during the fi	rst 24 hours was	M.C.F. plus	barrels of
•	liquid Hydrocarbon. Shut in	Pressue lbs.		
	-			
Lei	ngth of Time Shut in			
	PLEASE INDICATE BELOW FORM	IATION TOPS (IN CON	FORMANCE WITH GEOG	RAPHICAL SECTION OF STATE):
	Southeaster	rn New Mexico		Northwestern New Mexico
Т.	Anhy	T. Devonian	T.	-
T.	Salt. 1850		T.	Kirtland-Fruitland
B .	Salt 3250		Т.	Farmington
Т.	Yates 3463	T. Simpson		
Т.	7 Rivers	T. McKee	т.	
Т.	Queen	T. Ellenburger	T.	
Т.	Grayburg		T.	
T.	San Andres		Т.	
T.	Glorieta			
Т.	Drinkard		T.	
т.	Tubbs			
т.	Abo		Т.	
т.	Penn		Т.	
т. Т	Miss		Т.	
1.	171100		N. BROORD	

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
1247 1712 1850 3007 3057 3143 3250 3331	1850 3007 3057 3143 3250 3331 3463 3525	725 432 465 138 157 50 86 107 81 132	Caliche - Sand Red beds - Red Sand water @ 425 Red beds - Sand Red Rock - Sand Anhydrite Anhy. Salt Potash Salt Salt & Anhy. Salt Anhy. Anhy. & Lime Gray Sand - Anhy-Lime Red Sandy Limestone stringers	3712 3775 3803 3823 3830 3841	3717 3808 3823 3830 3841 3846	28 20 7 11 5	Lime - Sand Lime Lime Show Oil Gray Sand Sand Lime Oil Lime Some Water

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

August 14, 1953

Company or Operator. Wilson Oil Company Address Box 1436, Artesia, New Mexico Name Kaynon Kan Position or Title Vice-President