NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MONTHS OF FINE COO

MISCELLANEOUS REPORTS ON WELLS -7 111 7:20

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Following is a report on the work done and the results obtained under t Amerada Petroleum Corporation (Company or Operator) Gackle Drilling Company, Inc., Well N (Contractor) Well N (Contractor) Company or Operator (Contractor) Eumont	TEST X ION 5 ne heading not o	REPORT ON REPAIRING WELL REPORT ON (Other) Monument, ted above at the State WE*B* (Lease)	i½ of Sec 24 ,
Following is a report on the work done and the results obtained under to the management of the managem	5 ne heading not o	REPAIRING WELL REPORT ON (Other) Homment, ted above at the State WE®B® (Lease) in theSE 1/4 SE	i½ of Sec 24 ,
Following is a report on the work done and the results obtained under to the management of the managem	5 ne heading not o	Homument, ted above at the State WE®B® (Lease)in theSE 1/4SE	i½ of Sec 24 ,
April 5, 195 (Date) Following is a report on the work done and the results obtained under t Amerada Petroleum Corporation (Company or Operator) Gackle Drilling Company, Inc., Well N (Contractor) 21-S, R 35-E, NMPM., Eumont	oPool,	State WEWBW (Lease)in theSE 1/4SE	i½ of Sec 24 ,
Following is a report on the work done and the results obtained under t Amerada Petroleum Corporation (Company or Operator) Gackle Drilling Company, Inc., Well N (Contractor) Label Drilling Company, Inc., Well N (Contractor) Label Drilling Company, Inc., Well N	oPool,	State WEWBW (Lease)in theSE 1/4SE	i½ of Sec 24 ,
Amerada Petroleum Corporation (Company or Operator) Gackle Drilling Company, Inc., Well N (Contractor) 21-S, R. 35-E, NMPM., Eumont	o 5	State WEWBW (Lease)in theSE 1/4 SE	
Amerada Petroleum Corporation (Company or Operator) Gackle Drilling Company, Inc., , Well N	o 5	State WEWBW (Lease)in theSE 1/4 SE	
Gackle Drilling Company, Inc., Well N (Contractor) 1. 21-S, R. 35-E, NMPM., Eumont	o 5	in theSE1/4SE	
Contractor) 1. 21-S, R. 35-E, NMPM., Euront	Pool,		
		Lea	County
			Country.
The Deter of this work were as follows:	LILEGO		
INC DATES OF THIS WOLK WELL TO LODGE		••••••••••••••••••••••••••••••••••••	***************************************
and approval of the proposed plan (was not) obtained. DETAILED ACCOUNT OF WORK DONE 3981 T.D Line & Sand			TO OR coding
Finished drilling 8-3/4" hole to 3981' at 2:			
set at 3920' with 800 sacks of cement; pumped pla	ig to 3832	2 at 10 PM, 4-2-	-55 with maximum
pressure of 900#. After W.O.C. for 24 hours, (Rai	a temperat	ture survey: top	of cement outsid
7" OD casing at 1955' or 32.54% fill), drilled pl	ig and ces	ment from 3861'	to 3920' & washed
open hele from 3920' to 3981'. Tested 7" OD casi			
open nate from 3720, to 37dr. Topoda i on dana			_
held - OK. Continued with completion operation	8.		
A	3 <i>G</i>	ama dd an	Foreman
Witnessed by		Tit.)	,
		ut the information given al	boyo is true and complete
Approved: OIL CONSERVATION COMMISSION I he to the	reby certify that he best of my k	it the information given at inowledge.	ANC 13 true min company
Nan	M	Imie &	
T. Many		Poreman	
		Amerada Petroleu	m Corporation
	ddress	Drawer D Monumen	t, New Mexico

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HORRES OF FICE OCC

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is com- \mathbf{p} r iı

pleted. It should be signed and filed as a result of well repair, and other import instructions in the Rules and Regulatio	ons of the Commission.		ne Rales		
	Indicate Nature o	f Report by Checkir	IR Derov	11	
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON S	RESULT OF TEST SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON OPERATION	RECOMPLETION		REPORT ON (Other)	
	Ma	arch 21, 1955		Monument, Net	
Following is a report on the wor	rk done and the results ob	otained under the hea	ding no	ted above at the	
Amerada Petroleum Con				OA A. TUTOWING	
Gackle Drilling Compa	my, Ind.	, Well No	5	in the SE 1/4 SE 1/4 of	Sec24,
21-S, R. 35-E, NMPM.,	Eumont	Poo	l,	Lea	County.
The Dates of this work were as follows:	March :	19 & 20, 1955			••••
Notice of intention to do the work	(was not) submitted or	n Form C-102 on			, 19,
			(Cross out incorrect words)	
			(Cross out incorrect words)	
and approval of the proposed plan	(was not) obtained.				
and approval of the proposed plan					
and approval of the proposed plan DET.	(was not) obtained.				
and approval of the proposed plan DET. 332 T.D Red Bed	(was not) obtained. ALLED ACCOUNT OF W	VORK DONE AND	RESUI	TS OBTAINED	
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13-	(was not) obtained. ALLED ACCOUNT OF W	VORK DONE AND	RESUI	Ished to 332' at 3:30	AM,
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13-	(was not) obtained. ALLED ACCOUNT OF W	VORK DONE AND	RESUI	TS OBTAINED	AM,
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts.	(was not) obtained. AILED ACCOUNT OF W -3/4* hole at 8:3 9-5/8* OD casing	o PM, 3-18-55;	RESUI ; fini «/250	ished to 332' at 3:30 sacks cement, pumped	AM,
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-19	(was not) obtained. ALLED ACCOUNT OF W -3/4" hole at 8:3 9-5/8" OD casing 9-55 with maximum	O PM, 3-18-55; set at 332' in pressure of 2	RESUI ; fini u/250	Ished to 332' at 3:30 sacks cement, pumped Cement Circulated.	AM,
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-1' W.O.C. 12 hours. Dr.	(was not) obtained. ALLED ACCOUNT OF WARD ACC	O PM, 3-18-55; set at 332'; a pressure of 2	RESUL ; fin: u/250 200#.	ished to 332' at 3:30 sacks cement, pumped Cement Circulated. 2'. Tested 9-5/8" OD	AM,
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-1' W.O.C. 12 hours. Dr.	(was not) obtained. ALLED ACCOUNT OF WARD ACC	O PM, 3-18-55; set at 332'; a pressure of 2	RESUL ; fin: u/250 200#.	Ished to 332' at 3:30 sacks cement, pumped Cement Circulated.	AM,
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-1' W.O.C. 12 hours. Dr.	(was not) obtained. ALLED ACCOUNT OF WARD ACC	O PM, 3-18-55; set at 332' in pressure of 304' ding cement - 304'	RESUL ; fin: u/250 200#.	ished to 332' at 3:30 sacks cement, pumped Cement Circulated. 2'. Tested 9-5/8" OD	AM,
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-19 W.O.C. 12 hours. Dr. casing with 800# bef	(was not) obtained. ALLED ACCOUNT OF WARD ACC	O PM, 3-18-55; set at 332' in pressure of 304' ding cement - 304'	resulting finiting (250 200 %). to 333 held	ished to 332; at 3:30 sacks cement, pumped Cement Circulated. 2:. Tested 9-5/8* OD OK. Started drilling	AM,
332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-1' W.O.C. 12 hours. Dr. casing with 800# bef 8-3/4" hole from 332 Witnessed by W.G. Smit	(was not) obtained. ALLED ACCOUNT OF WARD ACC	o PM, 3-18-55; set at 332'; pressure of 3 int from 304'; ing cement - 3 20-55. rada Petroleum	resulting find (250 200%. to 33) held (Corporatify the	Ished to 332' at 3:30 sacks cement, pumped Cement Circulated. 2'. Tested 9-5/8" OD OK. Statted drilling oration Foreman (Title)	AM, plug
DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-1' W.O.C. 12 hours. Dr. casing with 800# bef 8-3/4" hole from 332 Witnessed by	(was not) obtained. ALLED ACCOUNT OF WARD ACC	o PM, 3-18-55; set at 332'; pressure of 3 int from 304'; ing cement - 3 20-55. rada Petroleum (Company)	resulting find (250 200%. to 33) held (Corporatify the	Ished to 332' at 3:30 sacks cement, pumped Cement Circulated. 2'. Tested 9-5/8" OD OK. Statted drilling oration Foreman (Title)	AM, plug
and approval of the proposed plan DET. 332' T.D Red Bed Spudded 13- 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-1' W.O.C. 12 hours. Dr. casing with 800# bef 8-3/4" hole from 332 Witnessed by W.G. Smit	(was not) obtained. ALLED ACCOUNT OF WARD ACC	o PM, 3-18-55; set at 332; pressure of 2 ing cement - 2 20-55. rada Petroleum (Company) I hereby count to the best	rifin (250) 200%. to 33: held corp	Ished to 332' at 3:30 sacks cement, pumped Cement Circulated. 2'. Tested 9-5/8" OD OK. Statted drilling oration Foreman (Title) at the information given above is to knowledge.	aM, plug
DET. 332' T.D Red Bed Spudded 13. 3-19-55. Ran 8 jts. to 304' at 8 AM, 3-1' W.O.C. 12 hours. Dr. casing with 800# bef 8-3/4" hole from 332 Witnessed by	(was not) obtained. ALLED ACCOUNT OF WARD ACC	o PM, 3-18-55; set at 332; pressure of 2 ing cement - 2 20-55. rada Petroleum (Company) I hereby count to the best	RESULE (1975) (250) (200) (ished to 332' at 3:30 sacks cement, pumped Cement Circulated. 2'. Tested 9-5/8* OD OK. Statted drilling cration Foreman (Title) at the information given above is to	AM, plug rue and complete

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and applied obtained before willing or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

	he Commiss		UTLIC	MIL.	one copy win be returne	a tonowing approvan	200 444			
	M	omumen			cice	Ma	rch 16, 1955			
			(Plac				(Date)			
	NSERVATI FE, N <mark>EW 1</mark>		1M155	ION						
Gentleme										
You	are hereby	notified (that it	is our i	ntention to commence th	e (Drilling) (Recomp	letion) of a well to be	known as		
				<i>1</i>	imerada Petrolew	or Operation				
St	ate WE"	B#					5 in	The well is		
ocated								660 feet from the		
					line of Section					
(GIVE I	OCATION		SECTI	ON LIN				County		
	Rgo.	35-E		 1						
-		В	Α		-					
D	C	В	А		Address			y - all the way		
ļ				-	We propose to drill we	li with drilling equipme				
E	F Sectio	G.	Н	T		blanke				
	Sect10	n #24		21	The status of plugging					
				3		•••		ne.		
L	K	J	I		Drilling Contractor	419 Ft. Wort	n National Bar	k Bldg.		
					*	Dank Wanth 6				
M	N	0 #	5- D		We intend to complete					
					fermation at an appro-	rimete denth of	40001	feet		
						PROGRAM	***************************************			
We	propose to u	use the fol	lowing	strings o	of Casing and to cement					
Si	ze of Hole				Weight per Foot	New or Second Hand	Depth	Sacks Cement		
12_2	/4 #	Q	5/8*	OD	36#	New	3001	250		
	X	710	<i>71</i>		23#	New	40001	800		
	/4*			OD	438	Non	4000			
				<u>.</u>						
If c	hanges in th	ne above i	olans b	ecome a	dvisable we will notify yo	ou immediately.				
	_	-			recompletion give full d		of work.)			
					lete this well b			ing in the		
					nd producing the					
th	e tubin	g•								
						Sincerely yours,				
Approve	d s follows:				19			_		
Except a	is follows:					Am	rada Petrolei	m Corporation		
						By N.C	Capp	£		
\mathcal{I}						District. Superintendent				
	/on o	ONSER	VACTIC	N COM	IMISSION		d Communications re			
	A.(.)		14,	000	11			m Corporation		
By		1	((L)	yuu	~/	Dree	name D			

Monument, New Mexico