

## OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

## Miscellaneous Reports on Wells

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

November 21, 1950

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Marty Freedman State            Well No. 1 in the  
Company or Operator Lease  
NE 1/4 NE 1/4 NE 1/4 of Sec. 36, T. 21S, R. 35E, N. M. P. M.,  
Unice Field            County.

The dates of this work were as follows: November 11, 1950

Notice of intention to do the work was (was not) submitted on Form C-102 on November 9 1950  
and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

We cemented 1703' of 8-5/8" 27# National Seamless casing at a depth of 1713' with 550 sacks. A temperature survey was run on cement and same was found to have returned back of casing to a depth of 28' below the surface.

We allowed cement a set time of 48 hours then went in to hole with drill pipe; pressure tested casing; then drilled plug. Cement job was found to be O.K.

Witnessed by Bob Webster Makin Drilling Co. Toolpusher  
Name Company Title

Subscribed and sworn before me this 21st

day of Nov, 1950

H B Frederick  
Notary Public

I hereby swear or affirm that the information given above is true and correct to the best of my knowledge

Name Carl J. Miller

Position agent

Representing Marty Freedman  
Company or Operator

My commission expires Aug 28-1952

Address Dallas, Texas.

Remarks: NOV 27 1950

Ray Garbarack  
Name  
Oil & Gas Inspector  
Title

NEW MEXICO OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

# MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO REPAIR WELL	<input type="checkbox"/>	NOTICE OF INTENTION TO PLUG WELL	<input type="checkbox"/>
NOTICE OF INTENTION TO DEEPEN WELL	<input type="checkbox"/>		<input type="checkbox"/>

Hobbs, New Mexico.

November 9, 1950.

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Forty Freedman

State

Well No. 1

in SE

Company or Operator

Lease

of Sec. 36

T. 213

R. 35E

N. M. P. M.

Junico

Field.

County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We have cemented 1703' of 8 5/8" 27# National seamless casing at 1713' with 550 sacks.

We propose to allow cement to set for 48 hours before testing casing and drilling plug.

Approved

NOV 27 1950

19

except at follows:

OIL CONSERVATION COMMISSION,

By

Ray Gunderley Jr.

Title

Forty Freedman

Company or Operator

By

Charles P. Miller

Position

Agent

Send communications regarding well to

Name

Forty Freedman

Address

2017 1st St. Hobbs, N.M.

2017 1st St. Hobbs, N.M.

NEW MEXICO OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

## MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<b>X</b>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL
NOTICE OF INTENTION TO DEEPEN WELL		

Hobbs, New Mexico

November 25, 1950

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Morty Freedman State                      Well No. 1 in NE1  
Company or Operator Lease  
of Sec. 36, T. 21S, R. 35E, N. M. P. M., South Dunice Field.  
Lea County.

### FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

At a total depth of 3915' we have run and cemented a string of 5 1/2" casing with 150 sacks. Plug was pumped down at 9:00 A.M. November 25, 1950. We propose to allow cement a set time of 72 hours before testing casing and perforating.

Casing was set in a 6-3/4" hole with a string of 8-5/8" casing having previously been cemented in top of Rustler Anhydrite at 1713'.

We have cemented the 5 1/2" on bottom and plan to drill out cement to depth of approximately 3870' then perforate casing opposite the indicated oil section.

Approved NOV 28 1950, 19            
except at follows:

Morty Freedman

Company or Operator

By Charles P. Miller

Position Agent

Send communications regarding well to

Name Morty Freedman

Address Dallas, Texas

2017 Swiss Avenue.

OIL CONSERVATION COMMISSION,

By Ray Yankraich

Title Oil & Gas Inspector