

## N OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL


Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico July 19, 1937

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.  
Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as \_\_\_\_\_

Stanolind Oil and Gas Company State \_\_\_\_\_ Well No. 1 in SE<sup>1</sup>  
Company or Operator Lease  
of Sec. 2, T. 21S, R. 36E, N. M. P.M., Unice Field, Lea County.



AREA 640 ACRES  
LOCATE WELL CORRECTLY

The well is 660 feet (N.) (S.) of the S line and 880 feet

(E.) (W.) of the E line of section 2-21S-36E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. 13790, Assignment No. \_\_\_\_\_

If patented land the owner is \_\_\_\_\_

Address 219

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is Stanolind Oil and Gas Company

Address Philcade Bldg., Tulsa, Oklahoma

We propose to drill well with drilling equipment as follows: \_\_\_\_\_

## Rotary Method

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Bond now on file with commission

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17"	13"	40#	New	300	Cemented	Back to surf.
12 <sup>1</sup> / <sub>2</sub> "	9 5/8"	36#	New	2500	Cemented	575 sax
8 5/8"	7"	22#	New	3725	Cemented	300 sax

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3900'

Additional information: We propose to drill with rotary tools to an approximate depth of 3900' unless oil or gas in commercial quantities are encountered at lesser depth with casing program as outlined above. All work to be done in accordance with all Oil and Gas Regulations of the State of New Mexico.

Approved JUL 19 1937 19 \_\_\_\_\_ Sincerely yours,

except as follows:

Stanolind Oil and Gas Company

Company or Operator

By Ralph L. Hendrickson

Position Field Supt.

Send communication regarding well to

Name Ralph L. Hendrickson

Address Box F, Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By Guy Shepard

Title Oil & Gas Engineer

DUPLICATE