	N.								(Revised) (Form	T/1/8
	┿╼┞╼┞	-+		NEW MEXIC	יזה הי	CONTR	PDSIATION	10010		
			1	NEW MEAIC				1. 1. 2. 1	NUSSICIA	
							New Mexico		OCI ZU 1.23 SERVAINAT LUIMAN	
			later than twe	ict Office, Oil nty days after c	Conserv completi	on of we	mmission, to ll. Follow inst	which F	ICHIAI UU, III.	nt no
A LOCATI	REA 640 ACRI E WELL CORF	58 Rictly								
rren P	etroleum	Corporat	ion - Oil Div	ision			Evan) Stat	•	
	-	sompany or open	2001)				(Leas			
I No			¹ /4 of ¹ /-							
	3407									
	-		North							
			tate Land the Oil and 19, 1							
									-	
			Geckle D							
			Hobbs, N							
ation abov	e sea level at	iential	g Head 35 3			. The ini	formation give	en is to	be kept confidentia	unt unt
				<u>#</u>						
	2666			SANDS OR Z		2	270		21.06	
•	2728	to	2690	No. 4	, from					
2, from	2728	to	2690 2738	No. 4 No. 5	, from , from			to		
2, from	2728	to	2690	No. 4 No. 5	, from , from			to		
2, from	2728	to	2690 2738 2930	No. 4 No. 5	, from , from , from			to		
2, from 3, from	2728 2910	tc	2690 2738 2930	No. 4 No. 5 No. 6 No. 6	, from , from , from , from			to		
2, from 3, from ude data o 1, from	2728 2910	to	2690 2738 2930 IMPOR clevation to which w	No. 4 No. 5 No. 6 No. 6 TANT WATER vater rose in hol	r, from , from , from ; SAND e.	98		to		
2, from 3, from ude data o 1, from	2728 2910	to	2690 2738 2930 IMPOR clevation to which w	No. 4 No. 5 No. 6 No. 6 TANT WATER vater rose in hol	r, from , from , from ; SAND e.	98		to		
2, from 3, from ude data o 1, from 2, from	2728 2910 n rate of war	to	2690 2738 2930 IMPOR clevation to which w	No. 4 No. 5 No. 6 No. 6 No. 6 TANT WATER vater rose in hol	r, from , from , from ; SAND e.		feet	to		
2, from 3, from ude data o 1, from 2, from 3, from	2728 2910 n rate of wa	ter inflow and	2690 2738 2930 IMPOR clevation to which w to	No. 4 No. 5 No. 6 TANT WATER vater rose in hol	, from , from , from ; SAND e.	s	feet	to		
2, from 3, from lude data o 1, from 2, from 3, from	2728 2910 n rate of wa	ter inflow and	2690 2738 2930 IMPOR elevation to which w to	No. 4 No. 5 No. 6 TANT WATER vater rose in hol	r, from , from ; SAND e.	s	feet	to		
2, from 3, from lude data o 1, from 2, from 3, from	2728 2910 n rate of wa	to	2690 2738 2930 IMPOR elevation to which w to to to to	No. 4 No. 5 No. 6 TANT WATER vater rose in hol	 a, from b, from c, from c, from c. c. 	s	feet	to		
2, from 3, from ude data o 1, from 2, from 3, from 4, from SIZE	2728 2910 n rate of wat	to	2690 2738 2930 IMPOR elevation to which w to	No. 4 No. 5 No. 6 TANT WATER vater rose in hol CASING RECO KIND OF	 a, from b, from c, from c, from c. c. 	S F AND ED FROM	feet feet feet	to	PURPOSE	
2, from 3, from ude data o 1, from 2, from 3, from 4, from size 5/8	2728 2910 n rate of war weight PER FOO	ter inflow and	2690 2738 2930 IMPOR elevation to which w to	No. 4 No. 5 No. 6 No. 6 TANT WATER vater rose in hole vater rose in hole vater rose in hole vater rose in hole	 , from , from ; SAND c. RD CU[*] 	S I AND ED FROM	feet feet feet feet	to to to Tions		22.24
2, from 3, from ude data o 1, from 2, from 3, from 4, from SIZE 5/8	2728 2910 n rate of war weight PER Foo 32	ter inflow and	5	No. 4 No. 5 No. 6 FANT WATER vater rose in hole vater rose in hole vater rose in hole v	r, from , from ; SAND c. 	S I AND ED FROM	feet feet feet PERFORA BOBC	to to to Tions	PURPOSE Surface st	22.24
2, from 3, from ude data o 1, from 2, from 3, from 4, from BIZE 5/8	2728 2910 n rate of war weight PER Foo 32	ter inflow and	5	No. 4 No. 5 No. 6 FANT WATER vater rose in hole vater rose in hole vater rose in hole v	r, from , from ; SAND c. 	S I AND ED FROM	feet feet feet PERFORA BOBC	to to to Tions	PURPOSE Surface st	ria
2, from 3, from ude data o 1, from 2, from 3, from 4, from BIZE 5/8	2728 2910 n rate of war weight PER Foo 32	ter inflow and	2690 2738 2930 IMPOR elevation to which w to	No. 4 No. 5 No. 6 FANT WATER vater rose in hole vater rose in hole vater rose in hole v	r, from , from ; SAND e. 	r and ed from 200	feet feet feet PERFORA BOBC	to to to Tions	PURPOSE Surface st	ria
2, from 3, from ude data o 1, from 2, from 3, from 4, from 8IZE 5/8 5/8 5/8 5/2	2728 2910 n rate of war weight PER Foo 32	ter inflow and	2690 2738 2930 IMPOR elevation to which w to	No. 4 No. 5 No. 6 FANT WATER vater rose in hole vater rose in hole CASING RECO KIND OF SHOE	r, from , from ; SAND e. 	PS F AND ED FROM Be ECORD	feet feet feet PERFORA BOBC	to to to Tions	PURPOSE Surface st	ria
2, from 3, from ude data o 1, from 2, from 3, from 4, from 8IZE 5/8 5/8 5/8 5/8 5/8	2728 2910 n rate of war weight per foo 32 15, 15,	ter inflow and T NEW (CEE 50 •	2690 2738 2930 IMPOR: elevation to which w to	No. 4 No. 5 No. 6 TANT WATER Vater rose in hole Vater rose in hole CASING RECO KIND OF SHOE LARKIN OF SHOE	, from , from ; SAND c. 	PS F AND ED FROM Be ECORD	feet feet feet PERFORA 2666 – 3	to to to Tions	PURPOSE Surface st Gas string AMOUNT OF	ria
lude data o 1, from 2, from 3, from 4, from SIZE 5/8 5 1/2 IZE OF HOLE	2728 2910 n rate of wat weight PER Foo 32 15. Size of Casing \$5/8	T NEW CER T USEI	2690 2738 2930 IMPOR: IMPOR: elevation to which w to to to to to OR AMOUNT W 1195 3586 MUDDING # NO. SACES OF CEMENT	No. 4 No. 5 No. 6 FANT WATER vater rose in hol vater rose in hol SASING RECO KIND OF SHOE LAFKIR METHOD USED	, from , from ; SAND c. 	PS F AND ED FROM Be ECORD	feet feet feet PERFORA 2666 – 3	to to TIONS	PURPOSE Surface st Gas string AMOUNT OF	22.24

Treated well with 500 gallons mud acid

.....

Result of Production Stimulation.....

...........

.....

.....

.....

Depth Cleaned Out

.

.....

B CORD OF DBILL-STEM AND SPECIAL TEST?

If drill-stem or other spec.as tes... or deviation surveys were made, submit report on apparate sheet and attach hereto

				TOOLS	USED	
Rot	any tools w	ere used from	0 fee	t to. 3587	feet, and from	feet to fert.
Cal	le tools we	re used from			-	fee: to fe :t.
Gau						
				PRODU	CTION	
Put	to Produci	ng	cteber 5	, 19 53		
011	L WELL:	The production	during the first 24	hours was	barrels of li	iquid of which
		was oil;		s emulsion;	% water; and	
		-				
GA	S WELL:	The production	during the first 24	hours was. 8,000	M.C.F. plus	barrels of
				1050		
Lei	ngth of Tin	ne Shut in	••••••			
	PLEASE	INDICATE BE	LOW FORMATIC	ON TOPS (IN CON	FORMANCE WITH GEOG	RAPHICAL SECTION OF STATE):
			Southeastern New	w Mexico		Northwestern New Mexico
Т.	Anhy	1250		T. Devonian	Т.	Ojo Alamo
т.	Salt	1400		T. Silurian	Т.	Kirtland-Fruitland
В.	Salt			T. Montoya	Т.	Farmington
Т.	Yates			T. Simpson		Pictured Cliffs
Т.	7 Rivers			T. McKee	т.	Menefee
Т.	Queen	3370		T. Ellenburger	T.	
Т.						Point Lookout
	Grayburg.		······································	T. Gr. Wash	T.	
Т.	• -	cs				Mancos
Т. Т.	San Andr			T. Granite	Т.	Mancos Dakota
	San Andr Glorieta	es		T. Granite T	T.	Mancos Dakota Morrison
T.	San Andr Glorieta Drinkard.	£\$		T. Granite T T		Mancos Dakota Morrison Penn
Т. Т.	San Andro Glorieta Drinkard Tubbs	cs		T. Granite T. T. T.	TT.	Mancos Dakota Morrison Penn
Т. Т. Т.	San Andre Glorieta Drinkard. Tubbs Abo	£\$		T. Granite T. T. T. T. T.	TT.	Mancos Dakota Morrison Penn

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet		Formation
0 1122 1290 1340 1450 1420 2555 2640 2687 2770 2803 2825 2863 3310 3385	1122 1290 1340 1450 1820 2555 2640 2687 2770 2803 2825 2863 3310 3385 3428	1122 168 50 110 370 735 85 47 83 33 22 38 447 75 43	Calichi, sand, red bed Anhy, red bed Anhy Anhy & salt Salt & Anhy streaks Anhy & salt Anhy & salt gyp Anhy Salt & gyp Anhy & gyp Lime Lime & gyp Lime Sandy Lime	3428 3471	3471 3587	43	Lime, Lime,	, sand, gyp TD

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. October 19, 1953

	UCLODER 17, 177)
Company or Operator. Warren Pet. Corp. Oil Div.	Address. Drawer H, Seminole, Texas
Lossipality of Operator	Division Hanager
Name Hoth the	Position or Title