

N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MA-111

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Gypsy Oil Company

Bell-Hansay

Company or Operator

Lease

Well No. 6 in NW SW of Sec. 4, T. 21SR. 36E, N. M. P. M., Eunice Field, Lea County.Well is 660 feet south of the North line and 660 feet west of the East line of NW SWIf State land the oil and gas lease is No. B-250 Assignment No. _____

If patented land the owner is _____ Address _____

If Government land the permittee is _____ Address _____

The Lessee is Gypsy Oil Company Address Tulsa, OklahomaDrilling commenced Oct. 27th, 19 35 Drilling was completed 12-5-35 19 _____Name of drilling contractor Loffland Bros. Address Tulsa, OklahomaElevation above sea level at top of casing 3594' feet.The information given is to be kept confidential until ? 19 _____

OIL SANDS OR ZONES

No. 1, from 3630 to 3896 No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ? Rotary hole to _____ feet.

No. 2, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
<u>10 3/4" OD</u>	<u>40</u>	<u>10</u>	<u>Lap.</u>	<u>350'</u>	<u>?</u>			
<u>7-5/8" OD</u>	<u>26</u>	<u>8</u>	<u>Seam.</u>	<u>1334'</u>	<u>?</u>			
<u>5 1/2" OD</u>	<u>17</u>	<u>10</u>	<u>Seam.</u>	<u>3723'</u>	<u>?</u>			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>1 1/2"</u>	<u>10 3/4"</u>	<u>350'</u>	<u>225</u>	<u>Halliburton</u>		
<u>2-7/8"</u>	<u>7-5/8"</u>	<u>1334'</u>	<u>350</u>	<u>"</u>		
<u>3-3/4"</u>	<u>5 1/2"</u>	<u>3723'</u>	<u>325</u>	<u>"</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0' feet to 3896' feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing Dec. 6th, 19 35The production of the first 24 hours was 634 barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller

_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 11th,day of December, 19 35

W. E. Evans
Notary Public.

My Commission expires March 16, 1936

Tulsa, Oklahoma December 11th, 1935

Name [Signature]Position General SuperintendentRepresenting Gypsy Oil CompanyAddress Tulsa, Oklahoma

WILSON'S DATA INFORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0'	25'		Surface hole
	338		Caleche, sand and shells
	355		Red Rock
	414		Shale and shells
	635		Red Bed and shale
	863		Red Bed and shale
	1060		Shale and shells
	1190		Red Rock and shale
	1261		Shale and shells
	1342		Anhydrite
	1383		Salt
	1482		Salt, Anhydrite shells
	1590		Salt and Anhydrite
	1608		Anhydrite
	1694		Anhydrite and salt
	1802		Anhydrite, shells and salt
	1989		Anhydrite and salt
	2065		Anhydrite shells and salt
	2182		Anhydrite and salt
	2202		Salt
	2266		Anhydrite and salt
	2347		Anhydrite shells and salt
	2520		Anhydrite and salt
	2873		Anhydrite
	2912		Lime
	2966		Sand, lime and Anhydrite
	3362		Lime
	3388		Broken lime
	3445		Lime
	3451		Broken lime
	3467		Hard Lime
	3509		Lime
	3527		Hard lime
	3568		Lime
	3630		Hard lime
	3896		Upper San Andreas