


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than 30 days after completion of well. Follow instructions by following it with 17. SUBMIT IN TRIPLICATE.

Gulf Oil Corporation of Pennsylvania

Bell-Ramsey

Company or Operator

Lease

Well No.

of Sec.

4

T.

213

R. 362

N. M. P. M.

Sunlee

Field

Lee

County.

Well is _____ feet south of the North line and _____ feet west of the East line of Center of Lot 13If State land the oil and gas lease is No. B-230

Assignment No. _____

If patented land the owner is _____

Address _____

If Government land the permittee is _____

Address _____

The Lessee is Gulf Oil Corporation of PennsylvaniaAddress Tulsa, OklahomaDrilling commenced 12 - 11 - 36 was completed 2 - 22 - 36 19Name of drilling contractor Laffland Bros. Address Tulsa, OklahomaElevation above sea level at top of casing 3582

The information given is to be kept confidential until _____

OIL SANDS OR ZONES

No. 1, from 5620 to 5693

No. 2, from _____ to _____

No. 3, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Rotary hole to _____ feet.

No. 2, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
15"OD	48	8	Lw.	500'	?			
9-5/8"	36	8	Lw. 562	1500'	?			
7"	24	10	Sals.	5741'	?			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2"	15"	562'	500	Halliburton		
12 1/2"	9-5/8"	1500'	450	"		
8-5/8"	7"	5741'	500	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Hydrochloric Acid	2000 Gal.	2-22-36		

Results of shooting or chemical treatment Well would not flow before acidizing.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0' feet to 4217 feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing February 19th, 19 36The production of the first 24 hours was 251 barrels of fluid of which _____ % was oil; _____ %

emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours 3,840,000 Gallons gasoline per 1,000 cu. ft. of gas _____Rock pressure, lbs. per sq. in. ?

EMPLOYEES

_____, Driller _____, Driller

_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 20thTulsa, Oklahoma.March 20th, 1936day of March, 19 36Name D. R. DandridgePosition General SuperintendentRepresenting Gulf Oil Corporation

Company or Operator

My Commission expires _____

Address Tulsa, Oklahoma.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0'	104'		Sand and Calcechi
	585		Sand and shells.
	729		Red Bed
	941		Red Bed
	1081		Red Bed and shells
	1218		Red bed and shells
	1245		Red Rock
	1300		Anhydrite
	1326		Anhydrite and red rock
	1399		Anhydrite
	1455		Salt and Anhydrite shells
	1500		Anhydrite
	1542		Anhydrite and red rock
	1605		Anhydrite and salt
	1615		Anhydrite and red rock
	1665		Salt
	1675		Salt
	1751		Anhydrite
	1867		Salt
	1912		Salt and Anhydrite
	1927		Salt
	1987		Anhydrite
	1988		Salt and Anhydrite
	1994		Salt
	2200		Salt
	2205		Salt and shells
	2254		Anhydrite
	2350		Salt and Anhydrite
	2427		Anhydrite
	2475		Broken salt and anhydrite
	2485		Salt
	2478		Anhydrite
	2655		Salt
	2678		Anhydrite
	3008		Anhydrite and Gyp
	3022		Anhydrite
	3086		Lime
	4056		Anhydrite
	4080		Lime
	4081		Hard lime
	4100		Lime
	4217		Hard lime
	4217		Lime
3895' PLUGGED BACK FROM 4217'.			