

NEW MEXICO STATE LAND OFFICE


Santa Fe, New Mexico

STATE "H"DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. **F. J. Vesely**, State ~~Geologist~~ **Dallas, Texas** ~~Inspector~~ **Aug. 7, 1935**
Oil & Gas Inspector,

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as **State "H"** Well No. **1** in **SW of NE** of Sec. **8**
T. **21-S**, R. **34-E**, N. M. P. M. **San Jose** Oil Field
Lee County



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is **5800** feet (N.) of **South** line and **1000** feet (E.) (being in center of SW/4 of NE/4 of S-21E-22E) (W.) of **East** line of **Section 8-21E-22E**

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. **S-2150**
Assignment No. _____

If patented land the owner is _____

Address _____

The lessee is **State of New Mexico** Address _____

The elevation of the derrick floor above sea level is **5800 plus** feet. We propose to drill well with No. **Rotary**

Make of Drill _____

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Size Hole
12-1/2"	80#	S.H. Lapweld	200' 2.50	Outd. at the surface	18"
8-1/4"	82#	S.H. "	1400'	" 800 "	11-3/4"
5-1/2"	17#	New Seamless	5750	" 800 "	7-7/8"

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **5800** feet.
Additional information:

3-1/4" casing will be cemented to surface. 5-1/2" string will be cemented to bottom of 3-1/4". Squeeze cement job will be used to cement off the gas formation prior to running the oil string.

Sincerely yours,

ATLANTIC OIL PRODUCING COMPANY

Approved **Aug 10 1935**, 19____

Except as follows:

Company or Operator.

By **F. J. Vesely**

Position **Drilling & Production Department**

Send communication regarding well to

Name **Above**

Address _____

State ~~Geologist~~ Oil and Gas Inspector.

F. J. Vesely