

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO STATE LAND OFFICE

SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST

WELL RECORD

Mail to State Geologist, Santa Fe, New Mexico, not more than ten days
after completion of well. Indicate questionable data by
following it with (?). Submit in duplicate.

Company Atlantic Oil Producing Company Address Box 1818, Dallas, Texas.

Send correspondence to above Address _____

State "H" Well No. B-2 in SE/4 of NE/4 of Sec. 5, T. 21 South

R. 36 E, N. M. P. M., E Oil Field Lee County.

If State land the oil and gas lease is No. B-2139 Assignment No. _____

If patented land the owner is _____ Address _____

The lessee is State of New Mexico Address Santa Fe, N.M.

If not state or patented land, give status _____

Drilling commenced 10/11/ 19 35 Drilling was completed 11/2 19 35
Well Comp. 11/18/35

Name of Drilling contractor Bert Fields Address Dallas, Texas

Elevation above sea level at top of casing 3892 feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from see log to _____ No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from see log to _____ No. 3, from _____ to _____

No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	Purpose
<u>12 1/2"</u>	<u>50 1/2</u>	<u>8</u>	<u>Lapweld</u>	<u>257</u>	<u>Common</u>	<u>None</u>	<u>None</u> -	<u>Wtr. String</u>
<u>8-5/8"</u>	<u>32 1/2</u>	<u>10</u>	<u>"</u>	<u>1584'</u>	<u>"</u>	<u>"</u>	<u>"</u> -	<u>Intern. "</u>
<u>5 1/2"</u>	<u>17 1/2</u>	<u>10</u>	<u>SS</u>	<u>3794</u>	<u>Halliburton</u>	<u>"</u>	<u>"</u> -	<u>Oil "</u>
<u>2 1/2"</u>	<u>Tubing</u>		<u>SS</u>	<u>3879'</u>				

MUDDING AND CEMENTING RECORD

SIZE	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>12 1/2"</u>	<u>257'</u>	<u>200</u>	<u>Halliburton</u>		
<u>8-5/8"</u>	<u>1584'</u>	<u>800</u>	<u>"</u>		
<u>5 1/2"</u>	<u>3794'</u>	<u>800</u>	<u>"</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

SIZE	SHELL USED	EXPLOSIVE USED	QUANTITY	DATED	DEPTH SHOT	DEPTH CLEANED OUT
		<u>Not shot or acidised</u>				

TOOLS USED

Rotary tools were used from 0 feet to 3900 feet. and from - feet to - feet

Cable tools were used from - feet to - feet. and from - feet to - feet

PRODUCTION

Put to producing Nov. 15 19 35

The production of the first 24 hours was 512 barrels of fluid of which 100 % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

J. S. Galbraith Driller R. C. Watson Driller

C. R. Cosby Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 18th
day of December 19 35

Name L. B. Beck
Position Operating Department

In & for Dallas County, Texas Notary Public.
My commission expires June 1, 1937

Representing Atlantic Oil Producing Company
Company or Operator.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20		Surface
20	200		Sand and shells
200	270		Red Beds
270	506		Red Beds and Red Rock
506	860		Sand and Red Rock
860	1076		Red Beds and Red Rock
1076	1505		Red Rock and Anhydrite
1505	1584		Salt and Anhydrite
1584	1650		Salt
1650	2100		Salt and Red Rock
2100	2550		Salt and Anhydrite
2550	2690		Anhydrite and Potash
2690	2750		Anhydrite and Lime
2750	2818		Anhydrite, Lime and Potash
2818	2854		Anhydrite and Potash
2854	2997		Anhydrite and lime
2997	3035		Brown Lime
3035	3115		Lime
3115	3145		Brown Lime
3145	3298		Lime
3298	3329		Lime and Potash
3329	3418		Lime
3418	3435		Broken Lime
3435	3441		Lime
3441	3477		Grey Lime
3477	3511		Lime and Potash
3511	3536		Lime
3536	3570		Grey Lime
3570	3611		Lime
3611	3642		Broken Lime and Green Shale
3642	3770		Lime
3770	3778		Broken Lime
3778	3800		Lime
3800	3800		Lime
	<u>3800</u>		<u>TOTAL DEPTH</u>