

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

JUL 15 1969

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-1614-4

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Gulf Oil Corporation	8. Farm or Lease Name Heasley State
3. Address of Operator Box 670, Hobbs, N.M. 88240	9. Well No. 1
4. Location of Well UNIT LETTER F , 1980 ¹⁴⁶⁵ FEET FROM THE north LINE AND 1980 FEET FROM THE west LINE, SECTION 5 TOWNSHIP 21S RANGE 36E N.M.P.M.	10. Field and Pool, or Wildcat Runice
15. Elevation (Show whether DF, RT, GR, etc.) 3573' DF	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Plug Back

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3880' TD. 3873' PB. Pulled tubing. Checked bottom with wire line at 3873'. Ran bailer and cleaned out formation and hydromite plug to 3880'. Halliburton dumped 21 gallons hydromite; waited 1 hour 20 minutes. Ran wire line to 3880', no plug in hole. Dumped 12 gallons hydromite; waited 1 hour 15 minutes. Found 1' of plug with wire line at 3879'. Dumped 25 gallons hydromite; waited 1 hour 20 minutes, tagged bottom with wire line at 3847'. Ran bailer and cleaned out bridge at 3847' and mud and sand to 3873' hard plug. Checked bottom with wire line at 3873'. Ran tubing, pump and rods and returned well to production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED ORIGINAL SIGNATURE C. P. BROWN TITLE Area Production Manager DATE 7-14-69

APPROVED BY John W. Runyan TITLE Geologist DATE JUL 15 1969

CONDITIONS OF APPROVAL, IF ANY: