


N.



AREA 640 ACRES  
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Gulf Oil Corporation

Mollie Campbell

Company or Operator

Lease

Well No. 2 in NE SW of Sec. 7, T. 21SR. 56E, N. M. P. M., Eunice Field, Lea County.Well is 660 feet south of the North line and 660 feet west of the East line of NE SWIf State land the oil and gas lease is No. - Assignment No. -If patented land the owner is - Address -If Government land the permittee is - Address -The Lessee is Gulf Oil Corporation Address Tulsa, Oklahoma.Drilling commenced 12-3-36 19 - Drilling was completed 2-8-37 19 -Name of drilling contractor Loffland Address Tulsa, Oklahoma.Elevation above sea level at top of casing 5597 feet.The information given is to be kept confidential until 7 19 -

## OIL SANDS OR ZONES

No. 1, from 3700 to 3900 No. 4, from - to -No. 2, from - to - No. 5, from - to -No. 3, from - to - No. 6, from - to -

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Rotary hole to - feet.No. 2, from - to - feet.No. 3, from - to - feet.No. 4, from - to - feet.

## CASING RECORD

| SIZE         | WEIGHT PER FOOT | THREADS PER INCH | MAKE         | AMOUNT       | KIND OF SHOE | CUT & FILLED FROM | PERFORATED FROM TO | PURPOSE |
|--------------|-----------------|------------------|--------------|--------------|--------------|-------------------|--------------------|---------|
| <u>16"</u>   | <u>70</u>       | <u>8</u>         | <u>Lapw.</u> | <u>34'</u>   |              |                   |                    |         |
| <u>7-5/8</u> | <u>22</u>       | <u>8</u>         | <u>"</u>     | <u>1542'</u> |              |                   |                    |         |
| <u>5-1/2</u> | <u>17</u>       | <u>10</u>        | <u>"</u>     | <u>8755'</u> |              |                   |                    |         |
|              |                 |                  |              |              |              |                   |                    |         |
|              |                 |                  |              |              |              |                   |                    |         |
|              |                 |                  |              |              |              |                   |                    |         |
|              |                 |                  |              |              |              |                   |                    |         |
|              |                 |                  |              |              |              |                   |                    |         |

## MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET   | NO. SACKS OF CEMENT | METHOD USED        | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-------------|---------------------|--------------------|-------------|--------------------|
| <u>20"</u>   | <u>16</u>      | <u>34</u>   | <u>65</u>           | <u>By hand</u>     |             |                    |
| <u>9-7/8</u> | <u>7-5/8</u>   | <u>1542</u> | <u>500</u>          | <u>Halliburton</u> |             |                    |
| <u>6-5/4</u> | <u>5-1/2</u>   | <u>8755</u> | <u>150</u>          | <u>"</u>           |             |                    |

## PLUGS AND ADAPTERS

Heaving plug—Material - Length - Depth Set -Adapters—Material - Size -

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY    | DATE          | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|-------------|---------------|-----------------------|-------------------|
|      |            | <u>Hydro-Chloric Acid</u>  | <u>1000</u> | <u>2-8-37</u> |                       |                   |
|      |            |                            |             |               |                       |                   |
|      |            |                            |             |               |                       |                   |

Results of shooting or chemical treatment -

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from 0 feet to 3900 feet, and from - feet to - feetCable toops were used from - feet to - feet, and from - feet to - feet

## PRODUCTION

Put to producing February 16th, 19 37The production of the first 24 hours was 720 barrels of fluid of which - % was oil; - %emulsion; - % water; and - % sediment. Gravity, Be -If gas well, cu. ft. per 24 hours 1,202,000 Gallons gasoline per 1,000 cu. ft. of gas -Rock pressure, lbs. per sq. in. -

## EMPLOYEES

? Driller - Driller- Driller - Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 18th, 1937Place Tulsa, Oklahoma Date March 15th, 1937day of March, 19 37Name R. H. DanderPosition General SuperintendentRepresenting Gulf Oil Corporation

Notary Public

My Commission expires March 16, 1940Company or Operator Tulsa, Oklahoma.  
Address -

# FORMATION RECORD

WELL NO. 1

| FROM  | TO   | THICKNESS<br>IN FEET | FORMATION                  |
|-------|------|----------------------|----------------------------|
| 0'    | 34'  |                      | Calcechi                   |
|       | 59   |                      | Calcechi                   |
|       | 209  |                      | Band                       |
|       | 388  |                      | Red bed and shells         |
|       | 853  |                      | Red bed                    |
|       | 1308 |                      | Red Rock                   |
|       | 1425 |                      | Anhydrite                  |
|       | 1550 |                      | Salt and Anhydrite         |
|       | 1660 |                      | Salt, Anhydrite and shells |
|       | 1768 |                      | Salt and Anhydrite         |
|       | 1808 |                      | Salt                       |
|       | 1819 |                      | Anhydrite                  |
|       | 1939 |                      | Salt and Anhydrite         |
|       | 2059 |                      | Salt                       |
|       | 2307 |                      | Salt and shells            |
|       | 2590 |                      | Salt                       |
|       | 2420 |                      | Anhydrite                  |
|       | 2557 |                      | Salt and shells            |
|       | 2572 |                      | Anhydrite                  |
|       | 2691 |                      | Salt and shells            |
|       | 2717 |                      | Salt                       |
|       | 2984 |                      | Anhydrite                  |
|       | 3011 |                      | Anhydrite and lime         |
|       | 3038 |                      | Anhydrite and broken lime  |
|       | 3076 |                      | Anhydrite and lime         |
|       | 3900 |                      | Lime                       |
| TOPS: |      |                      | Anhydrite 1507'            |
|       |      |                      | Salt -                     |
|       |      |                      | Base of Salt 2750          |
|       |      |                      | Brown lime 2890            |
|       |      |                      | Yates 2940                 |
|       |      |                      | Ramsay 3570                |
|       |      |                      | U S A 3770                 |
|       |      |                      | Pay 3908                   |