

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. A-1350
7. Lease Name or Unit Agreement Name State "A" Com
8. Well No. 4
9. Pool name or Wildcat Eumont (Gas)
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3584 D.F.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	2. Name of Operator Doyle Hartman	3. Address of Operator P. O. Box 10426, Midland, TX 79702	4. Well Location Unit Letter <u>A</u> : <u>660</u> Feet From The <u>North</u> Line and <u>660</u> Feet From The <u>East</u> Line Section <u>8</u> Township <u>21-S</u> Range <u>36-E</u> NMPM Lea County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3584 D.F.			

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>
	OTHER: Clean out and place on pump <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Rigged up foam circulating unit. Cleaned out well to top of Model "D" plug at 3699'. Tested Model "D" plug to 3000 psi. Pressure held okay. Set E-Z Drill retainer at 3694' RKB and CIBP at 3690' RKB. Attempted to locate 12-1/2" casinghead, but could not locate 12-1/2" casing. Anchored 9-5/8" and 7" casing at surface with 327 sx of cement. Tested 7" casing to 3000 psig. Pressure held steady for 30 minutes. Acidized 3395-3532 with 3500 gal. of 15% NEFE acid. SWF Eumont interval 2913-3532 (1020 shots) with 286,402 + 714,961 of 20/40, 12/20, 8/16. Landed tubing at 3628 RKB. Made up pumping flowing wellhead assembly. Placed on pump at 9-1/2 X 64 X 1-1/4.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Patrick K. Worrell TITLE Engineer DATE 6-14-91

TYPE OR PRINT NAME Patrick K. Worrell TELEPHONE NO. 915/684-4011

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: