

DUPLICATE

N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico


AREA 640 ACRES  
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

**REFOLLO OIL COMPANY** **E. C. ADKINS**  
Company or Operator Lease  
Well No. **8** **E/2 E/2** of Sec. **9**, T. **21 - S**  
R. **36 - E**, N. M. P. M., **Eunice** Field, **Lea** County.  
Well is **330** feet south of the North line and **330** feet west of the East line of **Sect. 9 - 21 - 36**  
If State land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_  
If patented land the owner is **E. C. Adkins**, Address **?**  
If Government land the permittee is \_\_\_\_\_, Address \_\_\_\_\_  
The Lessee is \_\_\_\_\_, Address \_\_\_\_\_  
Drilling commenced **March 31** 19**36** Drilling was completed **April 26** 19**36**  
Name of drilling contractor **Loffland Brothers**, Address **Tulsa, Oklahoma.**  
Elevation above sea level at top of casing **3603** feet.  
The information given is to be kept confidential until \_\_\_\_\_ 19\_\_\_\_\_

OIL SANDS OR ZONES

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
15 1/2 "	70 #	8	?	236'	None				
9-5/8"	36	8	?	1374'	Comb. Float				
7 "	24 #	10	?	3789'	Comb. Float				
2 1/2 "	6.5 #	10	?	3869'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
19-5/8"	15 1/2 "	254	300	Hallibutton	?	?
11 1/2 "	9-5/8	1392	500	"	?	?
8-3/4	7	3606	325	"	?	?

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth Set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
------	------------	----------------------------	----------	------	-----------------------	-------------------

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	302	302	Sand and Shells
302	774	472	Red Beds
774	1315	541	Shells and Red Beds
1315	1402	87	Anhydrite
1402	1519	117	Salt
1519	2372	853	Salt and Shells
2372	2394	22	Anhydrite
2394	2446	51	Salt and Shells
2446	2540	95	Salt
2540	2695	155	Anhydrite
2695	2744	49	Anhydrite and Lime Shells
2744	2763	19	Anhydrite
2763	2822	59	Lime and Anhydrite
2822	2955	133	Anhydrite and Lime Shells
2955	3830	875	Lime Show gas 3290 - 3400
3830	3867	37	Sandy Lime
3867	3903	36	Lime

RECORD OF DRILL-STEM AND SPECIAL TESTS- E.C.ABKINS #8

DRILL-STEM TESTS

NONE

DEVIATION SURVEY

400 feet	0	degrees from vertical		
625 "	0	"	"	"
850 "	0	"	"	"
1000 "	0	"	"	"
1800 "	1	"	"	"
2150 "	1	"	"	"
2400 "	1	"	"	"
2600 "	1-1/2	"	"	"
2750 "	0	"	"	"
3000 "	0	"	"	"
3225 "	0	"	"	"
3600 "	1/2	"	"	"

RECORD OF CHIEF OF POLICE AND SHERIFFS OF CALIFORNIA

1902-1903

HOME

RECEIVED

400 feet	0	degrees from vertical
" 328	0	" "
" 300	0	" "
" 1000	0	" "
" 1000	1	" "
" 2150	1	" "
" 2400	1	" "
" 2000	1-1/2	" "
" 2100	0	" "
" 2000	0	" "
" 2225	0	" "
" 2000	1/2	" "