

NEV. MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

RECEIVED
MAR 27 1942
RECEIVED
HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	<input checked="" type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Midland, Texas

March 23, 1942

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Humble Oil & Refining Company

A. J. Adkins

Well No. 4

in the

Company or Operator

Lease

NE 1/4 of SW 1/4

of Sec. 10

T. 2-S

R. 36-E

, N. M. P. M.,

Danice

Field,

Lee

County

The dates of this work were as follows: March 6 to March 21st, 1942

Notice of intention to do the work was (~~submitted~~) submitted on Form C-102 on February 13, 1942
and approval of the proposed plan was (~~obtained~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Killed well with oil and reamed open hole with 4-5/4" bit. Set 4 1/2" Robinson Anchor Packer at 3812'. Swabbed well in and flowed out oil load. Killed well and pulled Robinson Packer. Reamed hole with 4-5/4" bit and reset Robinson Packer at 3798'. Swabbed well in and flowed out oil load. Spotted 15 gallons blanket above packer and treated with 2000 gallons acid from 3740' to 3798'. Swabbed well in. On 24 hour test well flowed 50 barrels oil and 33 barrels water with 516 M.C.F. gas per day. Gas-oil ratio 10200 to 1.

Witnessed by No Witness
Name

Company

Title

Subscribed and sworn to before me this 23rd

day of March, 1942

J. W. Roper

Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name J. W. RoperPosition Division SuperintendentRepresenting Humble Oil & Refining Company
Company or Operator

My Commission expires _____

Address Box 1600 - Midland

Remarks:

Reg. Yarbrough
Name
OIL & GAS INSPECTOR

Title

