NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOBBS OFFICE OCC

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION	Notice of Intention to		Notice of Intention		
TO CHANGE PLANS	Temporarily Abandon Well		to Drill Deeper		
NOTICE OF INTENTION TO PLUG WELL	Notice of Intention to Plug Back		Notice of Intention to Set Liner		
Notice of Intention	NOTICE OF INTENTION		Notice of Intention		
to Squeeze	TO ACIDIZE		to Shoot (Nitro)		
Notice of Intention to Gun Perforate	NOTICE OF INTENTION (Other)		Notice of Intention (Other)		

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

obbe ,	liew	Mexico
		(Place)

June 9, 1954

Gentlemen:

Following is a Notice of	Intention to do cert	ain work as de	scribed below at	the	J. D. K	xox	
Humble Oil & Refini	ng Company				Well No. 7	in	G
(Com	pany or Operator)						(Unit)
SW 1/4 KB 1/4 of (40-acre Subdivision)	of Sec. 10	, т. 213	, R. 365	,NMPM.,	Exa.	nice	Pcol
(40-acre Subdivision)							

.....County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Intended Procedure:

1. Nove in a workover unit, rig up, and load hole with oil,

ľ

- 2. Pull rods, tubing, and packer,
- 3. Run radioactivity log, casing and open hole caliper,
- 4. Rerun tubing with two Sweet formation packers so spaced to set packers at 3809 and 3874 feet,
- 5. Pump into section to be treated between packers to determine the injection pressure, if injection pressure is high treat with 4,000 gallons of 15 per cent low tension, but if pressure is low add up to 500 gallons of keresene base gel to block eld channels and increase pressure to treat new enes,
- 6. Pull tubing and remove packers,
- 7. Rerun tubing and rods and place well on production.

Approved, 19, 19	Humble (il & Refining Company Company or Operator By M
Approved	Position
OIL CONSERVATION COMMISSION By	Name Humble vil & Refining Company
Title	Address Box 2347, Hobbs, New Mexico