

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

| | | | |
|--|----------|--|--|
| REPORT ON BEGINNING DRILLING OPERATIONS | | REPORT ON REPAIRING WELL | |
| REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL | | REPORT ON PULLING OR OTHERWISE ALTERING CASING | |
| REPORT ON RESULT OF TEST OF CASING SHUT-OFF | X | REPORT ON DEEPENING WELL | |
| REPORT ON RESULT OF PLUGGING OF WELL | | | |

Hobbs, New Mexico
Place

July 12, 1936
Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
Skelly Oil Company **A. J. Adkins** Well No. **1** in the _____
 _____ Company or Operator _____ Lease _____
C NE/4, NW/4 of Sec. **10**, T. **21**, R. **36**, N. M. P. M.,
Eunice Field, **Lea** County.

The dates of this work were as follows: **July 7, 1936**
 Notice of intention to do the work was (~~####~~) submitted on Form C-102 on **July 6** 19 **36**
 and approval of the proposed plan was (~~####~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Drilled plug, bailed hole, let stand, and tested 13" OD
casing set at 225' with 250 sacks cement. Tested OK.
Now drilling ahead

DUPLICATE

Witnessed by **J. B. Davis** **Lee Drilling Co.** **Superintendent**
 Name Company Title

Subscribed and sworn to before me this **12**

day of **July**, 19 **36**

Patricia Mahoney
 Notary Public

My Commission expires **Oct. 24, 1939**

I hereby swear or affirm that the information given above is true and correct.

Name **J. B. Davis**

Position **District Superintendent**

Representing **Skelly Oil Company**
 Company or Operator

Address **Hobbs, New Mexico**

Remarks:

APPROVAL
[Signature]
 Name
Oil & Gas Inspector
 Title

15. 2014年12月25日 星期四

1. *EXACTLY ONE OF THE FOLLOWING IS TRUE. CIRCLE THE CORRECT ONE.*

[illegible]

Figure 1. The effect of the concentration of the polymer solution on the surface free energy of the polymer film. The surface free energy of the polymer film increases with the concentration of the polymer solution. The surface free energy of the polymer film is 1.5 mJ/m² at 0.1 g/dL, 1.8 mJ/m² at 0.2 g/dL, 2.1 mJ/m² at 0.3 g/dL, 2.4 mJ/m² at 0.4 g/dL, 2.7 mJ/m² at 0.5 g/dL, 3.0 mJ/m² at 0.6 g/dL, 3.3 mJ/m² at 0.7 g/dL, 3.6 mJ/m² at 0.8 g/dL, 3.9 mJ/m² at 0.9 g/dL, 4.2 mJ/m² at 1.0 g/dL, 4.5 mJ/m² at 1.1 g/dL, 4.8 mJ/m² at 1.2 g/dL, 5.1 mJ/m² at 1.3 g/dL, 5.4 mJ/m² at 1.4 g/dL, 5.7 mJ/m² at 1.5 g/dL, 6.0 mJ/m² at 1.6 g/dL, 6.3 mJ/m² at 1.7 g/dL, 6.6 mJ/m² at 1.8 g/dL, 6.9 mJ/m² at 1.9 g/dL, 7.2 mJ/m² at 2.0 g/dL, 7.5 mJ/m² at 2.1 g/dL, 7.8 mJ/m² at 2.2 g/dL, 8.1 mJ/m² at 2.3 g/dL, 8.4 mJ/m² at 2.4 g/dL, 8.7 mJ/m² at 2.5 g/dL, 9.0 mJ/m² at 2.6 g/dL, 9.3 mJ/m² at 2.7 g/dL, 9.6 mJ/m² at 2.8 g/dL, 9.9 mJ/m² at 2.9 g/dL, 10.2 mJ/m² at 3.0 g/dL, 10.5 mJ/m² at 3.1 g/dL, 10.8 mJ/m² at 3.2 g/dL, 11.1 mJ/m² at 3.3 g/dL, 11.4 mJ/m² at 3.4 g/dL, 11.7 mJ/m² at 3.5 g/dL, 12.0 mJ/m² at 3.6 g/dL, 12.3 mJ/m² at 3.7 g/dL, 12.6 mJ/m² at 3.8 g/dL, 12.9 mJ/m² at 3.9 g/dL, 13.2 mJ/m² at 4.0 g/dL, 13.5 mJ/m² at 4.1 g/dL, 13.8 mJ/m² at 4.2 g/dL, 14.1 mJ/m² at 4.3 g/dL, 14.4 mJ/m² at 4.4 g/dL, 14.7 mJ/m² at 4.5 g/dL, 15.0 mJ/m² at 4.6 g/dL, 15.3 mJ/m² at 4.7 g/dL, 15.6 mJ/m² at 4.8 g/dL, 15.9 mJ/m² at 4.9 g/dL, 16.2 mJ/m² at 5.0 g/dL, 16.5 mJ/m² at 5.1 g/dL, 16.8 mJ/m² at 5.2 g/dL, 17.1 mJ/m² at 5.3 g/dL, 17.4 mJ/m² at 5.4 g/dL, 17.7 mJ/m² at 5.5 g/dL, 18.0 mJ/m² at 5.6 g/dL, 18.3 mJ/m² at 5.7 g/dL, 18.6 mJ/m² at 5.8 g/dL, 18.9 mJ/m² at 5.9 g/dL, 19.2 mJ/m² at 6.0 g/dL, 19.5 mJ/m² at 6.1 g/dL, 19.8 mJ/m² at 6.2 g/dL, 20.1 mJ/m² at 6.3 g/dL, 20.4 mJ/m² at 6.4 g/dL, 20.7 mJ/m² at 6.5 g/dL, 21.0 mJ/m² at 6.6 g/dL, 21.3 mJ/m² at 6.7 g/dL, 21.6 mJ/m² at 6.8 g/dL, 21.9 mJ/m² at 6.9 g/dL, 22.2 mJ/m² at 7.0 g/dL, 22.5 mJ/m² at 7.1 g/dL, 22.8 mJ/m² at 7.2 g/dL, 23.1 mJ/m² at 7.3 g/dL, 23.4 mJ/m² at 7.4 g/dL, 23.7 mJ/m² at 7.5 g/dL, 24.0 mJ/m² at 7.6 g/dL, 24.3 mJ/m² at 7.7 g/dL, 24.6 mJ/m² at 7.8 g/dL, 24.9 mJ/m² at 7.9 g/dL, 25.2 mJ/m² at 8.0 g/dL, 25.5 mJ/m² at 8.1 g/dL, 25.8 mJ/m² at 8.2 g/dL, 26.1 mJ/m² at 8.3 g/dL, 26.4 mJ/m² at 8.4 g/dL, 26.7 mJ/m² at 8.5 g/dL, 27.0 mJ/m² at 8.6 g/dL, 27.3 mJ/m² at 8.7 g/dL, 27.6 mJ/m² at 8.8 g/dL, 27.9 mJ/m² at 8.9 g/dL, 28.2 mJ/m² at 9.0 g/dL, 28.5 mJ/m² at 9.1 g/dL, 28.8 mJ/m² at 9.2 g/dL, 29.1 mJ/m² at 9.3 g/dL, 29.4 mJ/m² at 9.4 g/dL, 29.7 mJ/m² at 9.5 g/dL, 30.0 mJ/m² at 9.6 g/dL, 30.3 mJ/m² at 9.7 g/dL, 30.6 mJ/m² at 9.8 g/dL, 30.9 mJ/m² at 9.9 g/dL, 31.2 mJ/m² at 10.0 g/dL, 31.5 mJ/m² at 10.1 g/dL, 31.8 mJ/m² at 10.2 g/dL, 32.1 mJ/m² at 10.3 g/dL, 32.4 mJ/m² at 10.4 g/dL, 32.7 mJ/m² at 10.5 g/dL, 33.0 mJ/m² at 10.6 g/dL, 33.3 mJ/m² at 10.7 g/dL, 33.6 mJ/m² at 10.8 g/dL, 33.9 mJ/m² at 10.9 g/dL, 34.2 mJ/m² at 11.0 g/dL, 34.5 mJ/m² at 11.1 g/dL, 34.8 mJ/m² at 11.2 g/dL, 35.1 mJ/m² at 11.3 g/dL, 35.4 mJ/m² at 11.4 g/dL, 35.7 mJ/m² at 11.5 g/dL, 36.0 mJ/m² at 11.6 g/dL, 36.3 mJ/m² at 11.7 g/dL, 36.6 mJ/m² at 11.8 g/dL, 36.9 mJ/m² at 11.9 g/dL, 37.2 mJ/m² at 12.0 g/dL, 37.5 mJ/m² at 12.1 g/dL, 37.8 mJ/m² at 12.2 g/dL, 38.1 mJ/m² at 12.3 g/dL, 38.4 mJ/m² at 12.4 g/dL, 38.7 mJ/m² at 12.5 g/dL, 39.0 mJ/m² at 12.6 g/dL, 39.3 mJ/m² at 12.7 g/dL, 39.6 mJ/m² at 12.8 g/dL, 39.9 mJ/m² at 12.9 g/dL, 40.2 mJ/m² at 13.0 g/dL, 40.5 mJ/m² at 13.1 g/dL, 40.8 mJ/m² at 13.2 g/dL, 41.1 mJ/m² at 13.3 g/dL, 41.4 mJ/m² at 13.4 g/dL, 41.7 mJ/m² at 13.5 g/dL, 42.0 mJ/m² at 13.6 g/dL, 42.3 mJ/m² at 13.7 g/dL, 42.6 mJ/m² at 13.8 g/dL, 42.9 mJ/m² at 13.9 g/dL, 43.2 mJ/m² at 14.0 g/dL, 43.5 mJ/m² at 14.1 g/dL, 43.8 mJ/m² at 14.2 g/dL, 44.1 mJ/m² at 14.3 g/dL, 44.4 mJ/m² at 14.4 g/dL, 44.7 mJ/m² at 14.5 g/dL, 45.0 mJ/m² at 14.6 g/dL, 45.3 mJ/m² at 14.7 g/dL, 45.6 mJ/m² at 14.8 g/dL, 45.9 mJ/m² at 14.9 g/dL, 46.2 mJ/m² at 15.0 g/dL, 46.5 mJ/m² at 15.1 g/dL, 46.8 mJ/m² at 15.2 g/dL, 47.1 mJ/m² at 15.3 g/dL, 47.4 mJ/m² at 15.4 g/dL, 47.7 mJ/m² at 15.5 g/dL, 48.0 mJ/m² at 15.6 g/dL, 48.3 mJ/m² at 15.7 g/dL, 48.6 mJ/m² at 15.8 g/dL, 48.9 mJ/m² at 15.9 g/dL, 49.2 mJ/m² at 16.0 g/dL, 49.5 mJ/m² at 16.1 g/dL, 49.8 mJ/m² at 16.2 g/dL, 50.1 mJ/m² at 16.3 g/dL, 50.4 mJ/m² at 16.4 g/dL, 50.7 mJ/m² at 16.5 g/dL, 51.0 mJ/m² at 16.6 g/dL, 51.3 mJ/m² at 16.7 g/d